

Supplementary data

Engineering Ag/CuO/g-C₃N₄ heterojunctions for high-efficiency solar-to-hydrogen conversion

Mohamed Ibrahim^{1,2}, **Ashour M. Ahmed**^{3*}, **Mamduh J. Aljaafreh**³, **Mohamed Zayed**¹, **Mohamed Shaban**⁴, **S. Abd Elkhalik**⁵, **Fatma Mohamed**^{2,5}

¹ Nanophotonics and Applications (NPA) Lab, Physics Department, Faculty of Science, Beni-Suef University, Beni-Suef, 62514, Egypt

² Materials Lab, Chemistry Department, Faculty of Science, Beni-Suef University, Beni-Suef 62514, Egypt

³ Physics Department, College of Science, Imam Mohammad Ibn Saud Islamic University (IMSIU), Riyadh, 11623, Saudi Arabia

⁴ Department of Physics, Faculty of Science, Islamic University of Madinah, P.O. Box 170, AlMadinah Almonawara 42351, Saudi Arabia

⁵ Chemistry Department, Faculty of Science, Beni-Suef University, Beni-Suef 62514, Egypt

* Corresponding author: ashour.elshemey@gmail.com; asmmohamed@imamu.edu.sa




Figure S1. The LSV measurements for the fabricated samples under under dark conditions conditions.




Figure S2. transient photocurrent curves measured under chopped light (on or off cycle) of 3.34 % Ag/CuO/g-C₃N₄.