

Portable smartphone enabled colorimetric detection of tetracycline in commercial milk samples via peroxidase-mimicking ZnO-Pd nanobolts

Ekta Arjundas Kukreja^a, Ravi Mani Tripathi^{a*}

^aAmity Institute of Nanotechnology, Amity University Uttar Pradesh, Noida- 201301, Uttar Pradesh, India

*Corresponding author

Email- rmtripathi@amity.edu




Fig. S1. (a) UV-vis spectrum of ZnO-Pd nanobolts (b) XPS micrograph of ZnO-Pd nanobolts and (c) DLS pattern of ZnO-Pd nanobolts.³⁰




Fig. S2. X-Ray Diffraction graph of the ZnO-Pd nanobolts.³⁰




Fig. S3. Images of the nanomaterial acquired at various magnifications using FESEM.³⁰ (a) micrograph obtained at 10,000 × magnification (scale bar, 1 μm); (b) micrograph obtained at 50,000 × magnification (scale bar, 100 nm); (c) Scan attained at 100,000 × magnification, depicting the unique morphology of ZnO–Pd nanobolts; (d) Highly magnified scan showing the central hole of the nanobolts.




Fig. S4. EDX analysis of ZnO–Pd nanobolts;³⁰ (a) Area for mapping selected for evaluation from a FESEM reflections, (b) Pd-K map (yellow), (c) Zn-K map (magenta), (d) O-K map (green) and (e) Spectrum demonstrating the elemental composition of the nanomaterial.




Fig. S5. TEM projections of nanomaterial.³⁰ (a) An image at the 500 nm scale showing the central hole (inset: depicting diameter of the centre hole); (b) Scan at a scale of 500 nm; (c) Scan at 200 nm depicting thickness; (d) Scan at 50 nm scale.




Fig. S6: Tauc plot determining the bandgap of ZnO-Pd.