

Biodegradable Alginate-Sericin Biofilm: A Colorimetric Indicator Using Mangosteen-Peel Anthocyanins for Protein Food Freshness

Thi-Hong-No Nguyen^{1,2}, Minh-Truong Truong³, Minh-Ty Nguyen¹, Quynh-Nhu Pham¹, Huy-Khoa Tran¹, Huy-Khiem Tran¹, Dinh-Tri Mai^{1,2}, Van-Dung Le^{1,2}, Chi-Hien Dang^{1,2}, Cao-Hien Nguyen⁴, Thanh-Danh Nguyen^{1,2*}

¹Institute of Advanced Technology, Vietnam Academy of Science and Technology, 01B TL29, An Phu Dong Ward, Ho Chi Minh City, 700000, Vietnam.

²Graduate University of Science and Technology, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay District, Hanoi, Vietnam.

³Ton Duc Thang University, 19 Nguyen Huu Tho, Ho Chi Minh City, Vietnam.

⁴Department of Chemical Technology, Ho Chi Minh City University of Industry and Trade, Ho Chi Minh City 700000, Vietnam.

*Corresponding email: danh5463bd@yahoo.com

Supporting Information




Figure S1. Stress-strain spectra of ASA0 (A), ASA5 (B), ASA7 (C), ASA10 (D) and ASA12 (E)