

Supporting Information

Magnetic-Field-Induced Enhanced Electrochemical Energy Storage Performance of Nickel Cobalt Phosphide

Anuradha Yadav^a, Erdenebayar Baasanjav^b, Mihir Sahoo^c, Kalpataru Pradhan^d, Sang Mun Jeong^{b,*}, Manoj Kumar Singh^{a,c,*}, Chandra Sekhar Rout^{b,f,*},

^a Department of Physics and Astrophysics, School of Basic Sciences, Central University of Haryana, Jant-Pali, Mahendergarh-123031, India

^b Department of Chemical Engineering, Chungbuk National University, Cheongju, Chungbuk 28644, Republic of Korea

^c Graz University of Technology, Graz, 8010, Austria

^d Theory Division, Saha Institute of Nuclear Physics, A CI of HBNI, Kolkata 700064, India

^e Department of Applied Sciences and Humanities, School of Engineering and Technology (SOET), Central University of Haryana, Jant-Pali, Mahendergarh-123031, India

^f Centre for Nano and Material Sciences, Jain (Deemed-to-be University), Jain Global Campus, Kanakapura Road, Bangalore – 562112, Karnataka, India.

*Corresponding authors: manojksingh@cuh.ac.in, csrout@gmail.com, r.chandrasekhar@jainuniversity.ac.in




Figure S1 XRD plots after stability (a) without and (b) with an applied magnetic field (400 G).




Figure S2 FESEM images at different magnifications before stability tests.




Figure S3 FESEM images of NiCoP after the stability test: (a) without and (b) with an applied magnetic field (400 G).




Figure S4 (a-c) CV curves and (d-f) GCD curves without, 200 G and 400 G magnetic field.




Figure S5 Total and capacitive contributions to charge storage.