

UV-Induced Near-White Visible Emission in Dinuclear Tb(III) Complex: A Photophysical, Theoretical and Computational Study on Fluxidentate Ligand Bridging and Coordination Geometry

Vandana Aggarwal^a, Devender Singh^{a*}, Anuj Dalal^b, Vandna Nishal^a, Sumit Kumar^c, Rajender Singh Malik^c, Parvin Kumar^d, Jayant Sindhu^e and Varun Kumar^f

^aDepartment of Chemistry, Maharshi Dayanand University, Rohtak-124001, Haryana, India

^bDepartment of Chemistry, School of Sciences, Noida International University, Greater Noida, Uttar Pradesh, 203201, India

^cDepartment of Chemistry, DCR University of Science & Technology, Murthal -131039 Haryana, India.

^dDepartment of Chemistry, Kurukshetra University Kurukshetra -136119, Haryana, India.

^eDepartment of Chemistry, COBS&H, CCS Haryana Agricultural University, Hisar-125004, Haryana, India.

^fDepartment of Computer Science and Engineering, UIET, Maharshi Dayanand University, Rohtak-124001, Haryana, India

SUPPLEMENTARY INFORMATION




Fig. S1 FTIR spectra of TbA




Fig. S2 FTIR spectra of TbM




Fig. S3 FTIR spectra of TbD




Fig S4 Decay time profiles of TbA-TbD




Fig. S5 Photograph of the powder emission of complexes (on the whatman filter paper) under UV lamp in laboratory





Fig. S6 TG profiles of TbM & TbD