Supporting Information

2 Cardiac troponin detection in one drop of saliva or urine for 10


minutes assessment of acute myocardial infarction Xuelian Wu^{1,a}, Zewei Lian^{2,a}, Zhiyu Tan^{2,a}, Yaqun Yu³, Tong Ren³, Hua Shen³, Jie Zhang³, Shengli Jiang³, Yundai Chen^{4,*}, Meng Su^{2,*}, Nan Cheng^{3,*}

- 7 1 Department of Cardiovascular Surgery, First Medical Center of PLA General
- 8 Hospital, Beijing, 100853, P. R. China.
- 9 2 Key Laboratory of Green Printing, CAS Research/Education Center for Excellence
- in Molecular Sciences, Beijing Engineering Research Center of Nanomaterials for
- 11 Green Printing Technology, Beijing National Laboratory for Molecular Sciences
- 12 (BNLMS), Institute of Chemistry, Chinese Academy of Sciences (ICCAS), Beijing
- 13 100190, P. R. China.
- 14 3 Department of Cardiovascular Surgery, Sixth Medical Center of PLA General
- 15 Hospital, Beijing, 100048, P. R. China.
- 4 Senior Department of Cardiology, Sixth Medical Center of PLA General Hospital,
- 17 Beijing, 100037, P. R. China.
- * Correspondence author.
- 19 E-mail addresses: cn86919@163.com (N. Cheng), sumeng1988@iccas.ac.cn (M. Su),
- 20 cyundai@vip.163.com (Y. Chen).

21 a These authors contributed equally to this work. Contents

22	
23	1. Reflectance spectra of PC290 at 0 angles of incidence
24	2. The height of the photonic crystal was measured using a step meter2
25	3. Scanning electron microscope image of the PCB after sintering2
26	4. Fluorescence images of PC290 and blank substrate were performed using Cy5-dAb3
27	5. Fluorescence intensity analysis of PC290 and blank substrate was performed using Cy5-dAb3
28	$6. \ Standard \ curve \ of \ fluorescence \ intensity \ on \ biochip \ versus \ CTnT \ concentration \ in \ human \ urine 3$
29	7. Biochip quantification of CTnT concentrations in serum, saliva and urine4
30	8. Quantification of CTnT using a portable test instrument carrying PC290 biochip4
31	

32 1. Reflectance spectra of PC290 at 0 angles of incidence




33 34

Figure S1. Reflectance spectra of PC290 at 0 angles of incidence

5 2. The height of the photonic crystal was measured using a step meter

36




37

38

Figure S2. The height of the photonic crystal was measured using a step meter

3. Scanning electron microscope image of the PCB after sintering




40

41

Figure S3. Scanning electron microscope image of the PCB after sintering

42 4. Fluorescence images of PC290 and blank substrate were performed using Cy5-dAb



44 Figure S4. Fluorescence images of PC290 and blank substrate were performed using Cy5-dAb

43

47

48

51

5. Fluorescence intensity analysis of PC290 and blank substrate was performed using Cy5-dAb




Figure S5. Fluorescence intensity analysis of PC290 and blank substrate was performed using Cy5-dAb

49 6. Standard curve of fluorescence intensity on biochip versus CTnT concentration in human 50 urine.




Figure S6. Standard curve of fluorescence intensity on biochip versus CTnT concentration in human urine. Data are mean \pm standard deviation, n = 10 replicates.

7. Biochip quantification of CTnT concentrations in serum, saliva and urine




Figure S7. Biochip quantification of CTnT concentrations in serum, saliva and urine

58 8. Quantification of CTnT using a portable test instrument carrying PC290 biochip



Figure S8. Quantification of CTnT using a portable test instrument carrying PC290 biochip