

Supplementary Information

Manganese(II) complexes of tridentate 3N ligands as functional models of phenoxazinone synthase: Impact of ligand steric hindrance on reactivity

Narasimman Palani^a, Karuppasamy Gopalsamy^b, Nattamai Bhuvanesh^c, Tamilarasan Ajaykamal^d, Guillaume Maurin^b, and Karuppasamy Sundaravel^{a*}

^aBioinorganic Research Laboratory, Department of Chemistry, Bharathiar University, Coimbatore- 641 046, Tamil Nadu, India. Email: palanivelmanigandan@gmail.com

^bICGM, Univ. Montpellier, CNRS, ENSCM, Montpellier, France.
Email: guillaume.maurin1@umontpellier.fr, gopalsamy.karuppasamy@gmail.com

^cX-ray Diffraction Laboratory, Department of Chemistry, Texas A & M University, College Station TX 77843, United States of America (USA). Email: nbhuv@chem.tamu.edu

^dCenter for Advanced Energy Materials, SRM TRP Engineering College, Tiruchirapalli - 621 105, Tamil Nadu, India. Email: ajaykamal26@gmail.com

To whom all the correspondence to be addressed E-mail: sundaravel.k@buc.edu.in,
sundaravel.k@gmail.com,
Phone: +91 - 8220717342

Table of Contents

1. Supplementary Tables

Table S1	ATR-FTIR spectral data for ligands and manganese(II) complexes 1–6 .	S5
Table S2	UV-vis spectral data of complexes 1–6 .	S7
Table S3	Selected crystallographic data for L5 .	S14
Table S4	Bond length and bond angle for single crystal XRD of ligand L5 .	S15

2. Supplementary Figures

Fig. S1	ATR-FTIR spectra of ligands L1–L6 and their manganese(II) complexes 1–6 , respectively	S4
Fig. S2	Electronic absorption spectra of complexes 1–6 in methanol at RT.	S6
Fig. S3	¹ H NMR spectrum of L1 in CDCl ₃ at 298 K.	S8
Fig. S4	HRMS spectrum of L1 in methanol.	S8
Fig. S5	¹ H NMR spectrum of L2 in CDCl ₃ at 298 K.	S9
Fig. S6	HRMS spectrum of L2 in methanol.	S9
Fig. S7	¹ H NMR spectrum of L3 in CDCl ₃ at 298 K.	S10
Fig. S8	HRMS spectrum of L3 in methanol.	S10
Fig. S9	¹ H NMR spectrum of L4 in CDCl ₃ at 298 K.	S11
Fig. S10	HRMS spectrum of L4 in methanol.	S11
Fig. S11	HRMS spectrum of L5 in methanol.	S12
Fig. S12	HRMS spectrum of L5 in methanol.	S12
Fig. S13	¹ H NMR spectrum of L6 in CDCl ₃ at 298 K.	S13
Fig. S14	HRMS spectrum of L6 in methanol.	S13
Fig. S15	Single crystal XRD of ligand L5	S15
Fig. S16–S21	HRMS spectrum of [Mn(L)Cl ₂] 1–6 in methanol.	S17

Fig. S22 and S23	Experimental X-ray powder diffraction pattern of manganese(II) complexes 2 and 6 compared with the simulated XRPD pattern	S23
Fig. S24–S28	UV-vis spectral scans for the oxidative coupling of OAP in O ₂ saturated methanol for complexes 1–6 and corresponding time traces, Michaelis-Menten and Lineweaver-Burk plots.	S25
Fig. S29	Comparison of turnover numbers (TON) of oxidative coupling of OAP to APX by manganese(II) complexes 1–6 in the presence and absence of base of triethylamine	S30
Fig. S30, S31	Cyclic voltammograms and Differential pulse voltammograms of manganese(II) complexes 1–6 in methanol solution and correlation plot of $E_{1/2}$ (V) values for [Mn(L)Cl ₂] 1–6 and [Mn(L)(OAP)] adducts vs. the turnover numbers (k_{cat} , h ⁻¹)	S30
Fig. S32	(A) UV-vis spectrum of 2-aminophenoxazine-3-one in methanol at 25 °C. (B) ATR-FTIR spectrum of 2-aminophenoxazine-3-one product.	S32
Fig. S33	¹ H NMR spectrum of 2-amino-phenoxazine-3-one in CDCl ₃	S33
Fig. S34	HRMS spectrum of 2-amino-phenoxazine-3-one in methanol.	S33
Fig. S35	Detection of H ₂ O ₂ by UV-vis spectroscopy during oxidation of <i>o</i> -aminophenol catalysed by complex 5 in O ₂ saturated methanol solution.	S34
Fig. S36	Detection of H ₂ O ₂ by UV-vis spectroscopy during oxidation of <i>o</i> -aminophenol catalysed by complexes 1–6 in O ₂ saturated methanol solution.	S34
Fig. S37	Control experiment for PHS activity; (A) Oxidation of OAP by MnCl ₂ ·4H ₂ O salt in dioxygen saturated methanol at room temperature. (B) Time-dependent traces inserted in the figure for the reaction as a A, B, C and D.	S35
Fig. S38–43	EPR spectral data of complexes 1–6 in methanol at 77 K	S36
Fig S44.	Correlation plot of turnover number (TON) versus Mn–O _{OAP} and Mn–N _{OAP} bond length (Å) for the [Mn(L)(OAP)] 1A–6A and 1B–6B adducts.	S39
Fig. S45 and S46	Computed structural HOMO, LUMO energies for Mn–OAP adducts 1A–6A and 1B–6B .	S40
Fig. S47–S52	HRMS spectrum of [Mn(L)(OAP)] adducts in O ₂ saturated methanol.	S42
Fig. S53	HRMS spectrum of [Mn(L)(Cl–OAP)] adducts in O ₂ saturated methanol.	S48
	Cartesian Coordinates.	S49

Figure S1




Fig. S1 ATR-FTIR spectra of ligands **L1–L6** and their corresponding manganese(II) complexes **1–6**, respectively.

Table S1

Table S1. ATR-FTIR spectral data for ligands and their respective manganese(II) complexes.

Compound	Group of stretching frequency (cm ⁻¹)				
	$\nu(\text{C-H})$	$\nu(\text{C=N}_{\text{py}})$	$\nu(\text{C-N}_{\text{py}})$	$\nu(\text{C-N}_{3^{\circ}\text{ amine}})$	$\nu(\text{Mn-N})$
L1	3060	1604	1437	–	–
L2	2998	1592	1434	1219	–
L3	2972	1589	1432	1241	–
L4	2951	1590	1433	1242	–
L5	2930	1592	1434	1245	–
L6	2909	1594	1436	1247	–
1	3054	1550	1432	–	510
2	3003	1576	1430	1216	497
3	3005	1584	1428	1214	501
4	3002	1586	1423	1210	498
5	3001	1583	1422	1221	496
6	2998	1581	1431	1215	494

Figure S2




Fig. S2 Electronic absorption spectra of complexes **1–6** in methanol at RT.

Table S2Table S2. UV-vis spectral data^a of manganese(II) complexes **1–6** in methanol.

Complexes	λ_{\max} (nm), ϵ ($M^{-1} \text{ cm}^{-1}$)	
[Mn(L1)Cl ₂] 1	205 (31,428)	
	260 (22,878)	
	268 (20,688)	
[Mn(L2)Cl ₂] 2	206 (32,251)	
	223 (24,955)	
	260 (26,078)	
	266 (23,698)	
[Mn(L3)Cl ₂] 3	206 (15,117)	
	257 (9,361)	
	262 (10,094)	
	270 (7,384)	
[Mn(L4)Cl ₂] 4	205 (11,775)	
	256 (7,465)	
	263 (7,373)	
	269 (6,769)	
[Mn(L5)Cl ₂] 5	204 (11,682)	
	235 (15,920)	
	266 (8,192)	
	273 (8,839)	
	281 (6,591)	
[Mn(L6)Cl ₂] 6	204 (15,002)	
	235 (20,493)	
	266 (10,988)	
	272 (11,447)	
	281 (8,293)	

^aConcentration of complexes: 3×10^{-3} M solution at 25 °C.

manganese(II) in methanol

Figure S3 and S4




Fig. S3. ^1H NMR spectrum of **L1** in CDCl_3 at 298 K.




Fig. S4 High Resolution Mass Spectrum of **L1** in methanol solution.





Figure S5 and S6

Fig.
NMR

S5 ^1H



spectrum of **L2** in CDCl_3 at 298 K.

Fig. S6 High Resolution Mass Spectrum of **L2** in methanol solution.

Figure S7 and S8




Fig. S7
¹H
 NMR
 spectrum of
L3 in
 CDCl₃
 at 298
 K.




Fig. S8 High Resolution Mass Spectrum of **L3** in methanol solution.

Figure S9 and S10





Fig. S9

¹H



NMR spectrum of **L4** in CDCl₃ at 298 K.

Fig. S10 High Resolution Mass Spectrum of **L4** in methanol solution.

Figure
S11
and
S12




Fig. S11 ^1H NMR spectrum of L5 in CDCl_3 at 298 K.




Fig. S12 High Resolution Mass Spectrum of L5 in methanol solution.

Figure S13 and S14




Fig. S13 ^1H NMR spectrum of **L6** in CDCl_3 at 298 K.




Fig. S14 High Resolution Mass Spectrum of **L6** in methanol solution.

Table S3

Table S3. Selected crystallographic data for ligand **L5**.

Supplementary Information S15

Compound	L5
CCDC	2430690
Formula	C ₁₈ H ₂₃ N ₃
Formula weight	281.39
Temperature, K	110.0
Wavelength, Å	1.54178
Crystal system	Monoclinic
Space group	C1c1
a/Å	6.2324(4)
b/Å	18.1633(11)
c/Å	c = 14.3366(9)
α /°	90
β /°	102.317(2)
γ /°	90
Volume Å ³	1585.56(17)
Z	4
Density, Mg/m ³	1.179
Absorption coefficient, mm ⁻¹	0.543
F(000)	608
Crystal size, mm ³	0.349 x 0.217 x 0.25
Theta range for data collection	4.869 to 62.387°
Index ranges	-6<=h<=6, - 20<=k<=20, - 16<=l<=16
Reflections collected	18558
Independent reflections	2445 [R(int) = 0.0365]
Completeness to theta = 25.242°	98.5 %
Absorption correction	Semi-empirical from equivalents
Max. and min. transmission	0.4628 and 0.3837
Data / restraints / parameters	2445 / 2 / 190
Goodness ^c -of-fit on F ²	1.092
^a R ₁ , ^b wR ₂	0.0271, 0.0624
R indices (all data)	R ₁ = 0.0286, wR ₂ = 0.0635
Extinction coefficient	n/a
e.Å ⁻³	0.112, -0.151

$${}^a R_1 = \sum ||F_o| - |F_c|| / \sum |F_o|, {}^b wR_2(F_o^2) = [\sum [w(F_o^2 - F_c^2)^2] / \sum wF_o^4]^{1/2}, {}^c \text{GOF} = \sum [w(F_o^2 - F_c^2)^2] / (N_{\text{obs}} - N_{\text{params}})^{1/2}.$$

Table S4

Table S4. The selected bond length [Å] and bond angle [°] for ligand **L5**. Highlighted data are indicating lowest to highest of bond length [Å] and bond angle [°]

Ligand L5	
Bond length [Å]	
N(1)–C(1)	1.466(3)
N(1)–C(7)	1.461(3)
N(1)–C(13)	1.481(3)
N(2)–C(2)	1.338(3)
N(2)–C(6)	1.342(3)
N(3)–C(8)	1.343(3)
N(3)–C(12)	1.344(3)
Bond Angle [°]	
C(1)–N(1)–C(13)	114.13(15)
C(7)–N(1)–C(1)	110.26(15)
C(7)–N(1)–C(13)	112.09(15)
C(2)–N(2)–C(6)	117.05(19)
C(8)–N(3)–C(12)	117.37(18)

Figure S15




Fig. S15 ORTEP diagram of ligand **L5** showing 50% probability thermal ellipsoids and labeling scheme for selected atoms. All the hydrogen atoms are omitted for better clarity. Only one component of the asymmetric unit is shown.

Crystal description of ligand L5: The molecular structure of the **L5** ligand is displayed in Figure S15. The ligand **L5** keeps one chiral centre, however, the single-center face

Cc space group clearly suggest that the compound crystalize as a racemate. X-ray crystallography indicates that **L5** crystallizes in a trigonal planar monoclinic crystal arrangement with the space group *Cc* and cell parameters: $a = 6.2324(4) \text{ \AA}$, $b = 18.1633(11) \text{ \AA}$, $c = 14.3366(9) \text{ \AA}$, $\alpha = 90^\circ$, $\beta = 102.317(2)^\circ$, $\gamma = 90^\circ$ (Table S3), and the crystal structure of **L5** is oblique, with selected bond distances and angle are provided in Table S4. The pyridine nitrogen bond lengths (N(2)–C(2), 1.338(3) Å; N(3)–C(8), 1.343(3) Å) are shorter than the tertiary amine nitrogen bond lengths (N(1)–C(1), 1.466(3) Å, N(1)–C(7), 1.461(3) Å, N(1)–C(13), 1.481(3) Å) due to the π -electron delocalization in the pyridine ring system. The bond angle around tertiary amine nitrogen are C(1)–N(1)–C(13): 114.13(15) Å, C(7)–N(1)–C(1): 110.26(15) Å, and C(7)–N(1)–C(13): 112.09(15) Å. Overall, all the C–N bond distances and C–N–C bond angle are different, clearly demonstrating the influence of bond pair-lone pair repulsion in pyridine nitrogen and tertiary amine in **L5**.

Figure S16




Fig. S16 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L1})\text{Cl}]^+$ ion for complex **1** recorded in methanol solution (1×10^{-3} M). The blue trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak at m/z 289.0158.

Spectrum Plot Report

Name	Mn3N2	Rack Pos.		Instrument	Instrument 1	Operator	
Inj. Vol. (ul)	10	Plate Pos.		IRM Status	Success		
Data File	Mn3N2.d	Method (Acq)	GCN-1.m	Comment		Acq. Time (Local)	14-10-2025 14:57:33 (UTC+05:30)




Fig. S17 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L}2)\text{Cl}]^+$ ion for complex **2** recorded in methanol solution (1×10^{-3} M). The red trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak at m/z 329.0489.

S18




Fig. S18 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L}3)\text{Cl}]^+$ ion for complex **3** recorded in methanol solution (1×10^{-3} M). The green trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak at m/z 343.0622.

Figure
S19




Fig. S19 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L4})\text{Cl}]^+$ ion for complex **4** recorded in methanol solution (1×10^{-3} M). The brown trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak at m/z 357.0779.




Figure S20




Fig. S20 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L5})\text{Cl}]^+$ ion for complex **5** recorded in methanol solution (1×10^{-3} M). The teal trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 371.1060.

Figure S21




Fig. S21 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L6})\text{Cl}]^+$ ion for complex **6** recorded in methanol solution (1×10^{-3} M). The orange trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 385.1232.

Figure S22




Fig S22. Experimental X-ray powder diffraction pattern (blue line) of manganese(II) complex **2** compared with the simulated XRPD pattern (red line).

Figure S23




Fig S23. Experimental X-ray powder diffraction pattern (blue line) of manganese(II) complex **6** compared with the simulated XRPD pattern (red line).

Figure S24




Fig. S24 (A) UV-vis spectral scans for biomimetic oxidation of OAP ($1.0 \times 10^{-3} M$ to $8.0 \times 10^{-3} M$) in O_2 saturated methanol at $25^\circ C$, increase the 2-aminophenoxazine-3-one product at 430 nm for the fixed concentration ($1.0 \times 10^{-5} M$) of complex **1**. (B) Time trace. (C) Michaelis-Menten plot. (D) Lineweaver-Burk plot.

Figure S25




Fig. S25 (A) UV-vis spectral scans for biomimetic oxidation of OAP ($1.0 \times 10^{-3} M$ to $8.0 \times 10^{-3} M$ in O_2 saturated methanol at $25^\circ C$, increase the 2-aminophenoxazine-3-one product at 430 nm for the fixed concentration ($1.0 \times 10^{-5} M$) of complex **3**. (B) Time trace. (C) Michaelis-Menten plot. (D) Lineweaver-Burk plot.

Figure S26




Fig. S26 (A) UV-vis spectral scans for biomimetic oxidation of OAP ($1.0 \times 10^{-3} M$ to $8.0 \times 10^{-3} M$) in O_2 saturated methanol at $25^\circ C$, increase the 2-aminophenoxazine-3-one product at 430 nm for the fixed concentration ($1.0 \times 10^{-5} M$) of complex 4. (B) Time trace. (C) Michaelis-Menten plot. (D) Lineweaver-Burk plot.

Figure S27




Fig. S27 (A) UV-vis spectral scans for biomimetic oxidation of OAP ($1.0 \times 10^{-3} M$ to $8.0 \times 10^{-3} M$) in O_2 saturated methanol at $25^\circ C$, increase the 2-aminophenoxazine-3-one product at 430 nm for the fixed concentration ($1.0 \times 10^{-5} M$) of complex 5. (B) Time trace. (C) Michaelis-Menten plot. (D) Lineweaver-Burk plot.

Figure S28




Fig. S28 (A) UV-vis spectral scans for biomimetic oxidation of OAP (1.0×10^{-3} M to 8.0×10^{-3} M) in O₂ saturated methanol at 25 °C, increase the 2-aminophenoxazine-3-one product at 430 nm for the concentration complex 6. (B) Time trace. (C) Michaelis-Menten plot. (D) Lineweaver-Burk plot.

Figure S29




Fig. S29 Comparison of turnover numbers (TON) of oxidative coupling of OAP to APX by manganese(II) complexes **1–6** in the presence and absence of base of triethylamine.

Figure S30




Fig. S30 (A) Cyclic voltammograms of 1 mM manganese(II) complexes **1–6** in methanol solution at 25 °C. Supporting electrolyte: 0.1M TBAPF₆. Scan Rate 50 mV s⁻¹. (B) Differential pulse voltammograms of [Mn(L)Cl₂] **1–6**. Scan Rate: 5 mV s⁻¹.

Figure S31





Fig. S31 (A) Correlation plots of $E_{1/2}$ (V) values for $[\text{Mn}(\text{L})\text{Cl}_2]$ **1–6** vs. the turnover numbers (k_{cat} , h^{-1}) and (B) $E_{1/2}$ (V) values of $[\text{Mn}(\text{L})(\text{OAP})]$ adducts vs. the turnover numbers (k_{cat} , h^{-1}).



Figure

S32




Fig. S32 (A) UV-vis spectrum of isolated product of 2-aminophenoxazine-3-one in methanol at 25 °C. (B) ATR-FTIR spectrum of isolated product of the 2-aminophenoxazine-3-one product.

Figure S33 and S34




Fig. S33 ¹H NMR spectrum of 2-aminophenoxazine-3-one in CDCl₃ at 298 K.




Fig. S34 High Resolution Mass Spectrum of 2-aminophenoxazine-3-one in methanol solution.




Fig. S35 Detection of H_2O_2 by UV-vis spectroscopy during oxidation of *o*-aminophenol catalysed by complex **5** in O_2 saturated methanol solution.






Fig. S36 Detection of H_2O_2 by UV-vis spectroscopy during oxidation of *o*-aminophenol catalysed by complexes **1–6** in O_2 saturated methanol solution.

Figure S37




Fig. S37 Control experiment for PHS activity; (A) Oxidation of OAP by MnCl₂.4H₂O salt in dioxygen saturated methanol at room temperature. (B) Time-dependent traces for the reactions: (a) OAP with O₂ saturated methanol, (b) Complex **2** with OAP in N₂-saturated methanol, (c) MnCl₂.4H₂O with OAP in the O₂ saturated methanol and (d) ligand **L2** with OAP in O₂ saturated methanol solution.

Figure S38 and S39




Fig. S38 EPR spectrum complex 1: Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3250.00 G; Sweep width: 750.00 G; Microwave Frequency: 9.104062 GHz; Power: 0.99800 (mW).




Fig. S39 EPR spectrum complex 2: Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3250.513 G; Sweep Width: 750.00 G; Microwave Frequency: 9.157336 GHz; Power: 0.99800 (mW).

Figure S40 and S41




Fig. S40 EPR spectrum complex **3**. Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3220.365 G; Sweep Width: 750.00 G; Microwave Frequency: 9.103461 GHz; Power: 0.99800 (mW).




Fig. S41 EPR spectrum complex **4**. Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3220.000 G; Sweep Width: 750.00 G; Microwave Frequency: 9.104018 GHz; Power: 0.99800 (mW).

Figure S42 and S43




Fig. S42 EPR spectrum complex 5. Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3220.000 G; Sweep Width: 750.00 G; Microwave Frequency: 9.104263 GHz; Power: 0.99800 (mW).




Fig. S43 EPR spectrum complex 6. Conc.: (3×10^{-3} M in methanol at 77 K. Center field: 3220.000 G; Sweep Width: 750.00 G; Microwave Frequency: 9.097549 GHz; Power: 0.99500 (mW).

Figure S44




Fig. S44 (A) Correlation plot of turnover number (TON) versus Mn-O_{OAP} bond length (Å) for the [Mn(L)(OAP)] **1A–6A** adducts and (B) Mn-N_{OAP} bond length (Å) for the [Mn(L)(OAP)] **1B–6B** adducts.

Figure S45




Fig. S45 HOMO and LUMO band gap energy profile diagram for OAP adducts **1A–6A** were performed with unrestricted B3LYP-D3 with the Grimme's dispersion corrections, employing the def2-TZVP (TZVP = valence triple- ζ polarized) basis set and methanol as a solvent CPCM method.

Figure S46




Fig. S46 HOMO and LUMO band gap energy profile diagram for OAP adducts **1B–6B** were performed with unrestricted B3LYP-D3 with the Grimme's dispersion corrections, employing the def2-TZVP (TZVP = valence triple- ζ polarized) basis set and methanol as a solvent CPCM method.




Figure S47

Fig. S47 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L1})(\text{OAP}^-)(\text{CH}_3\text{OH})]^+$ ion for OAP-adduct **1**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L1})\text{Cl}_2]$ **1** and *o*-aminophenol, recorded
Supplementary Information S45

in O₂ saturated methanol solution. The blue trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at *m/z* 394.1932.

Figure S48




Fig. S48 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L2})(\text{OAP}^-)(\text{CH}_3\text{OH})]^+$ ion for OAP-adduct **2**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L2})\text{Cl}_2]$ **2** and *o*-aminophenol, recorded in O_2 saturated methanol solution. The yellow trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 434.2798.

Figure S49




Fig. S49 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L3})(\text{OAP}^-)(\text{CH}_3\text{OH})]^+$ ion for OAP-adduct **3**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L3})\text{Cl}_2]$ **3** and *o*-aminophenol, recorded in O_2 saturated methanol solution. The violet trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 448.1187.

Figure S50




Fig. S50 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L4})(\text{OAP}^-)]^+$ ion for OAP-adduct **4**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L4})\text{Cl}_2]$ **4** and *o*-aminophenol, recorded in O_2 saturated methanol solution. The brown trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 430.1561.

Figure S51




Fig. S51 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L5})(\text{OAP}^-)]^+$ ion for OAP-adduct **5**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L5})\text{Cl}_2]$ **5** and *o*-aminophenol, recorded in O_2 saturated methanol solution. The dark-blue trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 444.1758.





Figure S52

Fig. S52 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L6})(\text{OAP}^-)]^+$ ion for OAP-adduct **6**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L6})\text{Cl}_2]$ **6** and *o*-aminophenol, recorded in O_2 saturated methanol solution. The bluish-purple trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 458.1924.

S53



Figure




Fig. S53 High Resolution Mass Spectrum of the $[\text{Mn}^{\text{II}}(\text{L5})(\text{Cl-OAP}^-)]^+$ ion for Cl-OAP-adduct **5**, obtained from a 1:50 mixture of $[\text{Mn}(\text{L5})\text{Cl}_2]$ **5** and 5-chloroaminophenol, recorded in O_2 saturated methanol solution. The red trace represents the simulated isotopic distribution, while the black trace corresponds to the experimental isotopic pattern of the peak observed at m/z 478.1332.

Cartesian Coordinates

Complex 1

6	-4.742908000	0.917716000	-0.405401000
1	-5.751289000	1.285441000	-0.542521000
6	-4.475290000	-0.445662000	-0.452301000
1	-5.259612000	-1.169243000	-0.623842000
1	-2.894059000	-1.911670000	-0.326246000
25	0.000008000	-0.686287000	0.163337000
17	0.000006000	-2.358590000	-1.580559000
17	-0.000042000	-1.634113000	2.364509000
7	2.160113000	-0.011261000	-0.065431000
7	0.000006000	1.618893000	-0.242347000
7	-2.160102000	-0.011252000	-0.065470000
6	3.166510000	-0.865066000	-0.282480000
1	2.894074000	-1.911680000	-0.326186000

6	4.475298000	-0.445669000	-0.452285000
1	5.259620000	-1.169251000	-0.623825000
6	3.697533000	1.804539000	-0.189597000
6	2.413004000	1.303141000	-0.015789000
6	1.237414000	2.204357000	0.281214000
1	1.132819000	2.282810000	1.366768000
6	-1.237406000	2.204366000	0.281192000
1	-1.132823000	2.282841000	1.366745000
6	-2.412996000	1.303147000	-0.015808000
6	-3.697529000	1.804545000	-0.189590000
1	-3.869127000	2.872030000	-0.158067000
6	-3.166499000	-0.865057000	-0.282519000
1	1.425186000	3.211645000	-0.100331000
1	-1.425173000	3.211647000	-0.100375000
1	3.869128000	2.872025000	-0.158091000
6	4.742912000	0.917711000	-0.405409000
1	5.751290000	1.285437000	-0.542548000
1	0.000016000	1.688034000	-1.256696000

Complex 2

6	-4.720931000	0.659207000	-0.001583000
1	-5.727607000	1.055137000	-0.028548000
6	-4.448055000	-0.610737000	-0.494200000
1	-5.226215000	-1.233494000	-0.912227000
1	-2.860080000	-2.040506000	-0.830359000
25	-0.000060000	-1.018994000	0.148075000
17	-0.000076000	-2.520627000	-1.724583000
17	-0.000054000	-1.505046000	2.518778000
7	2.143798000	-0.335654000	0.058876000
7	0.000016000	1.404131000	0.339747000

7	-2.143905000	-0.335590000	0.058885000
6	3.140205000	-1.067676000	-0.447379000
1	2.859915000	-2.040524000	-0.830506000
6	4.447943000	-0.610847000	-0.494197000
1	5.226085000	-1.233600000	-0.912265000
6	3.682410000	1.421595000	0.517635000
6	2.400087000	0.890806000	0.535546000
6	1.225475000	1.628450000	1.129521000
1	1.054815000	1.222195000	2.128318000
6	-1.225526000	1.628609000	1.129359000
1	-1.054969000	1.222449000	2.128210000
6	-2.400145000	0.890939000	0.535416000
6	-3.682447000	1.421775000	0.517433000
1	-3.859137000	2.419178000	0.896466000
6	-3.140337000	-1.067616000	-0.447312000
1	1.239848000	0.858429000	-2.077406000
1	-1.239334000	0.858725000	-2.077870000
1	1.454279000	2.693679000	1.233088000
1	-1.454279000	2.693862000	1.232807000
6	0.000205000	2.235211000	-0.858040000
1	0.000293000	3.300418000	-0.633017000
6	0.753580000	1.822444000	-2.087667000
1	1.281596000	2.594029000	-2.630654000
6	-0.752847000	1.822625000	-2.087934000
1	-1.280483000	2.594330000	-2.631120000
1	3.859135000	2.418953000	0.896771000
6	4.720868000	0.659035000	-0.001443000
1	5.727562000	1.054922000	-0.028348000

Complex 3

6	4.784145000	0.504970000	-0.230287000
1	5.786122000	0.899422000	-0.336893000
6	4.541966000	-0.598233000	0.579191000
1	5.340339000	-1.088397000	1.118183000
1	2.983018000	-1.901999000	1.321250000
25	0.074548000	-1.204189000	0.130631000
17	0.086203000	-2.244691000	2.293378000
17	0.087813000	-2.267522000	-2.043149000
7	-2.087821000	-0.571978000	0.020002000
7	0.034523000	1.050741000	-0.628694000
7	2.219770000	-0.486612000	0.046428000
6	-3.086262000	-1.243987000	0.604188000
1	-2.786642000	-2.064896000	1.243399000
6	-4.416602000	-0.912111000	0.412964000
1	-5.194733000	-1.479002000	0.904173000
6	-3.677873000	0.864852000	-1.013818000
6	-2.367459000	0.468233000	-0.771957000
6	-1.195780000	1.166394000	-1.422925000
1	-1.014364000	0.668706000	-2.377465000
6	1.246495000	1.132291000	-1.463739000
1	1.081232000	0.512717000	-2.347212000
6	2.446917000	0.576532000	-0.737075000
6	3.721418000	1.104439000	-0.893647000
1	3.872726000	1.972947000	-1.520208000
6	3.239483000	-1.058234000	0.693256000
1	-1.457248000	2.204134000	-1.647297000
1	1.446688000	2.153965000	-1.800507000
1	-3.874524000	1.716816000	-1.650735000
6	-4.714977000	0.163260000	-0.417205000
1	-5.742310000	0.456268000	-0.589458000

6	0.137689000	1.991292000	0.504364000
6	0.210068000	3.527282000	0.296644000
6	-1.025199000	2.206971000	1.495151000
1	1.011940000	1.678187000	1.076016000
6	-0.520779000	3.663669000	1.657834000
1	-0.423083000	3.862288000	-0.525989000
1	1.197772000	3.973648000	0.191160000
1	-1.997969000	2.196960000	1.007481000
1	-1.060534000	1.556370000	2.367702000
1	-1.277490000	4.441649000	1.739721000
1	0.182278000	3.761778000	2.485193000

Complex 4

6	4.782031000	0.348223000	-0.296214000
1	5.783035000	0.731606000	-0.444168000
6	4.533149000	-0.623380000	0.665116000
1	5.325022000	-1.019884000	1.284648000
1	2.971465000	-1.820119000	1.564835000
25	0.090076000	-1.327154000	0.218362000
17	0.031975000	-2.065546000	2.507510000
17	0.161284000	-2.746495000	-1.727606000
7	-2.066529000	-0.751168000	-0.013236000
7	0.050320000	0.837720000	-0.813909000
7	2.220468000	-0.614778000	0.083267000
6	-3.061769000	-1.375428000	0.626773000
1	-2.757552000	-2.128836000	1.342057000
6	-4.393832000	-1.074651000	0.400722000
1	-5.169247000	-1.600726000	0.939337000
6	-3.663965000	0.569831000	-1.180724000
6	-2.350979000	0.209423000	-0.898589000

6	-1.184436000	0.857738000	-1.610153000
1	-0.999397000	0.279573000	-2.517446000
6	1.257723000	0.756876000	-1.657724000
1	1.078256000	-0.010657000	-2.413526000
6	2.453762000	0.323090000	-0.846224000
6	3.727150000	0.832081000	-1.059737000
1	3.884070000	1.598434000	-1.806467000
6	3.232110000	-1.074754000	0.824201000
1	-1.462737000	1.865552000	-1.929848000
1	1.472107000	1.694326000	-2.177641000
1	-3.865377000	1.357775000	-1.894016000
6	-4.697739000	-0.083038000	-0.525997000
1	-5.726726000	0.183973000	-0.728202000
6	0.175383000	1.936341000	0.183760000
6	0.352251000	3.370245000	-0.385270000
6	-0.965623000	2.057089000	1.199292000
1	1.070350000	1.688692000	0.756890000
6	-0.309489000	4.309158000	0.655234000
1	-0.128484000	3.469002000	-1.359553000
1	1.407716000	3.599722000	-0.530558000
6	-0.671567000	3.408293000	1.851123000
1	-0.989879000	1.217616000	1.893878000
1	-1.934356000	2.105780000	0.698066000
1	0.339870000	5.136973000	0.940269000
1	-1.219643000	4.743802000	0.237185000
1	0.181130000	3.314209000	2.529652000
1	-1.511699000	3.791487000	2.430799000

Complex 5

6	4.771472000	0.322603000	-0.293727000
---	-------------	-------------	--------------

1	5.759074000	0.733092000	-0.458093000
6	4.534864000	-0.545773000	0.764691000
1	5.323415000	-0.833152000	1.445682000
1	2.998593000	-1.705036000	1.753333000
25	0.145141000	-1.495294000	0.289137000
17	0.122738000	-1.898451000	2.649008000
17	0.239290000	-3.047665000	-1.558217000
7	-2.038257000	-0.999919000	0.003820000
7	0.045930000	0.564279000	-0.976362000
7	2.243080000	-0.710363000	0.125661000
6	-3.024080000	-1.524056000	0.738256000
1	-2.714097000	-2.196333000	1.528050000
6	-4.357528000	-1.220890000	0.516338000
1	-5.125894000	-1.664503000	1.133567000
6	-3.644640000	0.215705000	-1.263246000
6	-2.332052000	-0.140106000	-0.978817000
6	-1.167996000	0.379317000	-1.788483000
1	-0.940013000	-0.383711000	-2.535518000
6	1.274869000	0.415236000	-1.779869000
1	1.135040000	-0.448804000	-2.432298000
6	2.463891000	0.128747000	-0.896340000
6	3.720373000	0.668717000	-1.133384000
1	3.865972000	1.353989000	-1.957275000
6	3.250486000	-1.037021000	0.939769000
1	-1.459606000	1.280804000	-2.331254000
1	1.478444000	1.279613000	-2.416277000
1	-3.852703000	0.920856000	-2.056610000
6	-4.670735000	-0.334964000	-0.508127000
1	-5.700117000	-0.068833000	-0.709487000
6	0.085046000	1.820501000	-0.156598000

6	-0.033630000	3.118845000	-0.970294000
6	-0.925373000	1.829475000	0.994970000
1	1.077206000	1.809311000	0.302097000
6	0.195184000	4.340426000	-0.071970000
1	-1.032771000	3.187806000	-1.410312000
1	0.680823000	3.129518000	-1.795071000
6	-0.701812000	3.047520000	1.897567000
1	-1.943539000	1.864803000	0.599156000
1	-0.842428000	0.912855000	1.580329000
6	-0.778151000	4.355171000	1.107357000
1	0.094573000	5.254352000	-0.662121000
1	1.223539000	4.320795000	0.305566000
1	-1.439632000	3.043824000	2.703220000
1	0.282716000	2.966715000	2.371597000
1	-0.569910000	5.206341000	1.760368000
1	-1.798081000	4.487339000	0.729080000

Complex 6

6	3.787871000	-2.419774000	-0.550697000
1	4.832622000	-2.625461000	-0.742977000
6	3.106599000	-3.100018000	0.451268000
1	3.596251000	-3.847088000	1.059731000
1	1.190241000	-3.279988000	1.437661000
25	-1.031980000	-1.310075000	0.254058000
17	-1.197414000	-1.755527000	2.604277000
17	-1.870429000	-2.608902000	-1.596161000
7	-2.541600000	0.358756000	0.145794000
7	-0.004205000	0.508126000	-0.956651000
7	1.123306000	-1.876798000	-0.057848000
6	-3.580315000	0.505251000	0.972428000

1	-3.662904000	-0.235128000	1.757733000
6	-4.489229000	1.543780000	0.843569000
1	-5.317806000	1.628845000	1.532301000
6	-3.210735000	2.317354000	-1.030102000
6	-2.348693000	1.245770000	-0.840299000
6	-1.164003000	0.982505000	-1.737829000
1	-1.444246000	0.184632000	-2.428454000
6	0.964101000	-0.210096000	-1.803486000
1	0.386900000	-0.777386000	-2.536795000
6	1.776165000	-1.212012000	-1.020165000
6	3.114006000	-1.460829000	-1.295451000
1	3.618093000	-0.901869000	-2.072088000
6	1.771303000	-2.794886000	0.663804000
1	-0.940115000	1.871031000	-2.334353000
1	1.621723000	0.459682000	-2.361408000
1	-3.024179000	3.025515000	-1.825923000
6	-4.298837000	2.464799000	-0.179036000
1	-4.982582000	3.293721000	-0.306550000
6	0.573682000	1.628462000	-0.127701000
6	1.362761000	2.667802000	-0.963102000
1	-0.308773000	2.137360000	0.262248000
6	1.326604000	1.101488000	1.098628000
6	2.898554000	2.595111000	-0.931578000
1	1.068573000	3.663877000	-0.624565000
1	1.023122000	2.612988000	-1.998864000
1	2.136199000	0.437578000	0.798441000
1	0.638486000	0.487608000	1.682980000
6	1.918238000	2.204709000	1.990914000
6	3.526442000	3.299506000	0.277931000
1	3.245111000	1.558969000	-0.978238000

1	3.272548000	3.077941000	-1.838060000
6	3.355965000	2.586281000	1.621025000
1	1.274895000	3.091286000	1.978391000
1	1.917436000	1.845451000	3.022649000
1	4.596400000	3.435015000	0.094406000
1	3.098284000	4.306063000	0.347181000
1	3.959548000	1.671491000	1.617807000
1	3.771604000	3.223217000	2.407543000

Manganese(II)-aminophenolate adducts

Mn^{II}-OAP adduct 1A

6	-1.587601000	4.821597000	-0.260772000
1	-1.927495000	5.847825000	-0.309657000
6	-2.438260000	3.778768000	-0.606357000
1	-3.453438000	3.962335000	-0.929108000
1	-2.555619000	1.627104000	-0.808877000
25	0.107125000	0.060150000	-0.138163000
7	2.066340000	-1.143139000	-0.162473000
7	1.930905000	1.571053000	0.024179000
7	-0.704661000	2.205894000	-0.146560000
6	2.108298000	-2.421875000	-0.545283000
1	1.156426000	-2.854832000	-0.826752000
6	3.287663000	-3.147339000	-0.589472000
1	3.280033000	-4.181600000	-0.903303000
6	4.424618000	-1.177281000	0.158012000
6	3.198435000	-0.524048000	0.187370000
6	3.069500000	0.905319000	0.663499000
1	2.877824000	0.886256000	1.739921000
6	1.489225000	2.804873000	0.680202000
1	1.424797000	2.603628000	1.753204000

6	0.115699000	3.204525000	0.193714000
6	-0.291606000	4.532061000	0.141321000
1	0.398935000	5.320362000	0.409009000
6	-1.950930000	2.483617000	-0.538319000
1	4.014160000	1.436793000	0.514331000
1	2.191004000	3.634035000	0.549399000
1	5.326303000	-0.647085000	0.434059000
6	4.468007000	-2.508061000	-0.231070000
1	5.411258000	-3.037578000	-0.260165000
1	2.164615000	1.773387000	-0.943956000
6	-2.104660000	-1.694574000	-0.608322000
6	-1.983622000	-1.590180000	0.827687000
6	-2.886167000	-2.286117000	1.631745000
6	-3.908808000	-3.079934000	1.085318000
6	-4.028869000	-3.181104000	-0.293660000
6	-3.135092000	-2.494617000	-1.126711000
1	-4.593756000	-3.606294000	1.740166000
1	-3.233260000	-2.577874000	-2.205931000
8	-1.010473000	-0.832682000	1.330218000
1	-2.778288000	-2.197717000	2.708517000
7	-1.185648000	-0.988018000	-1.342299000
1	-1.310164000	-1.115740000	-2.337900000
1	-4.811203000	-3.789611000	-0.733959000

Mn^{II}-OAP adduct 2A

6	0.301385000	4.889398000	-0.448607000
1	0.337291000	5.966440000	-0.350338000
6	1.471104000	4.155372000	-0.609242000
1	2.438667000	4.635992000	-0.643340000
1	2.246481000	2.145917000	-0.821677000

25	0.167867000	-0.090298000	-0.420206000
7	-1.212554000	-1.826124000	-0.696329000
7	-2.095120000	0.727023000	0.030500000
7	0.199303000	2.137471000	-0.681351000
6	-0.711508000	-3.063410000	-0.804230000
1	0.362819000	-3.124612000	-0.924487000
6	-1.506061000	-4.195835000	-0.760538000
1	-1.061140000	-5.176329000	-0.854429000
6	-3.393087000	-2.751433000	-0.463983000
6	-2.530107000	-1.662806000	-0.532236000
6	-3.058397000	-0.244389000	-0.497758000
1	-3.272091000	0.036655000	-1.530298000
6	-2.223102000	2.055202000	-0.589940000
1	-2.470686000	1.913662000	-1.643759000
6	-0.931554000	2.839277000	-0.537325000
6	-0.915899000	4.222755000	-0.407405000
1	-1.843469000	4.763382000	-0.275721000
6	1.373407000	2.777537000	-0.713577000
1	-4.019606000	-0.220917000	0.024410000
1	-3.033155000	2.636584000	-0.137670000
1	-4.452903000	-2.591018000	-0.317161000
6	-2.875780000	-4.032951000	-0.583596000
1	-3.530427000	-4.893046000	-0.533558000
6	2.597559000	-0.774435000	0.924601000
6	2.895514000	-0.859534000	-0.487072000
6	4.186947000	-1.204393000	-0.884148000
6	5.203598000	-1.471311000	0.048256000
6	4.921246000	-1.391620000	1.404586000
6	3.632702000	-1.046106000	1.833131000
1	6.196835000	-1.737192000	-0.294954000

1	3.417599000	-0.985849000	2.896712000
8	1.920702000	-0.605328000	-1.359497000
1	4.390294000	-1.262884000	-1.948900000
7	1.308913000	-0.431760000	1.248945000
1	1.158077000	-0.389023000	2.248242000
1	5.692980000	-1.594924000	2.138952000
6	-2.037403000	0.851274000	1.486999000
6	-3.246398000	1.108317000	2.346374000
6	-2.507874000	-0.209634000	2.426083000
1	-1.132686000	1.365549000	1.786704000
1	-4.220088000	1.095056000	1.874001000
1	-3.150004000	1.817487000	3.157098000
1	-1.889040000	-0.414803000	3.288821000
1	-3.009607000	-1.079972000	2.027879000

Mn^{II}-OAP adduct 3A

6	-0.145324000	4.753432000	-0.869202000
1	-0.233326000	5.832006000	-0.866930000
6	1.105611000	4.146106000	-0.914524000
1	2.014937000	4.729289000	-0.951735000
1	2.103552000	2.225161000	-0.928193000
25	0.299672000	-0.194717000	-0.469385000
7	-0.828830000	-2.121453000	-0.728761000
7	-2.088382000	0.338163000	-0.263450000
7	0.066178000	1.997817000	-0.857247000
6	-0.203354000	-3.299183000	-0.623628000
1	0.878162000	-3.257593000	-0.595020000
6	-0.886134000	-4.502198000	-0.548423000
1	-0.340919000	-5.431961000	-0.467940000
6	-2.924919000	-3.251279000	-0.668983000

6	-2.168045000	-2.089635000	-0.759461000
6	-2.808810000	-0.736695000	-0.963411000
1	-2.775604000	-0.523049000	-2.033511000
6	-2.345459000	1.661399000	-0.846089000
1	-2.611534000	1.521198000	-1.895356000
6	-1.138716000	2.574589000	-0.819824000
6	-1.280902000	3.958625000	-0.819253000
1	-2.267895000	4.399665000	-0.775278000
6	1.164257000	2.763380000	-0.902657000
1	-3.864459000	-0.779115000	-0.675035000
1	-3.197660000	2.164755000	-0.381479000
1	-4.004939000	-3.192928000	-0.678062000
6	-2.275524000	-4.474116000	-0.566781000
1	-2.845670000	-5.391061000	-0.495935000
6	2.742425000	-0.519008000	0.990490000
6	3.117903000	-0.528034000	-0.404887000
6	4.466842000	-0.645041000	-0.739310000
6	5.467185000	-0.759468000	0.240736000
6	5.109886000	-0.756516000	1.581709000
6	3.762446000	-0.637925000	1.947505000
1	6.506352000	-0.848624000	-0.054537000
1	3.489201000	-0.633489000	2.999359000
8	2.157757000	-0.419944000	-1.321478000
1	4.728768000	-0.647092000	-1.792848000
7	1.401143000	-0.392059000	1.252347000
1	1.197582000	-0.396946000	2.243078000
1	5.868018000	-0.844713000	2.352145000
6	-2.315190000	0.250002000	1.190273000
6	-1.741905000	1.319838000	2.142812000
6	-3.715187000	0.471482000	1.826874000

1	-1.942255000	-0.728174000	1.499654000
6	-2.978362000	1.083287000	3.047010000
1	-1.770261000	2.317515000	1.706509000
1	-0.746175000	1.141107000	2.544083000
1	-4.295210000	1.226545000	1.294860000
1	-4.337893000	-0.407641000	1.986139000
1	-3.427422000	1.960360000	3.509489000
1	-2.782319000	0.336733000	3.816895000

Mn^{II}-OAP adduct 4A

6	0.302166000	-4.702772000	-0.965675000
1	0.477960000	-5.770095000	-0.997696000
6	-0.988548000	-4.202285000	-0.825810000
1	-1.843570000	-4.859143000	-0.749544000
1	-2.133973000	-2.374566000	-0.665125000
25	-0.519554000	0.191057000	-0.438963000
7	0.414326000	2.207017000	-0.710015000
7	1.959226000	-0.139747000	-0.563052000
7	-0.130853000	-1.974122000	-0.867922000
6	-0.249415000	3.321789000	-0.388640000
1	-1.296365000	3.193238000	-0.145254000
6	0.358273000	4.567129000	-0.355890000
1	-0.215676000	5.444506000	-0.093131000
6	2.403449000	3.488375000	-0.982037000
6	1.719380000	2.280276000	-1.007276000
6	2.380378000	0.986091000	-1.414656000
1	2.059036000	0.766467000	-2.435059000
6	2.228245000	-1.441850000	-1.187984000
1	2.347230000	-1.290095000	-2.262567000
6	1.110401000	-2.447766000	-1.009979000

6	1.363803000	-3.815548000	-1.057327000
1	2.380104000	-4.172352000	-1.160003000
6	-1.157824000	-2.829689000	-0.777861000
1	3.466884000	1.114283000	-1.437445000
1	3.167484000	-1.880723000	-0.841242000
1	3.460204000	3.514136000	-1.210714000
6	1.712178000	4.648521000	-0.656416000
1	2.225293000	5.600850000	-0.630319000
6	-2.947484000	0.311075000	1.078693000
6	-3.355186000	0.294147000	-0.307668000
6	-4.717102000	0.304755000	-0.609280000
6	-5.699339000	0.334614000	0.395024000
6	-5.311243000	0.351285000	1.727258000
6	-3.950173000	0.340414000	2.060449000
1	-6.749190000	0.342100000	0.125151000
1	-3.651988000	0.353227000	3.105509000
8	-2.411021000	0.268244000	-1.246238000
1	-5.004099000	0.292057000	-1.656166000
7	-1.594456000	0.301327000	1.306949000
1	-1.366847000	0.317191000	2.292408000
1	-6.055357000	0.373674000	2.515907000
6	2.495419000	-0.001540000	0.815222000
6	2.020465000	-1.071182000	1.808499000
6	4.046293000	0.020846000	0.956104000
1	2.108180000	0.954745000	1.173292000
6	3.000098000	-0.904984000	2.970068000
1	2.131710000	-2.072302000	1.385697000
1	0.973758000	-0.942832000	2.085347000
6	4.357301000	-0.744331000	2.264769000
1	4.408178000	1.048465000	0.991501000

1	4.529634000	-0.451319000	0.099693000
1	2.755372000	-0.000614000	3.535027000
1	2.979930000	-1.743576000	3.666805000
1	5.095474000	-0.233384000	2.883280000
1	4.760743000	-1.731871000	2.029374000

Mn^{II}-OAP adduct 5A

6	0.467951000	4.622892000	-1.190337000
1	0.429011000	5.703714000	-1.228531000
6	1.679166000	3.964974000	-1.001610000
1	2.606428000	4.509603000	-0.892233000
1	2.577631000	2.007767000	-0.792210000
25	0.643354000	-0.322187000	-0.578940000
7	-0.524118000	-2.222942000	-0.862602000
7	-1.776677000	0.315447000	-0.824242000
7	0.550357000	1.862461000	-1.076171000
6	-0.039013000	-3.405036000	-0.471399000
1	1.006194000	-3.417508000	-0.190018000
6	-0.819447000	-4.549643000	-0.416422000
1	-0.386569000	-5.486626000	-0.095620000
6	-2.664258000	-3.221901000	-1.172229000
6	-1.814723000	-2.124772000	-1.214019000
6	-2.265422000	-0.767977000	-1.694855000
1	-1.823681000	-0.613534000	-2.681511000
6	-1.841327000	1.626552000	-1.485994000
1	-1.919163000	1.463161000	-2.562676000
6	-0.615382000	2.487427000	-1.265225000
6	-0.692910000	3.875596000	-1.321859000
1	-1.651595000	4.356921000	-1.463231000
6	1.672684000	2.581997000	-0.946644000

1	-3.350772000	-0.759425000	-1.826053000
1	-2.733560000	2.190235000	-1.205407000
1	-3.704328000	-3.109519000	-1.446371000
6	-2.158873000	-4.452343000	-0.770751000
1	-2.803710000	-5.320254000	-0.728932000
6	2.892442000	-0.525035000	1.184186000
6	3.433646000	-0.640986000	-0.150289000
6	4.814751000	-0.752121000	-0.310301000
6	5.690434000	-0.754961000	0.788411000
6	5.173777000	-0.644594000	2.071814000
6	3.790407000	-0.530736000	2.262836000
1	6.759006000	-0.841816000	0.628415000
1	3.391535000	-0.443927000	3.269975000
8	2.588705000	-0.632993000	-1.179667000
1	5.202237000	-0.836772000	-1.320790000
7	1.527194000	-0.417163000	1.271469000
1	1.205341000	-0.337381000	2.227152000
1	5.834945000	-0.644413000	2.931432000
6	-2.389272000	0.279570000	0.538871000
6	-1.724189000	1.285579000	1.483546000
6	-3.916415000	0.446917000	0.571766000
1	-2.158623000	-0.719424000	0.921927000
6	-2.253894000	1.128530000	2.912297000
1	-1.928398000	2.304499000	1.140860000
1	-0.641080000	1.152363000	1.467722000
6	-4.448226000	0.289745000	2.001523000
1	-4.188937000	1.437539000	0.195926000
1	-4.401144000	-0.284839000	-0.076011000
6	-3.775876000	1.269865000	2.964092000
1	-1.777882000	1.867094000	3.561534000

1	-1.967286000	0.142342000	3.294004000
1	-5.531886000	0.428973000	2.007895000
1	-4.260823000	-0.735159000	2.340769000
1	-4.138168000	1.109647000	3.982659000
1	-4.051689000	2.293512000	2.686534000

Mn^{II}-OAP adduct 6A

6	-1.329963000	-4.312468000	0.203693000
1	-1.832284000	-5.249648000	0.404764000
6	-0.466396000	-4.191660000	-0.877884000
1	-0.272638000	-5.022690000	-1.541413000
1	0.844857000	-2.813959000	-1.909602000
25	0.934939000	0.104716000	-0.597132000
7	0.535977000	2.332992000	-0.451970000
7	-1.079266000	0.453434000	0.822729000
7	-0.062003000	-1.910319000	-0.307453000
6	0.984642000	3.263255000	-1.299172000
1	1.519935000	2.896170000	-2.165963000
6	0.790915000	4.620176000	-1.089876000
1	1.168747000	5.339288000	-1.802931000
6	-0.364980000	4.052416000	0.929209000
6	-0.128416000	2.712735000	0.649744000
6	-0.560116000	1.603401000	1.580035000
1	0.327268000	1.268956000	2.120908000
6	-1.030490000	-0.790688000	1.604410000
1	-0.125019000	-0.744431000	2.213182000
6	-0.895130000	-2.018863000	0.735593000
6	-1.545532000	-3.211923000	1.023650000
1	-2.214127000	-3.272532000	1.871698000
6	0.151111000	-2.968549000	-1.092293000

1	-1.273912000	1.989805000	2.315017000
1	-1.873260000	-0.903133000	2.290678000
1	-0.912853000	4.327924000	1.820217000
6	0.102219000	5.019544000	0.048567000
1	-0.073626000	6.068926000	0.245811000
6	-2.405099000	0.779962000	0.197971000
6	-3.590076000	0.737244000	1.194375000
1	-2.297349000	1.821078000	-0.109682000
6	-2.624061000	-0.011755000	-1.095551000
6	-4.477310000	-0.517851000	1.198324000
1	-4.231195000	1.598128000	0.990084000
1	-3.200276000	0.908943000	2.199897000
1	-2.528955000	-1.081867000	-0.914179000
1	-1.813486000	0.252500000	-1.777661000
6	-3.977125000	0.243467000	-1.777716000
6	-5.573351000	-0.502567000	0.125215000
1	-3.876830000	-1.425729000	1.095754000
1	-4.959303000	-0.584864000	2.177190000
6	-5.090217000	-0.702515000	-1.312857000
1	-4.282771000	1.286278000	-1.638879000
1	-3.846377000	0.108103000	-2.854091000
1	-6.305635000	-1.282787000	0.353302000
1	-6.109776000	0.450655000	0.196169000
1	-4.731636000	-1.731779000	-1.428359000
1	-5.948569000	-0.601283000	-1.983798000
8	2.186085000	-0.022526000	1.043814000
7	2.672620000	-0.338449000	-1.589178000
6	3.708643000	-0.566629000	-0.715344000
6	5.008359000	-0.959808000	-1.071308000
6	6.009065000	-1.166782000	-0.112632000

6	5.726991000	-0.986244000	1.234121000
6	4.434188000	-0.596201000	1.620649000
6	3.416618000	-0.385765000	0.689453000
1	5.235941000	-1.101147000	-2.124545000
1	7.000811000	-1.469209000	-0.430527000
1	6.492782000	-1.142453000	1.985274000
1	4.195891000	-0.453030000	2.670061000
1	2.943258000	-0.489104000	-2.551750000

Mn^{II}-OAP adduct 1B

6	4.074224000	-3.085399000	0.366762000
1	4.930138000	-3.732114000	0.508702000
6	2.782686000	-3.587188000	0.480118000
1	2.599757000	-4.627467000	0.709978000
1	0.692596000	-3.044474000	0.383873000
25	0.123046000	0.038120000	-0.208282000
7	-0.401970000	2.265206000	0.032118000
7	2.122114000	1.283218000	0.085423000
7	1.893758000	-1.421166000	0.013495000
6	-1.641019000	2.674225000	0.320927000
1	-2.382760000	1.891015000	0.417148000
6	-1.962499000	4.011147000	0.493513000
1	-2.977326000	4.301560000	0.726562000
6	0.339792000	4.528381000	0.075222000
6	0.577786000	3.168871000	-0.091112000
6	1.943604000	2.631599000	-0.456971000
1	2.004361000	2.561249000	-1.546686000
6	3.252039000	0.530240000	-0.462490000
1	3.211391000	0.617063000	-1.551948000
6	3.135446000	-0.932975000	-0.098411000

6	4.253882000	-1.739487000	0.077760000
1	5.245442000	-1.315317000	-0.007074000
6	1.720804000	-2.715528000	0.298349000
1	2.722886000	3.328708000	-0.134421000
1	4.222281000	0.922347000	-0.143008000
1	1.152749000	5.235895000	-0.019276000
6	-0.948988000	4.954508000	0.366626000
1	-1.158356000	6.007784000	0.500165000
1	2.218695000	1.340728000	1.095740000
6	-2.290457000	-1.356250000	-0.833219000
6	-2.217110000	-1.331110000	0.609703000
6	-3.245925000	-1.916569000	1.347184000
6	-4.348861000	-2.527757000	0.726948000
6	-4.422793000	-2.553360000	-0.658489000
6	-3.403515000	-1.972949000	-1.425518000
1	-5.131367000	-2.972884000	1.330788000
1	-3.467509000	-1.995917000	-2.510163000
8	-1.165750000	-0.747467000	1.180841000
1	-3.172266000	-1.887362000	2.429991000
7	-1.246674000	-0.764174000	-1.501240000
1	-1.359172000	-0.808356000	-2.505333000
1	-5.266852000	-3.019714000	-1.154688000

Mn^{II}-OAP adduct 2B

6	-0.673924000	4.915207000	-0.305504000
1	-0.857189000	5.971187000	-0.156192000
6	0.618402000	4.443394000	-0.503276000
1	1.467671000	5.111892000	-0.515781000
1	1.782682000	2.647055000	-0.823275000
25	0.197074000	-0.005088000	-0.643366000

7	-0.845336000	-1.994451000	-0.715786000
7	-2.150589000	0.346028000	0.017338000
7	-0.216803000	2.214030000	-0.672696000
6	-0.116336000	-3.114008000	-0.798007000
1	0.943063000	-2.966125000	-0.968489000
6	-0.673252000	-4.375649000	-0.673722000
1	-0.049593000	-5.255472000	-0.745935000
6	-2.795241000	-3.310611000	-0.356059000
6	-2.161926000	-2.080970000	-0.498974000
6	-2.941338000	-0.784264000	-0.475926000
1	-3.222452000	-0.559994000	-1.506441000
6	-2.566560000	1.631500000	-0.561151000
1	-2.794028000	1.469854000	-1.617038000
6	-1.464622000	2.663153000	-0.488567000
6	-1.729369000	4.012799000	-0.292947000
1	-2.745815000	4.345810000	-0.132076000
6	0.801101000	3.080851000	-0.676877000
1	-3.879402000	-0.924265000	0.070558000
1	-3.472907000	2.018958000	-0.083929000
1	-3.860273000	-3.350718000	-0.169815000
6	-2.041919000	-4.472275000	-0.447404000
1	-2.514576000	-5.439415000	-0.336593000
6	3.026590000	-0.410837000	-0.526095000
6	2.584194000	-0.333569000	0.847314000
6	3.528171000	-0.452256000	1.867176000
6	4.893855000	-0.642083000	1.596115000
6	5.322698000	-0.713592000	0.278192000
6	4.396461000	-0.599476000	-0.767179000
1	5.600902000	-0.729752000	2.413062000
1	4.738085000	-0.656798000	-1.797314000

8	1.287015000	-0.151168000	1.086919000
1	3.175795000	-0.393581000	2.892414000
7	2.049406000	-0.291738000	-1.482987000
1	2.422614000	-0.354751000	-2.420888000
1	6.372805000	-0.858651000	0.049327000
6	-2.025737000	0.458911000	1.471458000
6	-3.212986000	0.561355000	2.392266000
6	-2.316326000	-0.655540000	2.422121000
1	-1.173794000	1.072846000	1.733465000
1	-4.199042000	0.429797000	1.965433000
1	-3.165923000	1.274186000	3.204218000
1	-1.631871000	-0.784090000	3.249511000
1	-2.728092000	-1.580752000	2.045775000

Mn^{II}-OAP adduct 3B

6	3.463190000	-3.614374000	-0.619065000
1	4.261688000	-4.341457000	-0.549946000
6	2.137820000	-4.026058000	-0.712020000
1	1.870655000	-5.073356000	-0.719010000
1	0.104053000	-3.308754000	-0.861438000
25	-0.245433000	-0.259076000	-0.709252000
7	-0.667115000	1.951013000	-0.879877000
7	1.846552000	0.949607000	-0.249285000
7	1.431842000	-1.745036000	-0.784430000
6	-1.927225000	2.390835000	-0.814880000
1	-2.691108000	1.624443000	-0.864320000
6	-2.237888000	3.735593000	-0.685426000
1	-3.269991000	4.053249000	-0.637004000
6	0.115717000	4.188931000	-0.668136000
6	0.343297000	2.825961000	-0.809624000

6	1.732103000	2.245422000	-0.937551000
1	1.924359000	2.081659000	-1.999774000
6	2.970302000	0.146151000	-0.740321000
1	3.137807000	0.407319000	-1.787109000
6	2.703891000	-1.343146000	-0.693245000
6	3.749034000	-2.257465000	-0.606801000
1	4.768187000	-1.904066000	-0.523286000
6	1.154642000	-3.055449000	-0.790706000
1	2.474148000	2.967942000	-0.581072000
1	3.905432000	0.366380000	-0.217009000
1	0.951011000	4.872828000	-0.600222000
6	-1.193595000	4.649576000	-0.610146000
1	-1.395312000	5.706940000	-0.499073000
6	-2.882046000	-1.326688000	-0.435080000
6	-2.436013000	-1.031277000	0.907529000
6	-3.320828000	-1.222667000	1.968728000
6	-4.630321000	-1.690856000	1.768490000
6	-5.062328000	-1.974594000	0.480596000
6	-4.195030000	-1.793689000	-0.604910000
1	-5.292123000	-1.826888000	2.616170000
1	-4.539389000	-2.016422000	-1.611328000
8	-1.193784000	-0.584063000	1.081111000
1	-2.967611000	-0.994784000	2.969676000
7	-1.967021000	-1.114885000	-1.436740000
1	-2.345240000	-1.326103000	-2.350683000
1	-6.069929000	-2.335940000	0.306452000
6	1.812554000	1.141731000	1.211384000
6	2.017183000	-0.044231000	2.175402000
6	2.922836000	1.918894000	1.969730000
1	0.847692000	1.599095000	1.435131000

6	2.671375000	0.958133000	3.161065000
1	2.756512000	-0.754957000	1.808833000
1	1.120678000	-0.582673000	2.475206000
1	3.909774000	1.758936000	1.533071000
1	2.771827000	2.986444000	2.124383000
1	3.544165000	0.611854000	3.711852000
1	1.947004000	1.368416000	3.865153000

Mn^{II}-OAP adduct 4B

6	3.021851000	-3.982288000	-0.732342000
1	3.763823000	-4.767652000	-0.671204000
6	1.665033000	-4.289910000	-0.740478000
1	1.317250000	-5.311961000	-0.688431000
1	-0.312284000	-3.417140000	-0.818121000
25	-0.405097000	-0.347504000	-0.763929000
7	-0.693909000	1.873977000	-1.070429000
7	1.793424000	0.721390000	-0.516726000
7	1.136500000	-1.964447000	-0.876904000
6	-1.900143000	2.427002000	-0.921017000
1	-2.729040000	1.732028000	-0.863497000
6	-2.080593000	3.799393000	-0.835648000
1	-3.072893000	4.211138000	-0.716242000
6	0.295784000	4.038849000	-1.042270000
6	0.390699000	2.656548000	-1.131842000
6	1.701684000	1.938831000	-1.343123000
1	1.739522000	1.630635000	-2.389981000
6	2.823392000	-0.203753000	-1.003694000
1	2.977393000	-0.011636000	-2.067306000
6	2.438950000	-1.662472000	-0.870038000
6	3.412584000	-2.653624000	-0.795486000

1	4.459276000	-2.379875000	-0.780777000
6	0.757559000	-3.247786000	-0.811759000
1	2.537702000	2.624649000	-1.176989000
1	3.792439000	-0.040765000	-0.523288000
1	1.189740000	4.646448000	-1.080636000
6	-0.959287000	4.617747000	-0.896930000
1	-1.058749000	5.692832000	-0.823964000
6	-3.102738000	-1.155650000	-0.280287000
6	-2.564910000	-0.786122000	1.009017000
6	-3.409526000	-0.788607000	2.118788000
6	-4.766545000	-1.137858000	2.017631000
6	-5.287390000	-1.492355000	0.781105000
6	-4.462233000	-1.499168000	-0.351313000
1	-5.395493000	-1.128063000	2.900415000
1	-4.876702000	-1.776339000	-1.316929000
8	-1.277059000	-0.454935000	1.088592000
1	-2.985714000	-0.506127000	3.077470000
7	-2.220858000	-1.131438000	-1.332495000
1	-2.662681000	-1.385316000	-2.206289000
1	-6.332631000	-1.764484000	0.683254000
6	1.898398000	1.056740000	0.928103000
6	1.946931000	-0.143487000	1.879236000
6	3.102265000	1.943014000	1.349255000
1	0.978632000	1.598869000	1.159147000
6	2.344050000	0.511939000	3.201782000
1	2.728336000	-0.845565000	1.578971000
1	0.997057000	-0.675134000	1.911251000
6	3.448783000	1.506692000	2.795680000
1	2.844949000	3.000525000	1.290926000
1	3.952333000	1.788117000	0.682784000

1	1.485446000	1.045951000	3.619248000
1	2.676969000	-0.207928000	3.950131000
1	3.518174000	2.352696000	3.479775000
1	4.417361000	1.002768000	2.809432000

Mn^{II}-OAP adduct 5B

6	1.652440000	-4.668159000	-0.801310000
1	2.150950000	-5.624599000	-0.712680000
6	0.264124000	-4.588530000	-0.770445000
1	-0.350183000	-5.471088000	-0.661000000
1	-1.397154000	-3.203618000	-0.852815000
25	-0.654502000	-0.248855000	-0.841382000
7	-0.362436000	1.941576000	-1.215814000
7	1.798481000	0.198401000	-0.779236000
7	0.393327000	-2.215396000	-1.010938000
6	-1.350639000	2.810901000	-0.991171000
1	-2.324823000	2.374522000	-0.807642000
6	-1.144283000	4.182272000	-0.985711000
1	-1.969645000	4.855382000	-0.801157000
6	1.169964000	3.749587000	-1.437783000
6	0.879535000	2.392250000	-1.435990000
6	1.912775000	1.330283000	-1.716725000
1	1.712351000	0.941606000	-2.717354000
6	2.492994000	-0.997975000	-1.273003000
1	2.621035000	-0.896977000	-2.352669000
6	1.728479000	-2.285503000	-1.045877000
6	2.392309000	-3.503363000	-0.939593000
1	3.473752000	-3.530496000	-0.959284000
6	-0.322682000	-3.339586000	-0.876001000
1	2.912291000	1.772114000	-1.739517000

1	3.499953000	-1.096667000	-0.860394000
1	2.183831000	4.085945000	-1.606948000
6	0.141376000	4.657217000	-1.213618000
1	0.343441000	5.720285000	-1.209078000
6	-3.419075000	-0.443263000	-0.116861000
6	-2.706314000	-0.179563000	1.112235000
6	-3.432070000	-0.009149000	2.290638000
6	-4.834733000	-0.088062000	2.316107000
6	-5.523176000	-0.343332000	1.138352000
6	-4.820110000	-0.518212000	-0.061024000
1	-5.368223000	0.050130000	3.249542000
1	-5.365255000	-0.715832000	-0.980149000
8	-1.376800000	-0.109040000	1.072364000
1	-2.877405000	0.189856000	3.202410000
7	-2.646893000	-0.597238000	-1.241318000
1	-3.204705000	-0.769988000	-2.067248000
1	-6.605833000	-0.406842000	1.138305000
6	2.135680000	0.578849000	0.628815000
6	1.883060000	-0.573927000	1.605662000
6	3.551156000	1.144033000	0.826025000
1	1.422569000	1.369936000	0.880282000
6	2.084204000	-0.115494000	3.052789000
1	2.576519000	-1.394434000	1.397642000
1	0.870257000	-0.953502000	1.476856000
6	3.759185000	1.597618000	2.275975000
1	4.292900000	0.378761000	0.577128000
1	3.728581000	1.988529000	0.158949000
6	3.481313000	0.467456000	3.268222000
1	1.912188000	-0.956505000	3.728768000
1	1.331076000	0.642102000	3.295866000

1	4.776742000	1.975928000	2.400069000
1	3.084769000	2.435281000	2.486307000
1	3.590125000	0.828765000	4.294021000
1	4.226424000	-0.324376000	3.130312000

Mn^{II}-OAP adduct 6B

6	1.390932000	-4.173080000	-1.430096000
1	1.914496000	-5.117021000	-1.507009000
6	0.043917000	-4.138043000	-1.088840000
1	-0.512809000	-5.043859000	-0.894193000
1	-1.625383000	-2.806989000	-0.734725000
25	-0.964407000	0.181656000	-0.743322000
7	-0.609624000	2.390218000	-0.584613000
7	1.542844000	0.621253000	-0.934074000
7	0.067209000	-1.755697000	-1.224046000
6	-1.519249000	3.182007000	-0.009600000
1	-2.460893000	2.710413000	0.242199000
6	-1.278590000	4.521500000	0.255123000
1	-2.040985000	5.128454000	0.722731000
6	0.906685000	4.222943000	-0.680902000
6	0.586792000	2.892819000	-0.918604000
6	1.537275000	1.935961000	-1.596771000
1	1.182193000	1.792018000	-2.619411000
6	2.013656000	-0.446252000	-1.828165000
1	1.730979000	-0.170759000	-2.846395000
6	1.365605000	-1.781842000	-1.546775000
6	2.061207000	-2.979256000	-1.662047000
1	3.111820000	-2.970846000	-1.919429000
6	-0.579193000	-2.903494000	-0.998154000
1	2.531965000	2.387473000	-1.665091000

1	3.101076000	-0.552683000	-1.832660000
1	1.884373000	4.599113000	-0.950092000
6	-0.040406000	5.049294000	-0.088701000
1	0.188722000	6.088309000	0.108630000
6	2.240204000	0.690510000	0.395359000
6	3.780503000	0.842266000	0.281851000
1	1.862777000	1.615186000	0.835985000
6	1.774345000	-0.434896000	1.324136000
6	4.651755000	-0.397011000	0.545892000
1	4.094709000	1.623189000	0.978829000
1	4.018785000	1.236950000	-0.707666000
1	1.958662000	-1.409185000	0.868933000
1	0.692529000	-0.351772000	1.431363000
6	2.425445000	-0.419104000	2.716216000
6	4.907925000	-0.676873000	2.032010000
1	4.227635000	-1.286737000	0.071791000
1	5.617064000	-0.230162000	0.060441000
6	3.717038000	-1.237721000	2.810191000
1	2.609349000	0.612842000	3.035647000
1	1.708997000	-0.832511000	3.430333000
1	5.740805000	-1.380665000	2.121971000
1	5.242072000	0.254167000	2.504331000
1	3.504603000	-2.252480000	2.454060000
1	4.003532000	-1.336637000	3.861601000
8	-1.717744000	-0.232561000	1.118572000
7	-2.919956000	-0.145126000	-1.275321000
6	-3.690310000	-0.497634000	-0.195456000
6	-5.056204000	-0.820806000	-0.226060000
6	-5.760251000	-1.165850000	0.935505000
6	-5.108211000	-1.195230000	2.160177000

6	-3.740397000	-0.878688000	2.220316000
6	-3.014804000	-0.533208000	1.080873000
1	-5.572990000	-0.798688000	-1.181791000
1	-6.815099000	-1.409007000	0.869484000
1	-5.642864000	-1.460444000	3.065048000
1	-3.214133000	-0.897519000	3.169628000
1	-3.447198000	-0.145460000	-2.138549000