

Supplementary information

Structurally Precise Cationic Polythiophene-*b*-Polyglutamate Diblock Copolymers with Tunable Polyplex Morphologies for Efficient PCI-Mediated Gene Delivery

Chi Zhang, Xuefei Li, Xiangkun Zhang, Zhongyi Li, Chuanzhi Liu, Ya Chen and Bin Zhai*

*Department School of Chemistry & Chemical Engineering,
Engineering Research Center for Optoelectronic Functional
Materials of Henan Province, Shangqiu Normal University,
Shangqiu 476000, P. R. China.*

E-mail: zhaibin_1978@163.com




Fig. S1 ^1H NMR spectra of P3ET₁₁, PBLG₂₈, and P3ET₁₁-*b*-PBLG₂₈ in CDCl_3 .




Fig. S2 GPC trace of PBLG₂₈.




Fig. S3 ¹H NMR spectra of P3ET₂₂ and P3ET₃₂ in CDCl₃.




Fig. S4 ¹H NMR spectra of P3ET₂₂-*b*-PBLG₂₈ and P3ET₃₂-*b*-PBLG₂₈ in CDCl₃.




Fig. S5 ^1H NMR spectrum of $\text{P3ET}_n-b-\text{PBLG}_m(\text{DET})$ s in water.




Fig. S6 Normalized UV-vis and fluorescence spectra of P3ET_{11} in THF.




Fig. S7 Normalized UV–vis and fluorescence spectra of P3ET₂₂ in THF.




Fig. S8 Normalized UV–vis and fluorescence spectra of P3ET₃₂ in THF.




Fig. S9 D_{HS} of the cationic diblock copolymers P3ET₁₁-*b*-PBLG₂₈(DET), P3ET₂₂-*b*-PBLG₂₈(DET), and P3ET₃₂-*b*-PBLG₂₈(DET) in aqueous solution. Data are presented as mean \pm standard deviation (n = 3 independent measurements).




Fig. S10 In vitro cytotoxicity of polyplexes with or without PCI treatment ($\lambda > 400$ nm, 300 mW·cm $^{-2}$, 2 min).