

Electronic Supplementary Information (ESI)

Stereoselective Synthesis of the Pyran Subunit of Portentol†

Tan Hoang Luu,^{a,b} Florian Heppner,^a Johal Ruiz,^{a,c} and Dirk Menche^{a,*}

a Kekulé Institute of Organic Chemistry and Biochemistry, University of Bonn, D-53121 Bonn, Germany, EU.

b Present address: Apurano Pharmaceuticals GmbH, D-83627 Warngau,, Germany.

c Present address: IIQ – CSIC, Sevilla - Spain.


E-mail: dirk.menche@uni-bonn.de

Contents


Copies of ¹H and ¹³C NMR spectra

S2


$^1\text{H-NMR}$, 300 MHz, CDCl_3 , 298 K




9




$^{13}\text{C-NMR}$, 76 MHz, CDCl_3 , 298 K




9




¹H-NMR, 500 MHz, CDCl₃, 298 K




10





¹³C-NMR, 126 MHz, CDCl₃, 298 K





10





¹H-NMR, 500 MHz, CDCl₃, 298 K




¹³C-NMR, 126 MHz, CDCl₃, 298 K







¹H-NMR, 500 MHz, CD₂Cl₂, 298 K




14




¹³C-NMR, 126 MHz, CD₂Cl₂, 298 K




14




$^1\text{H-NMR}$, 400 MHz, CD_2Cl_2 , 298 K




15




$^{13}\text{C-NMR}$, 101 MHz, CD_2Cl_2 , 298 K




15




$^1\text{H-NMR}$, 500 MHz, CD_2Cl_2 , 298 K




16




$^{13}\text{C-NMR}$, 126 MHz, CD_2Cl_2 , 298 K




16




$^1\text{H-NMR}$, 500 MHz, CD_2Cl_2 , 298 K




$^{13}\text{C-NMR}$, 126 MHz, CD_2Cl_2 , 298 K




$^1\text{H-NMR}$, 500 MHz, CD_2Cl_2 , 298 K





$^{13}\text{C-NMR}$, 126 MHz, CD_2Cl_2 , 298 K







22

 ^{13}C -NMR, 176 MHz, CD_2Cl_2 , 298 K


22




¹H-NMR, 500 MHz, Acetone-d₆, 298 K




23




¹³C-NMR, 126 MHz, Acetone-d₆, 298 K




23




¹H-NMR, 500 MHz, Acetone-d₆, 298 K




24






¹³C-NMR, 126 MHz, Acetone-d₆, 298 K




24












¹H-NMR, 500 MHz, CD₂Cl₂, 298 K




¹³C-NMR, 126 MHz, CD₂Cl₂, 298 K




¹H-NMR, 700 MHz, CD₂Cl₂, 298 K




¹³C-NMR, 126 MHz, CD₂Cl₂, 298 K




¹H-NMR, 500 MHz, CD₂Cl₂, 298 K





¹³C-NMR, 126 MHz, CD₂Cl₂, 298 K




¹H-NMR, 400 MHz, CD₂Cl₂, 298 K




S1




¹³C-NMR, 126 MHz, CDCl₃, 298 K




S1




¹H-NMR, 700 MHz, CDCl₃, 298 K





¹³C-NMR, 176 MHz, CDCl₃, 298 K








$^1\text{H-NMR}$, 700 MHz, CD_2Cl_2 , 298 K




$^{13}\text{C-NMR}$, 176 MHz, CD_2Cl_2 , 298 K




¹H-NMR, 700 MHz, CD₂Cl₂, 298 K




45




¹³C-NMR, 176 MHz, CD₂Cl₂, 298 K




45








$^1\text{H-NMR}$, 700 MHz, CD_2Cl_2 , 298 K




$^{13}\text{C-NMR}$, 176 MHz, CD_2Cl_2 , 298 K





$^1\text{H-NMR}$, 700 MHz, CD_2Cl_2 , 298 K: 2 days after initial isolation, *E/Z* 1:2



$^{13}\text{C-NMR}$, 176 MHz, CD_2Cl_2 , 298 K: 2 days after initial isolation, *E/Z* 1:2

