Supporting information for

Novel indolespiro bicoumarins: synthesis and their antifungal

activity

Zhengyu Liu,^{*a*} Qihe Liu, ^{*a*} Li Chen, ^{*a*} Yukang Liu, ^{*a*} Ting Zhao, ^{*a*} Liuqing Yang, ^{*a*} Min Zhang*^{*a*} and Changsheng Yao*^{*b*}

^a School of Chemistry and Chemical Engineering, Jiangsu University, Zhenjiang, Jiangsu 212013, PR China

^b Jiangsu Key Lab of Green Synthetic Chemistry for Functional Materials, School of Chemistry and Materials Science, Jiangsu Normal University, Xuzhou, Jiangsu 221116, P R China E-mail: zhangmin@ujs.edu.cn (M. Zhang); csyao@jsnu.edu.cn (C. Yao)

List of contents



Figure S1. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3a**.



Figure S2. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3b**.



Figure S3. The ¹H NMR (400 MHz, DMSO- d_6) of 3c.



Figure S4. The ¹H NMR (400 MHz, DMSO- d_6) of 3d.



Figure S5. The ¹H NMR (400 MHz, DMSO- d_6) of 3e.



Figure S6. The ¹H NMR (400 MHz, DMSO- d_6) of 3f.



Figure S7. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3g**.



Figure S8. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3h**.



Figure S9. The ¹H NMR (400 MHz, DMSO- d_6) of 3i.



Figure S10. The ¹H NMR (400 MHz, DMSO- d_6) of 3j.



Figure S11. The ¹H NMR (400 MHz, DMSO- d_6) of 3k.



Figure S12. The ¹H NMR (400 MHz, DMSO- d_6) of 3l.



Figure S13. The ¹H NMR (400 MHz, DMSO- d_6) of 3m.



Figure S14. The ¹³C NMR (100 MHz, DMSO-*d*₆) of **3m**.



Figure S15. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3n**.



Figure S16. The ¹³C NMR (100 MHz, DMSO-*d*₆) of **3n**.



Figure S17. The ¹H NMR (400 MHz, DMSO-*d*₆) of **30**.



Figure S18. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3p**.



Figure S19. The ¹H NMR (400 MHz, DMSO- d_6) of 3q.



Figure S20. The ¹H NMR (400 MHz, DMSO- d_6) of 3r.



Figure S21. The ¹H NMR (400 MHz, DMSO-*d*₆) of **3s**.



Figure S22. The ¹H NMR (400 MHz, DMSO- d_6) of 3t.



Figure S23. The ¹H NMR (400 MHz, DMSO- d_6) of 3u.