

Efficient photocatalytic degradation of 3D urchin-like TiO₂@rGO-hBN architecture towards methylene blue

Nguyen Thi Huyen^{a,b}, Tran Ai Suong Suong^c, Cao Thi Thanh^a, Nguyen Van Tu^a, Pham Van Trinh^a, Tran Van Tan^d, Le Thi Quynh Xuan^a, Bui Hung Thang^a, Tran Van Hau^a, Do Tuan^a, Pham Duy Long^a, Phan Ngoc Minh^b, Hiroya Abe^c, and Nguyen Van Chuc^{a,b*}

^aInstitute of Materials Science, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay, Hanoi, Vietnam

^bGraduate University of Science and Technology, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay, Hanoi, Vietnam

^cVNU University of Engineering and Technology, 144 Xuan Thuy, Cau Giay, Hanoi, Vietnam

^dFaculty of Physics, University of Science, Vietnam National University, Hanoi, 334 Nguyen Trai, Thanh Xuan, Hanoi, Vietnam

^eJoining and Welding Research Institute, Osaka University, Osaka 5670047, Japan.

* Corresponding author at: Institute of Materials Science, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay, Hanoi, Vietnam.

chucnv@ims.vast.vn (N.V. Chuc)

Supplementary data




Fig. S1. SEM image of GO flakes




Fig. S2. SEM and AFM images of hBN flakes