




Supporting information file for manuscript

Table S1. UV-Vis Spectra of All of the Newly Synthesized Ligands

Compound No.	UV Graphs
L₄	
L₅	
L₉	

L₁₀





Figure S1: UV vis. & Fluorescence Spectra of all the Synthesized Terpyridine Complexes (C₁-C₂₀)








Figure 1. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_1 (10 μM) in different solvents







Figure 2. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_2 ($10 \mu\text{M}$) in different solvents








Figure 3. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_3 (10 μM) in different solvents







Figure 4. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_4 ($10\ \mu\text{M}$) in different solvents.









Figure 5. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_5 ($10 \mu\text{M}$) in different solvents







Figure 6. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_6 ($10 \mu\text{M}$) in different solvents








Figure 7. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_7 (10 μM) in different solvents







Figure 8. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_8 (10 μM) in different solvents








Figure 9. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_9 (10 μM) in different solvents







Figure 10. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{10} ($10\ \mu\text{M}$) in different solvents








Figure 11. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_{11} (10 μM) in different solvents







Figure 12. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{12} (10 μM) in different solvents








Figure 13. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}} = 350$ nm fluorescence spectra of compound C_{13} (10 μM) in different solvents







Figure 14. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{14} ($10\ \mu\text{M}$) in different solvents








Figure 15. (a) The UV-vis. absorption and (b) $\lambda_{exc}=300$ nm fluorescence spectra and (c) $\lambda_{exc}=350$ nm fluorescence spectra of compound C_{15} (10 μ M) in different solvents







Figure 16. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{16} (10 μM) in different solvents








Figure 17. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}} = 300 \text{ nm}$ fluorescence spectra and (c) $\lambda_{\text{exc}} = 350 \text{ nm}$ fluorescence spectra of compound C_{17} (10 μM) in different solvents







Figure 18. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{18} ($10\ \mu\text{M}$) in different solvents








Figure 19. (a) The UV-vis. absorption and (b) $\lambda_{exc}=300$ nm fluorescence spectra and (c) $\lambda_{exc}=350$ nm fluorescence spectra of compound C_{19} (10 μ M) in different solvents







Figure 20. (a) The UV-vis. absorption and (b) $\lambda_{\text{exc}}=300$ nm fluorescence spectra and (c) $\lambda_{\text{exc}}=350$ nm fluorescence spectra of compound C_{20} (10 μM) in different solvents


Table S2. FTIR Spectra of All of the Newly Synthesized Ligands & Complexes

Compound	FTIR Graphs
No.	
L_4	


L₅




L₉




L₁₀




C₁




C₂




C₄




C₅




C₆




C₇




C₈




C₁₁




C₁₂




C₁₃




C₁₄




C₁₅




C₁₆




C₁₇




C₁₈



C₁₉




C₂₀




**Table S3. CV Graphs of All the Synthesized Complexes (C₁-C₂₀) at
(200, 100 & 40 mVs⁻¹)**


In these graphs, the black voltammogram corresponds to a scan rate of 200 mVs⁻¹, the red voltammogram represents 100 mVs⁻¹, and the blue voltammogram indicates 40 mVs⁻¹.




C₂




C₃




C₄




C₅




C₆




C₇




C₈




C₉




C₁₀




C₁₁




C₁₂




C₁₃




C₁₄




C₁₅




C₁₆




C₁₇



C₁₈



C₁₉







Table S4. Quantum chemical descriptors for the TPY-based complexes


Molecules	Global Hardness (η)	Global Softness (σ)	Chemical Potential (μ)	Electro- negativity (χ)	Electro- philicity (ω)	Total charge transfer ΔN_{max}
C₁	0.61	1.646	-2.26	2.26	1.56	3.70
C₄	0.315	3.17	-2.22	2.22	0.77	7.03
C₅	0.305	3.28	-2.27	2.27	0.78	7.43
C₆	0.64	1.56	-2.36	2.36	1.78	3.69
C₈	0.32	3.13	-2.77	2.77	1.23	8.66
C₉	0.57	1.75	-2.54	2.54	1.84	4.46
C₁₁	0.5	2.00	-3.04	3.04	2.31	6.08
C₁₆	0.53	1.89	-2.65	2.65	1.86	5.00
C₁₈	0.425	2.35	-3.015	3.015	1.93	7.09
C₁₉	0.325	3.08	-2.38	2.38	0.92	7.31

Figure S2: NMR Spectra of the Newly Synthesized Ligands and Complexes


^1H -NMR Spectrum (600 MHz, $\text{DMSO-}d_6$) of Compound L_4




^{13}C -NMR Spectrum (151 MHz, $\text{DMSO-}d_6$) of Compound L_4




¹H-NMR Spectrum (600 MHz, DMSO-*d*₆) of Compound L₅




¹³C-NMR Spectrum (151 MHz, DMSO-*d*₆) of Compound L₅




¹H-NMR Spectrum (500 MHz, DMSO-*d*₆) of Compound L₉




¹³C-NMR Spectrum (126 MHz, DMSO-*d*₆) of Compound L₉




¹H-NMR Spectrum (500 MHz, DMSO-*d*₆) of Compound L₁₀




¹³C-NMR Spectrum (126 MHz, DMSO-*d*₆) of Compound L₁₀




¹H-NMR Spectrum (600 MHz, DMSO-*d*₆) of Compound C₄




¹³C-NMR Spectrum (151 MHz, DMSO-*d*₆) of Compound C₄




¹H-NMR Spectrum (600 MHz, DMSO-*d*₆) of Compound C₅




¹³C-NMR Spectrum (151 MHz, DMSO-*d*₆) of Compound C₅




¹H-NMR Spectrum (600 MHz, DMSO-*d*₆) of Compound C₇




¹³C-NMR Spectrum (151 MHz, DMSO-*d*₆) of Compound C₇




¹H-NMR Spectrum (600 MHz, DMSO-*d*₆) of Compound C₈




¹³C-NMR Spectrum (151 MHz, DMSO-*d*₆) of Compound C₈




¹H-NMR Spectrum (500 MHz, DMSO-*d*₆) of Compound C₁₁




¹³C-NMR Spectrum (126 MHz, DMSO-*d*₆) of Compound C₁₁




^1H -NMR Spectrum (600 MHz, $\text{DMSO-}d_6$) of Compound C_{12}




^{13}C -NMR Spectrum (151 MHz, $\text{DMSO-}d_6$) of Compound C_{12}




^1H -NMR Spectrum (500 MHz, $\text{DMSO-}d_6$) of Compound C_{17}




^{13}C -NMR Spectrum (126 MHz, $\text{DMSO-}d_6$) of Compound C_{17}




¹H-NMR Spectrum (500 MHz, DMSO-*d*₆) of Compound C₁₈



¹³C-NMR Spectrum (126 MHz, DMSO-*d*₆) of Compound C₁₈



¹H-NMR Spectrum (500 MHz, DMSO-*d*₆) of Compound C₁₉



¹³C-NMR Spectrum (126 MHz, DMSO-*d*₆) of Compound C₁₉




Figure S3: Representative ESI Mass Spectrum of the Synthesized Compound

ESI Mass Spectrum of Compound C₁₉

