













Figure 1 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9a













Figure 2 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9b













Figure 4 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9d













Figure 5 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9e













Figure 7 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9g











Figure 8 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9h











Figure 9 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9i











Figure 10 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9j











Figure 11 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9k











Figure 12 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9I











Figure 13 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9m











Figure 14 ¹H NMR (A), ¹³C NMR (B), HR-MS (C) and HPLC (D) of compound 9n












Figure 15 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9o










峰列表


hcx-(UV-ch1-254)

No	名称	保留时间 (min)	峰面积 (mAu*s)	峰宽 (min)	半峰宽 (min)	峰高 (mAu)	面积百分 比 (%)	峰类型
1	N.A.	22.730	10202.384	1.104	0.650	207.401	99.738	BB
2	N.A.	25.153	26.802	1.129	1.250	0.023	0.262	BB
3	总计		10229.186	2.233	1.900	207.424	100.000	

Figure 16 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9p










峰列表



9q-(UV-ch1-284)

No	名称	保留时间 (min)	峰面积 (mAu*s)	峰宽 (min)	半峰宽 (min)	峰高 (mAu)	面积百分 比 (%)	峰类型
1	N.A.	2.875	31.404	0.158	0.096	5.514	1.493	BB*
2	N.A.	3.115	2072.046	0.179	0.106	258.994	98.507	BB*
3	总计		2103.450	0.338	0.202	264.508	100.000	

Figure 17 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 9q















Figure 19 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 10b













Figure 21 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 10d

















Figure 22 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 10e


















Figure 27 ^1H NMR (A), ^{13}C NMR (B), HR-MS (C) and HPLC (D) of compound 10j