

List of included studies

- [1] Leblebici, I. M. , S. Bozkurt , and B. Sever . "Comparison of adhesion-preventing meshes in a rat model of incisional hernia in terms of intra-abdominal adhesions and other complications." *Biomedical Research* 25.3(2014):414-419.
- [2] Schreinemacher, M. H. F. , et al. "Degradation of mesh coatings and intraperitoneal adhesion formation in an experimental model." *British Journal of Surgery* (2009).
- [3] Rashid, Hawar Qadir, Enis Karabulut, and Aydin Cevik. "Effectiveness of polypropylene mesh coated bovine amniotic membrane with adhesion barrier (polyethylene glycol) in repair of abdominal wall hernias in rats." *Indian J. Anim. Sci* 88 (2018): 1010-1014.
- [4] Esfandiari, Adeleh, and Iradj Nowrouzian. "Efficacy of polypropylene mesh coated with bioresorbable membrane for abdominal wall defects in Mice." *Journal of the American Association for Laboratory Animal Science* 45.1 (2006): 48-51.
- [5] Hodde, Jason P., et al. "Histological and adhesiogenic characterization of the Zenapro hybrid hernia repair device." *International Journal of Surgery Open* 5 (2016): 27-32.
- [6] Zeng, Deqiang, et al. "Repair efficacy of novel hernia mesh materials on abdominal wall defects in New Zealand white

rabbits." *Guangdong Medical Journal* 35.07 (2014): 998–1001. doi:10.13820/j.cnki.gdyx.2014.07.015.

[7] Zeng, Deqiang, Yang, Bin, and Chen, Shuang. "Study on partially absorbable hernia mesh materials for abdominal wall repair." *Chinese Journal of Experimental Surgery* 24.04 (2007): 435–437.

[8] Ding, Guofei, et al. "Study on repairing rat abdominal wall defects using three novel composite materials." *Chinese Journal of Bases and Clinics in General Surgery* 18.10 (2011): 1049–1053.

[9] Yao, Jing, Tian, Wen, and Li, Jia. "Comparative study of three composite meshes for repairing rat abdominal wall defects in contaminated environments." *Chinese Journal of Reparative and Reconstructive Surgery* 25.06 (2011): 685–688.

[10] Zheng, Yajie. Comparative study of three domestic novel composite meshes for repairing canine abdominal wall defects in contaminated environments [Master's thesis]. Academy of Military Medical Sciences, 2012. [11] Yelimlieş, B., et al. "Carboxymethylcellulose coated on visceral face of polypropylene mesh prevents adhesion without impairing wound healing in incisional hernia model in rats." *Hernia* 7.3 (2003): 130-133.

[12] Werkmeister, Jerome A., et al. "Evaluation of a collagen-based biosynthetic material for the repair of abdominal wall defects." *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese*

Society for Biomaterials, and the Australian Society for Biomaterials 39.3 (1998): 429-436.

[13] Voskerician, Gabriela, Analiz Rodriguez, and Peter H. Gingras. "Macroporous condensed poly (tetra fluoro-ethylene).

II. In vivo effect on adhesion formation and tissue integration." Journal of Biomedical Materials Research Part A: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials 82.2 (2007): 426-435.

[14] Voskerician, Gabriela, et al. "Human peritoneal membrane reduces the formation of intra-abdominal adhesions in ventral hernia repair: experimental study in a chronic hernia rat model." Journal of Surgical Research 157.1 (2009): 108-114.

[15] van't Riet, Martijne, et al. "Prevention of adhesion to prosthetic mesh: comparison of different barriers using an incisional hernia model." Annals of surgery 237.1 (2003): 123.

[16] Szabo, A., et al. "Evaluation of seprafilm and amniotic membrane as adhesion prophylaxis in mesh repair of abdominal wall hernia in rats." European surgical research 32.2 (2000): 125-128.

[17] Sikkink, Cornelis JJM, et al. "Adhesion formation and reherniation differ between meshes used for abdominal wall reconstruction." Hernia 10.3 (2006): 218-222.

- [18] Schulz, Danielle Duck, et al. "Evaluation of healing prosthetic materials polyester mesh resorbable film and collagen elastin matrix/polypropylene used in rabbits abdominal wall defects." *Acta Cirúrgica Brasileira* 24.6 (2009): 476-483.
- [19] Schug-Pass, Christine, et al. "The use of composite meshes in laparoscopic repair of abdominal wall hernias: are there differences in biocompatibility?." *Surgical endoscopy* 23.3 (2009): 487-495.
- [20] Martín-Cartes, Juan Antonio, et al. "Role of fibrin glue in the prevention of peritoneal adhesions in ventral hernia repair." *Surgery today* 38.2 (2008): 135-140.
- [21] Kayaoglu, Huseyin Ayhan, et al. "Comparison of adhesive properties of five different prosthetic materials used in hernioplasty." *Journal of Investigative Surgery* 18.2 (2005): 89-95.
- [22] Judge, Timothy W., David M. Parker, and Robert C. Dinsmore. "Abdominal wall hernia repair: a comparison of sepramesh and parietex composite mesh in a rabbit hernia model." *Journal of the American College of Surgeons* 204.2 (2007): 276-281.
- [23] Greenawalt, Keith E., et al. "Evaluation of sepramesh biosurgical composite in a rabbit hernia repair model." *Journal of Surgical Research* 94.2 (2000): 92-98.

- [24] Gaertner, W. B., M. E. Bonsack, and J. P. Delaney. "Visceral adhesions to hernia prostheses." *Hernia* 14.4 (2010): 375-381.
- [25] Emans, Pieter J., et al. "Polypropylene meshes to prevent abdominal herniation. Can stable coatings prevent adhesions in the long term?." *Annals of biomedical engineering* 37.2 (2009): 410-418.
- [26] Dilege, E., et al. "Prevention of adhesion to prosthetic mesh in incisional ventral hernias: comparison of different barriers in an experimental model." *European surgical research* 38.3 (2006): 358-364.
- [27] Demir, Uygur et al. "Comparison of prosthetic materials in incisional hernia repair." *Surgery today* vol. 35,3 (2005): 223-7. doi:10.1007/s00595-004-2907-1
- [28] de Araújo, Ubirajara Rutilio Mendes E Ferreira et al. "Intraperitoneal meshes in the repair of abdominal wall defects: comparison of polyester with collagen versus polypropylene with polyglycolic acid." *Revista do Colegio Brasileiro de Cirurgioes* vol. 36,3 (2009): 241-9.
- [29] Celik, Atilla et al. "The shrinking rates of different meshes placed intraperitoneally: a long-term comparison of the TiMesh, VYPRO II, Sepramesh, and DynaMesh." *Surgical laparoscopy, endoscopy & percutaneous techniques* vol. 19,4

(2009): e130-4. doi:10.1097/SLE.0b013e3181aa598d

[30] Butler, C E et al. "Reduction of abdominal adhesions using composite collagen-GAG implants for ventral hernia repair." Journal of biomedical materials research vol. 58,1 (2001): 75-80. doi:10.1002/1097-4636(2001)58:1<75::aid-jbm110>3.0.co;2-j

[31] Burger, J W A et al. "Evaluation of new prosthetic meshes for ventral hernia repair." Surgical endoscopy vol. 20,8 (2006): 1320-5. doi:10.1007/s00464-005-0706-4

[32] Bellón, Juan M et al. "Peritoneal effects of prosthetic meshes used to repair abdominal wall defects: monitoring adhesions by sequential laparoscopy." Journal of laparoendoscopic & advanced surgical techniques. Part A vol. 17,2 (2007): 160-6. doi:10.1089/lap.2006.0028

[33] Bellón, Juan M et al. "Healing process induced by three composite prostheses in the repair of abdominal wall defects." Journal of biomedical materials research vol. 63,2 (2002): 182-90. doi:10.1002/jbm.10123

[34] Bellón, J M et al. "Composite prostheses for the repair of abdominal wall defects: effect of the structure of the adhesion barrier component." Hernia : the journal of hernias and abdominal wall surgery vol. 9,4 (2005): 338-43. doi:10.1007/s10029-

005-0012-z

[35] Bellón, J M et al. "Peritoneal regeneration after implant of a composite prosthesis in the abdominal wall." World journal of surgery vol. 25,2 (2001): 147-52. doi:10.1007/s002680020069

[36] Ansaloni, Luca et al. "Peritoneal adhesions to prosthetic materials: an experimental comparative study of treated and untreated polypropylene meshes placed in the abdominal cavity." Journal of laparoendoscopic & advanced surgical techniques. Part A vol. 19,3 (2009): 369-74. doi:10.1089/lap.2008.0366

[37] Amid, P K et al. "Experimental evaluation of a new composite mesh with the selective property of incorporation to the abdominal wall without adhering to the intestines." Journal of biomedical materials research vol. 28,3 (1994): 373-5. doi:10.1002/jbm.820280312

[38] Alponat, A et al. "Effects of physical barriers in prevention of adhesions: an incisional hernia model in rats." The Journal of surgical research vol. 68,2 (1997): 126-32. doi:10.1006/jsre.1996.4979

[39] Aliabadi-Wahle, S et al. "Comparison of novel synthetic materials with traditional methods to repair exposed abdominal wall fascial defects." Journal of investigative surgery : the official journal of the Academy of Surgical Research vol. 11,2

(1998): 97-104. doi:10.3109/08941939809032188

[40] Altinel, Y et al. “The effect of a chitosan coating on the adhesive potential and tensile strength of polypropylene meshes.”

Hernia : the journal of hernias and abdominal wall surgery vol. 16,6 (2012): 709-14. doi:10.1007/s10029-012-0950-1

[41] Altınlı, Ediz et al. “Prevention of adhesion to prosthetic mesh: comparison of oxidized regenerated cellulose, polyethylene glycol and hylan G-F 20.” Ulusal travma ve acil cerrahi dergisi = Turkish journal of trauma & emergency surgery : TJTES vol. 17,5 (2011): 377-82.

[42] Aramayo, Ana Letícia Gomes et al. “Abdominal wall healing in incisional hernia using different biomaterials in rabbits.”

Acta cirurgica brasileira vol. 28,4 (2013): 307-16. doi:10.1590/s0102-86502013000400011

[43] Aydemir Sezer, Umran et al. “Polypropylene composite hernia mesh with anti-adhesion layer composed of polycaprolactone and oxidized regenerated cellulose.” Materials science & engineering. C, Materials for biological applications vol. 99 (2019): 1141-1152. doi:10.1016/j.msec.2019.02.064

[44] Aydemir Sezer, Umran et al. “A Polypropylene-Integrated Bilayer Composite Mesh with Bactericidal and Antiadhesive Efficiency for Hernia Operations.” ACS biomaterials science & engineering vol. 3,12 (2017): 3662-3674.

doi:10.1021/acsbiomaterials.7b00757

[45] Aydin, Oktay et al. "The effect of thymoquinone coating on adhesive properties of polypropylene mesh." *BMC surgery* vol. 17,1 40. 17 Apr. 2017, doi:10.1186/s12893-017-0239-5

[46] Barbieri, Renato Lamounier et al. "STEM CELLS HEMATOPOIETIC NICHES AND INFLAMMATORY RESPONSE TO DIFFERENT SYNTHETIC PROSTHESIS IMPLANTED IN RAT WITH INCISIONAL HERNIAS." *Arquivos brasileiros de cirurgia digestiva : ABCD = Brazilian archives of digestive surgery* vol. 30,2 (2017): 108-113. doi:10.1590/0102-6720201700020007

[47] Bouliaris, Konstantinos et al. "Adhesion Prevention to Polypropylene Meshes Using Combined Icodextrin Four Percent and Dimetindene Maleate." *The Journal of surgical research* vol. 234 (2019): 325-333. doi:10.1016/j.jss.2018.10.003

[48] D'Amore, L et al. "Adhesion prevention in ventral hernia repair: an experimental study comparing three lightweight porous meshes recommended for intraperitoneal use." *Hernia : the journal of hernias and abdominal wall surgery* vol. 21,1 (2017): 115-123. doi:10.1007/s10029-016-1541-3

[49] Dasiran, F et al. "The effect of polyethylene glycol adhesion barrier (Spray Gel) on preventing peritoneal adhesions."

Bratislavske lekarske listy vol. 116,6 (2015): 379-82. doi:10.4149/bll_2015_072

[50] Delibegovic, Samir et al. "Formation of adhesion after intraperitoneal application of TiMesh: experimental study on a rodent model." *Acta chirurgica Belgica* vol. 116,5 (2016): 293-300. doi:10.1080/00015458.2016.1179513

[51] Dolce, Charles J et al. "Evaluation of soft tissue attachments to a novel intra-abdominal prosthetic in a rabbit model." *Surgical innovation* vol. 19,3 (2012): 295-300. doi:10.1177/1553350611429115

[52] Eickhoff, Roman Marius et al. "A peritoneal defect covered by intraperitoneal mesh prosthesis effects an increased and distinctive foreign body reaction in a minipig model." *Journal of biomaterials applications* vol. 35,6 (2021): 732-739. doi:10.1177/0885328220963918

[53] García-Moreno, F., et al. "Intraperitoneal behaviour of a new composite mesh (Parietex™ Composite Ventral Patch) designed for umbilical or epigastric hernia repair." *Surgical endoscopy* 28.12 (2014): 3479-3488.

[54] Gómez-Gil, Verónica, et al. "Evaluation of synthetic reticular hybrid meshes designed for intraperitoneal abdominal wall repair: Preclinical and in vitro behavior." *PloS one* 14.2 (2019): e0213005.

[55] Gruber-Blum, Simone, et al. "Liquid antiadhesive agents for intraperitoneal hernia repair procedures: Artiss® compared

to CoSeal® and Adept® in an IPOM rat model." Surgical endoscopy 31.12 (2017): 4973-4980.

[56] Gruber-Blum, S., et al. "Comparison of three separate antiadhesive barriers for intraperitoneal onlay mesh hernia repair in an experimental model." Journal of British Surgery 98.3 (2011): 442-449.

[57] Hu, Minhui, et al. "Lightweight, highly permeable, biocompatible, and antiadhesive composite meshes for intraperitoneal repairs." Macromolecular Bioscience 18.7 (2018): 1800067.

[58] Hu, Wanjun, et al. "Mussel-inspired copolymer-coated polypropylene mesh with anti-adhesion efficiency for abdominal wall defect repair." Biomaterials science 7.4 (2019): 1323-1334.

[59] Hu, Wanjun et al. "Combination of Polypropylene Mesh and in Situ Injectable Mussel-Inspired Hydrogel in Laparoscopic Hernia Repair for Preventing Post-Surgical Adhesions in the Piglet Model." ACS biomaterials science & engineering vol. 6,3 (2020): 1735-1743. doi:10.1021/acsbiomaterials.9b01333

[60] Jayanth, S T et al. "A randomized controlled experimental study comparing chitosan coated polypropylene mesh and Proceed™ mesh for abdominal wall defect closure." Annals of medicine and surgery (2012) vol. 4,4 388-94. 9 Oct. 2015, doi:10.1016/j.amsu.2015.10.002

- [61] Konerding, M A et al. "Biomechanical and histological evaluation of abdominal wall compliance with intraperitoneal onlay mesh implants in rabbits: a comparison of six different state-of-the-art meshes." *Medical engineering & physics* vol. 34,7 (2012): 806-16. doi:10.1016/j.medengphy.2011.09.022
- [62] Ławniczak, Piotr et al. "Properties comparison of intraperitoneal hernia meshes in reconstruction of the abdominal wall: animal model study." *Polski przegląd chirurgiczny* vol. 83,1 (2011): 19-26. doi:10.2478/v10035-011-0003-y
- [63] Maciver, Allison H et al. "Sirolimus drug-eluting, hydrogel-impregnated polypropylene mesh reduces intra-abdominal adhesion formation in a mouse model." *Surgery* vol. 150,5 (2011): 907-15. doi:10.1016/j.surg.2011.06.022
- [64] Nohuz, Erdogan et al. "Effectiveness of Hyalobarrier and Seprafilm to prevent polypropylene mesh shrinkage: a macroscopic and histological experimental study." *International urogynecology journal* vol. 25,8 (2014): 1081-7. doi:10.1007/s00192-014-2357-2
- [65] Pascual, Gemma et al. "Behaviour of a new composite mesh for the repair of full-thickness abdominal wall defects in a rabbit model." *PloS one* vol. 8,11 e80647. 13 Nov. 2013, doi:10.1371/journal.pone.0080647
- [66] Santos Filho, Paulo Vicente Dos et al. "Experimental evaluation of intra-abdominal adhesions comparing two different

intraperitoneal meshes and the effect of a natural anti-inflammatory product on their formation.” *Acta cirurgica brasileira* vol. 35,12 e351205. 20 Jan. 2021, doi:10.1590/ACB351205

[67] Schreinemacher, Marc H F et al. “Coated meshes for hernia repair provide comparable intraperitoneal adhesion prevention.” *Surgical endoscopy* vol. 27,11 (2013): 4202-9. doi:10.1007/s00464-013-3021-5

[68] Vogels, R R M et al. “Long-term evaluation of adhesion formation and foreign body response to three new meshes.” *Surgical endoscopy* vol. 29,8 (2015): 2251-9. doi:10.1007/s00464-014-3936-5

[69] Ribeiro, Waston Gonçalves et al. “Comparative study of peritoneal adhesions after intraperitoneal implantation in rats of meshes of polypropylene versus polypropylene/polyglycaprone versus polyester/porcine collagen.” *Acta cirurgica brasileira* vol. 34,6 e201900603. 19 Aug. 2019, doi:10.1590/s0102-8650201900600000003

[70] Winny, Markus et al. “Adhesion Prevention Efficacy of Composite Meshes Parietex®, Proceed® and 4DryField® PH Covered Polypropylene Meshes in an IPOM Rat Model.” *International journal of medical sciences* vol. 13,12 936-941. 23 Nov. 2016, doi:10.7150/ijms.16215

[71] Yang, Dongchao et al. “Regenerated silk fibroin (RSF) electrostatic spun fibre composite with polypropylene mesh for

reconstruction of abdominal wall defects in a rat model.” Artificial cells, nanomedicine, and biotechnology vol. 48,1 (2020): 425-434. doi:10.1080/21691401.2019.1709858