


SUPPLEMENTARY INFORMATION

Novel core-shell Fe₃O₄/NiO nanofibers for photocatalytic degradation of active pharmaceutical compounds

Received 00th January 20xx,
Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Roman Viter^{a,*}, Mahmoud Abid^b, Tia Maria Howayek^b, Viktor Zabolotnii^a, Martin Sahul^c, Mária Čaplovičová^d, Iryna Tepliaková^a, Viesturs Sints^a, Aleksandrs Dutovs^a, Donats Erts^a, Ambra Fioravanti^e, Simonas Ramanavicius^{a,f}, Roland Habchi^g, David Cornu^b, Mikhael Bechelany^{b,h,*}



^a Faculty of Science and Technology, University of Latvia, 19 Raina Blvd, Riga LV 1586, Latvia

^b Institut Européen des Membranes, IEM, UMR 5635, Univ Montpellier, ENSCM, CNRS, Montpellier, France

^c Institute of Materials Science, Slovak University of Technology in Bratislava, Jána Bottu 25, 917 24 Trnava, Slovakia

^d Centre for Nanodiagnostics of Materials, Slovak University of Technology in Bratislava, Vazovova 5, 812 43 Bratislava, Slovakia

^e Institute of Sciences and Technologies for Sustainable Energy and Mobility (STEMS), National Research Council (CNR), Via Canal Bianco, 28, 44124, Ferrara, Italy

^f Department of Electrochemical Material Science, Centre for Physical Sciences and Technology, Saulėtekio Av. 3, LT-10257 Vilnius, Lithuania

^g Faculty of Sciences 2, EC2M, Lebanese University Campus Pierre Gemayel, Fanar, 90656 Lebanon

^h Functional Materials Group, Gulf University for Science and Technology, Mubarak Al-Abdullah, Kuwait

† Footnotes relating to the title and/or authors should appear here.




Figure 15. XPS spectra of single mode Fe NF and Ni NT: a) Fe 2p b) O 1s in Fe₂O₃ nanofibers, c) Ni 2p and d) O 1s in NiO nanotubes.




Figure 25. Photocatalytic degradation of paracetamol by Fe₂O₃ NF and NiO NT.