

Table S1: Descriptions of wine processing techniques in different dynasties

Dynasty	Original Text	References
The Spring and Autumn and Warring States periods	For those with injured shins, select a bunch of chives and mix with half a pot of wine. Bring it to a boil	<i>Prescriptions for Fifty-two Diseases</i>
Han Dynasty	Utilize twenty liters of pure wine in the pickled wine. Employ one pound of absorbent cotton and four meters of fine white cloth, and incorporate them into the wine	<i>Inner Canon of Huangdi</i>
	Three liang of Rhubarb, washed in wine	<i>Treatise on Cold</i>
	Rhei radix et rhizoma (RR) three liang of , soaked in wine	<i>Pathogenic and Miscellaneous Diseases</i>
	One piece of Trichosanthis fructus One dou of white wine. Add the four ingredients and simmer together	<i>Synopsis of the Golden Chamber</i>
	Soaked in Rehmanniae radix (RH) praeparata wine for a whole night	<i>Huatuo Shenfang</i> (华佗神方)
	Pyritum is heated until it is red, and then soaked in wine overnight	
	Cistanche soaked in wine and baked cistanches herba (CH)	
	psoraleae fructus (PF) wine steaming	
Jin Dynasty	Drink the decoction made from black beans	<i>Handbook of</i>

	One pound of Clematidis radix et rhizome(CR), washed clean, soaked in good wine for seven days, then ground into powder	<i>Prescriptions for Emergency</i> (肘后备急方)
	One dou of Cuscutae semen (CS), one dou of wine. Soak them for a long time... Then soak again until the wine is completely absorbed	
Northern and Southern Dynasties	Polygoni cuspidati rhizoma et radix is soaked in wine alone The seeds of CS must first be soaked in wine for one night	<i>The Collection of Notes on the Materia Medica</i>
	When preparing Angelicae sinensis radix (ASR) for use, first remove any dust... ..Then soak it in wine overnight	<i>Leigong Treatise on the Preparation</i> (本草经集注)
	When using CH, first soak it in clear wine overnight... When using it, first soak it in wine... ..then steam it... ..Then roast it with butter until it is well-done	
	Whenever using raw RH, after collecting it, remove the outer skin, steam it on a porcelain crucible, then spread it out to let the heat dissipate. Mix it evenly with wine and steam it again. Take it out and let it dry.	
Tang Dynasty	Take a porcelain vessel and fill it with two liters of unlimed wine. Heat a stone until it is red-hot and immediately immerse it in the wine. Wait for the wine to cool.	<i>Wings of the Thousand Gold Pieces</i> <i>Formulary</i> (千金翼方)

Pyritum is calcined, quenched with wine, and ground separately.	<i>Secret Formulary for Traumatology and Fracture Taught by Immortal</i> (仙授理伤续断秘方)
Cervi cornu, heat it until it turns red, then quench it in wine. When it cools down, heat it again. Repeat the quenching process until the antler is broken into pieces.	<i>Valuable Experience in Obstetrics</i> (经效产宝)
Artemisiae argyi folium stir-fried with wine	<i>Complete Collection of Prescriptions for Women</i> (妇人大全良方)
Rhino horn powder, mixed with wine and taken orally.	<i>Boji Formula</i> (博济方)
Platycladi cacumen, soaked in wine and ground for dissolution	<i>YAN's Jishengfang</i> (严氏济生方)
For the above nine herbs, use one dou of unadulterated wine in a silver pot and simmer over a slow fire. Do not let it boil vigorously. Stop when the wine is completely evaporated.	<i>Boji Formula</i>
Two liang of RR, peeled, washed with wine, and	<i>Medical Secrets</i>

	broken into three pieces.	<i>of an Official</i> (外台秘要)
Song Dynasty	Soak CH in two taels of wine for one night, scrape off the wrinkled skin, and roast it until dry.	<i>Tai Ping Sheng Hui Fang</i> (太平圣惠方)
	Crush and squeeze the raw materials to extract the juice, pour it into silver or copper utensils, add RH, soak and strain them until fully saturated. Then place them on a rice-steaming utensil and steam three to four times, periodically soaking, straining, and steaming again until dry. Finally, sun-dry until completely dried.	<i>The Compendium of Materia Medica</i> (本草图经)
	Fry with a small amount of honey, or soak and eat, or decoct into a soup, or add to wine and drink	Classified <i>Materia Medica</i> (证类本草) quotes <i>Dietotherapy Herbs</i> (食疗本草)
	Wash out the fine fragments, grind and extract the juice. Steam the coarse RH, sun-dry them, immerse in the juice for two to three hours, then sun-dry again and steam once more.	<i>Amplification on Materia Medica</i> (本草衍义)
Jin and Yuan Dynasty	<i>Phellodendri chinensis</i> cortex tastes extremely bitter and cold. After being washed with wine, it can be used to treat the symptoms of general restlessness despite insufficient yang qi in	<i>Treatise on Spleen and Stomach</i> (脾胃论)

	winter.	
	Soakd RR in wine and then heat it to make it warm.	<i>Ben Cao Fa Hu</i> (本草发挥)
Ming Dynasty	ASR soaked in wine	<i>Longevity and Life</i> <i>Preservation</i> (寿世保元)
	RR should be crushed or soaked in wine and then washed before use.	<i>Essentials of Materia Medica Distinctions</i> (本草品汇精要)
	ASR is soaked in wine. Soak it overnight in winter, half a day in spring and autumn, and just rinse it with wine in summer.	<i>Yao Xing Hui Yuan</i> (药性会元)
	Soakd RR in wine, steam it until cooked, cut it into slices and dry them... Grind the rhubarb stir-fried with wine into powder.	<i>Compendium of Materia Medica</i>
	Wash 6 grams of ASR with wine... Add two cups of water and decoct until there is one cup of water left.	
	Before using CH, it must be soaked in clear wine overnight, then placed in a steamer and steamed from noon to evening. After taking it out, roast it with ghee until it reaches an appropriate degree.	
	Select and wash the fresh RH, then put it into a wooden mortar to mash and squeeze out the	

juice. Add wine and continue to mash. Take out the juice and mix it well with the previously processed RH..

Collect the newly-opened Carthami flos during the Dragon Boat Festival, mix them evenly with pure rice wine and then dry them at a low temperature. Select the dragon's blood resin in the shape of melon seeds and grind it into fine powder in an equal amount to the above-mentioned red flowers. Heat a cup of pure rice wine in a water bath, and take the medicinal powder after mixing it with this warm wine.

Qing Dynasty RR acts on the blood aspect of the lower jia, and it needs to be processed by washing with wine. *Cheng Fang Bian Du* (成方便读)

Plantaginis semen、Paeoniae radix alba、Cyper rhizoma、Scutellariae radix (SR)、Rehmanniae radix、Cyper rhizome stir-fried with wine *Fu Qingzhu's Obstetrics and Gynecology* (傅青主女科)

ASR washed with wine

Take 9 grams of Lonicerae japonicae flos... Take 3.6 grams of each of the other medicinal herbs. Add two bowls of water and boil until there is one bowl left. Add half a cup of pure rice wine. Bring it to a boil again and keep it boiling for 2-3 minutes... *Golden Mirror of Medicine* (医宗金鉴)

Rehmanniae radix、ASR、Carthami flos washed with wine *Fu Ke Bing Jian* (妇科冰鉴)

Table S2: Processing methods and steps of Chinese herbal medicines processed with wine

Processed method	Operation method
Wine Soaking method (酒浸法)	Soak the medicinal materials in a certain amount of wine , and frequently turn them over to allow the wine to slowly penetrate into the interior. The process is judged by the condition of “the medicine has absorbed the wine ”
Wine Moistening method (酒润法)	The medicinal materials treated with wine are moistened in a jar (or urn) under basically airtight conditions to make the inside and outside of the medicinal materials equally soft and hard.
Wine Frying method (酒炙法)	Mix the cleaned or sliced medicinal materials evenly with a certain amount of yellow rice wine, let it moisten for a while. After the yellow rice wine is completely absorbed, put it into a stir-frying container (or first put the cleaned or sliced medicinal materials into a stir-frying container, heat them over a slow fire to a certain degree, and then spray a certain amount of yellow rice wine). Stir-fry it over a slow fire until dry, then take it out and let it cool.
Wine Steaming method (酒蒸法)	Mix the medicine with wine thoroughly, moisten it, place it in an appropriate steaming container, heat with steam until it reaches the specified degree, remove it, let it air dry slightly, and then mix it back with the steaming liquid (the remaining liquid and auxiliary materials in the

	container after steaming). Finally, dry it.
Wine Stewing method (酒炖法)	Mix the medicine with wine thoroughly, moisten it, place it in an appropriate steaming container, seal it, heat it over water or with steam until it is fully cooked, or until all the auxiliary ingredients have been completely absorbed. Then, let it cool down and remove it.

Table S3: Newly added wine processed TCM in different dynasties

Dynasty	New TCMs	References
Han Dynasty	Erinacei Corium、RR、Mume Fructus、C arthami Flos、Sophorae Flavescentis Radi x、Achyranthis Bidentatae Radix、Cistan ches Herba、Allii Tuberosi Semen、Sulfu	<i>Shennong's Classic of Materia Medica</i> (神农本草经) <i>Jinkui Yuhuan Jingz</i> (金匱玉函经) <i>Synopsis of Prescriptions of the Golden Chamber</i> (金匱要略方论) <i>Zhongzang Classic</i> (华氏中藏经)
Jin Dynasty	Gallus Domesticus Ovum、Dichroae Radi x、Hyoscyami Semen、Gentianae Radix Et Rhizoma、CS、Aconiti Kusnezoffii R adix	<i>Handbook of Prescriptions for Emergency</i>
Tang Dynasty	Brassicae Rapae Semen、Tiger bone Pini Resina、Cannabis Sativae Semen、F ibrous gypsum、Aspen bark、Actinidia P olygama、Mole、Stalactitum、Sojae Sem	<i>Beiji qianjin yaofang</i> (备急千金 药方) Newly Revised

en Praeparatum、Cassiae Semen	Materia Medica
、Actinolitum、Cornu Cervi Degelatinatu	<i>supplement to</i>
m、Haematitum、Rehmanniae Radix Prae	<i>valuable</i>
parata、CH、ASR、Gardeniae Fructus、	<i>prescriptions</i> (千金
Coptidis Rhizoma、Morindae Officinalis	翼方)
Radix、Stephaniae Tetrandrae Radix、An	<i>Essential Subtleties</i>
gelicae Sinensis Radix Cauda、	<i>on the Silver Sea</i>
Anemarrhenae Rhizoma、Celosiae Semen	(银海精微)
、fossilia spiriferis、Trichosanthis Fructus	<i>Dietotherapy Herbs</i>
、Evodiae Fructus、Stachys japonica、Op	<i>Medical Secrets of</i>
erculum Turbinis、Aquilariae Lignum Re	<i>an Official</i>
sinatum、Gastrodiae Rhizoma、Sojae Se	<i>Guxinjing</i> (颅囟经)
men Nigrum、Cyathulae Radix、Paeoniae	<i>Secret Formulary</i>
Radix Rubra、Pyritum、Polygoni Multifl	<i>for Traumatology</i>
ori Radix、Alismatis Rhizoma、Dendrobii	<i>and Fracture</i>
Caulis、Morindae Officinalis Radix、Dips	<i>Taught by Immortal</i>
aci Radix、Stemonae Radix、PF、Platycl	<i>Leigong Treatise on</i>
adi Semen、Buddlejae Flos、Pipistrellus	<i>the Preparation</i>
pipistrellus、Gecko、Bungarus Parvus、T	
ribuli Fructus、Cibotii Rhizoma、Arctii F	
ructus、Moutan Cortex、Pharbitidis Seme	
n、Curculiginis Rhizoma、Artemisiae An	
omalae Herba、Platycladi Semen、Zantho	
xyli Pericarpium、Sesami Semen Nigrum	
、Clematis Apiifolia、Litseae Fructus、V	
iticis Fructus、Chebulae Fructus、Toosen	
dan Fructus、Omphalia、Cervi cornu、Ph	
eretima、Rubi Fructus	
Song	Calcitum、Pyritum Rotundum、Faeces Tr <i>Tai Ping Sheng Hui</i>

Dynasty	ogopterori, Lutralutra linnaeus, Ferulae	<i>Fang</i>
	Resina, Olibanum, Sargassum, Laminari	<i>Boji Formula</i>
	ae Thallus Eckloniae Thallus, Cicadae P	<i>Su Shen Liang Fang</i>
	eriostracum, Mylabris, Scorpio, Viticis	(苏沈良方)
	Fructus, Ziziphi Spinosae Semen, Zanth	<i>Key to the</i>
	oxylum Semen, Broussonetiae Fructus,	<i>Therapeutics of</i>
	Litseae Fructus, Sesami Semen Nigrum	<i>children's Diseases</i>
	、Trigonellae Semen, Anisi Stellati Fruct	(小儿药证直决)
	us, Kalimeris indica, Gleditsiae Spina,	<i>General Medical</i>
	Lonicerae Japonicae Caulis, SR, Illicium	<i>Collection of Royal</i>
	lanceolatum A.C.Smith, Eucommiae Cort	<i>Benevolence</i> (圣济
	ex, Granati Pericarpium, Curcumae Rhiz	总录)
	oma, Gentianae Macrophyllae Radix, Ac	<i>Prescriptions of the</i>
	ori Tatarinowii Rhizoma, Polygalae Radi	<i>Bureau of Taiping</i>
	x, Nardostachyos Radix Et Rhizoma, Di	<i>People's Welfare</i>
	oscoreae Colletii Rhizoma, Zaocys, Gek	<i>Pharmacy</i> (太平惠
	ko, Aconiti Lateralis Radix Praeparata,	民和剂局方)
	Allii Tuberosi Semen, Cicadae Periostrac	<i>The Woman</i>
	um, Vignae Semen, Benzoinum, Ephedr	<i>Collation Silver</i>
	ae Herba, Genkwa Flos, Aconiti Radix	<i>Bullet</i> (校注妇人良
	、Magnetitum, Epimedii Folium, Goat	方)
	Kidney, Arisaematis Rhizoma, Trionycis	<i>ji-sheng decoction</i>
	Carapax, Aquilariae Lignum Resinatum,	(济生方)
	Pinelliae Rhizoma, CR, Saposhnikoviae	<i>Bian Que Xin Shu</i>
	Radix, Toosendan Fructus, Aconiti Carm	(扁鹊心书)
	ichaeli Radix, Arecae Pericarpium, Zaoc	
	ys, Bombyx Batryticatus, seal kidney, P	
	yritum Rotundum, Gleditsiae Fructus, A	
	coniti Radix, Rhododendron Molle, Scor	

pio、Cervi Cornu Pantotrichum、Testudin
is Carapax Et Plastrum、Scolopendra、T
yphonii Rhizoma、Toxicodendri Resina、
Tribuli Fructus、Brassicae Campestris Se
men、Pruni Semen、Plantaginis Semen、
Platycladi Semen、Cera Flava、Mantidis
Ootheca、Chebulae Fructus、Chebulae Fr
uctus、Limonitum、Arctii Fructus、Anisi
Stellati Fructus、Drynariae Rhizoma、Mo
utan Cortex、Crotonis Fructus、Schisandr
ae Chinensis Fructus、Myrrha、Aconiti
Kusnezoffii Radix、Astragali Radix、Hon
eysuckle Stem、Gentianae Radix Et Rhiz
oma、Phellodendri chinensis cortex、Trig
onellae Semen、Artemisiae Scopariae Her
ba、Sparganii Rhizoma、Bombyx Mascul
us、Chaenomelis Fructus、Manis Squama
、Cyperi Rhizoma、Dioscoreae Rhizoma
、Lycii Cortex、Chuanxiong Rhizoma、
Asari Radix Et Rhizoma

Jin and Yuan Dynasty	Serpentis Periostracum、Gleditsiae Fructu s Abnormalis、Platycladi cacumen、Atrac tylodis Rhizoma、Allii Macrostemonis Bu lbus、Corni Fructus、Ophiopogonis Radi x、Selaginellae Herba、Cnidii Fructus、T oosendan Fructus、Lycii Fructus、Myristi cae Semen、Acanthopanacis Cortex、Dio scoreae Nipponicae Rhizoma、Curcumae Rhizoma、Nelumbinis Semen、Artemisiae	<i>Confucians' Duties to Parents</i> (儒门事 亲) <i>Treatise on Spleen and Stomach</i> <i>Materia Medica for Decoctions</i> (汤液本 草)
-------------------------	---	---

	Scopariae Herba、Bupleuri Radix、Testudinis Carapax Et Plastrum、Platycladi Cacumen、Linderae Folium、Cynomorii Herba、Pheretima、Carthami Flos、Trichosanthis Radix、Trichosanthis Radix、Chrysanthemi Flos、Gardeniae Fructus、Cinnamomi Cortex、Ophiopogonis Radix、Poria	<i>Empirical Recipes from Auspicious Bamboo Hall</i> (瑞竹堂经验方) <i>Health treasure mirror</i> (卫生宝鉴) <i>Anxi's Mastery Of Medicine</i> (丹溪心法)
Ming Dynasty	Talcum、Vespertilionis Faeces、Rhinocerotis Cornu、Moschus、Elephantis Corium、Massa Medicata Fermentata、Siegesbeckiae Herba、Citri Reticulatae Pericarpium、Citri Reticulatae Pericarpium、Astragali Complanati Semen、Nelumbinis Semen、Euphorbiae Semen、Jujubae Fructus、Buddlejae Flos、Mori Folium、Foeniculi Fructus、Sappan Lignum、Asteris Radix Et Rhizoma、Arnebiae Radix、Artemisiae argyi folium、Erythrinae Cortex、Corydalis Rhizoma、Rubiae Radix Et Rhizoma、Angelicae Dahuricae Radix、Atractylodis Macrocephalae Rhizoma、Aucklandiae Radix、Platycodonis Radix、Rosae Laevigatae Fructus、Serpentis Periostracum、Rhododendri Mollis Flos、Sappan Lignum、Persicae Semen、Erycibes Caulis、Euryales Semen、Magnoliae Officinalis Cortex	<i>Ben Cao Fa Hu Prescriptions for Universal Relief</i> (普济方) <i>Compendium of Medicine</i> (医学纲目) <i>Introduction to Medicine</i> (医学入门) <i>Compendium of Materia Medica Standards for Diagnosis and Treatment</i> (证治准绳) <i>Longevity and Life Preservation</i>

、Dichroae Radix、Cercis Chinensis Cort
ex、Placenta Hominis、Sanguisorbae Rad
ix、Trichosanthis Kirilowii Radix、Imper
atae Rhizoma、Epimedii Folium、Vaccari
ae Semen、Ligustri Lucidi Fructus、Pipis
trellus pipistrellus、pittospori semen、For
sythiae Fructus、Notopterygii Rhizoma Et
Radix、Euphorbiae Semen、Asparagi Rad
ix、Cimicifugae Rhizoma、Scrophulariae
Radix、Glycyrrhizae Radix Et Rhizoma、
Ginseng Radix Et Rhizoma、Xanthii F
ructus、Impatientis Semen、Platycladi Ca
cumen、Crab、Salviae Miltiorrhizae Radi
x Et Rhizoma、Chrysanthemi Flos、Aster
is Radix Et Rhizoma、Camelliae Flos、F
oeniculi Fructus、Angelicae Pubescentis
Radix、Acanthopanax Cortex、Ailanthi
Cortex、Corydalis Rhizoma、Skink、Eup
horbiae Ebracteolatae Radix、Lycopi Her
ba、Agkistrodon、Rubiae Radix Et Rhizo
ma、Pine-soot ink、Dipsaci Radix、Mori
Cortex、Jujubae Fructus、Polygonati Rhiz
oma、Canis Penis Et Testis、Alpiniae O
xyphyllae Fructus、Galli Gigerii Endothel
ium Corneum、Lilii Bulbus、Hemerocalli
s Radix、Sophorae Flos、Pig Nail、Amo
mi Fructus、Arctii Fructus、Lonicerae Ja
ponicae Flos、Descurainiae Semen Lepidi
i Semen、Crematrae Pseudobulbus Pleio

*Jing-yue's Complete
Works* (景岳全书)

	nes Pseudobulbus、Perillae Fructus、Cirsi i HerbaCirsii Japonici Herba	
Qing Dynasty	Luffae Fructus Retinervus、Verdigris、Te rra Flava Usta、Bryozoatum、Testudinis Carapacis Et Plastri Colla、Cervi Cornus Colla、Ostreae Concha、Poria、Eupolyph aga Steleophaga、Citri Reticulatae Pericar pium Viride、Leonuri Fructus、Schizonep etae Spica、Arecae Semen、Sesami Seme n Nigrum、Perillae Caulis、Cirsii Herba 、Cirsii Japonici Herba、Cassiae Semen 、Akebiae Caulis、Phytolaccae Radix、D ictamni Cortex、Curcumae Radix、Curcu mae Longae Rhizoma、Zingiberis Rhizo ma、Pinellia Pedatisecta Schott、Cassiae Torae Semen、Ecliptae Herba、Dioscorea e Rhizoma、Placenta Hominis、Eleochari s Dulcis、Armeniacae Semen Amarum、 Cynanchi Atrati Radix Et Rhizoma、Cyp eri Rhizoma、Arisaema Cum Bile、Gledi tsiae Sinensis Semen、Vespae Nidus、M el、Phytolaccae Radix、Kochiae Fructus 、Aurantii Fructus、Ilicis Cornutae Foliu m、Horse Penis、Hippocampus、Allii Tu berosi Semen、Artemisiae Argyi Folium 、Arsenicum Album、Seal Kidney、Cann abis Fructus、Vitex Negundo Var. Canna bifolia Fruits、Citri Reticulatae Pericarpiu m、Amomi Fructus Rotundus、Centellae	<i>Complete Work on Children's Diseases</i> (幼幼集成) <i>Internal Therapies of Folk Medicine</i> (串雅内编) <i>Supplement To Compendium of Materia Medica</i> (本 草纲目拾遗) <i>Classified Treatment</i> (类证治 裁) <i>Zeng Guang Yan Fang Xin Bian</i> (增 广验方新编) <i>Ben Cao Hai Li</i> (本 草害利) <i>Yi fang cong hua</i> (医方丛话)

Herba、Lysimachia Christinae Hance、Al
piniae Officinarum Rhizoma、Centipeda
Herba、Strychni Semen、Leonuri Herba
、Polygoni Orientalis Fructus、Akebiae
Caulis、Mori Fructus、Vaccinii Bracteati
Fructus、Bombycis Feces、Bat、Asini C
orii Colla、Atractylodis Macrocephalae R
hizoma、Gossypii Semen、Aesculi Semen
、Viscum Liquidambaricola、Draconis Sa
nguis、Serpentis Periostracum、Bombyx
Mori、Duck、Scrophulariae Radix、Luffa
e Fructus Retinervus、Sus Ren、Citri Re
ticulatae Semen、Belamcandae Rhizoma
、Sophorae Immaturus Flos、Scutellariae
Radix、Polygonati Odorati Rhizoma、Ast
ragali Complanati Semen、Mulberry Silk
worm Slough、Ligustri Lucidi Fructus、
Citri Fructus、Benincasae Semen

Table S4: Medicinal herbs processed with wine recorded in modern pharmacopoeias

	TCM
1963	RR、Achyranthis Bidentatae Radix、Curculiginis Rhizoma、Paeoniae Radix Alba、Rehmanniae Radix Praeparata、ASR、Polygoni Multiflori Radix、CR、Dichroae Radix、Astragali Radix、Coptidis Rhizoma、Polygonati Rhizoma、Corni Fructus、Ligustri Lucidi Fructus、Schisandrae Chinensis Fructus、CS、Cistanches Herba、Phellodendri Chinensis Cortex、Zaocys、Agkistrodon、Serpentis Periostracum、Gecko、Bufonis Venenum、Actinolite
1997	RR、Cyathulae Radix、Corni Fructus、Ligustri Lucidi Fructus、Zaocys、Paeoniae Radix Alba、RH、ASR、CH、SR、Coptidis Rhizoma、Polygonati Rhizoma、Dichroae Radix、Serpentis Periostracum、Gecko、Agkistrodon、Bufonis Venenum、Cervi Cornu Pantotrichum

1985-2000	RR、Cyathulae Radix、Corni Fructus、Ligustri Lucidi Fructus、 Zaocys、Paeoniae Radix Alba、RH、ASR、CH、SR、Coptidis Rhizoma、Polygonati Rhizoma、Serpentis Periostracum、 Gecko、Agkistrodon、Bufonis Venenum、Cervi Cornu Pantotrichum、Achyranthis Bidentatae Radix、Salviae Miltiorrhizae Radix Et Rhizoma、Siegesbeckiae Herba
2005-2025	RR、Cyathulae Radix、Corni Fructus、Ligustri Lucidi Fructus、 Zaocys、Paeoniae Radix Alba、RH、ASR、CH、SR、Coptidis Rhizoma、Polygonati Rhizoma、Serpentis Periostracum、 Gecko、Agkistrodon、Bufonis Venenum、Cervi Cornu Pantotrichum、Achyranthis Bidentatae Radix、Salviae Miltiorrhizae Radix Et Rhizoma、Siegesbeckiae Herba、Dipsaci Radix、Propolis
