

Supplementary Information

Enhancing Fenton-like Biocatalysis of CuPd Bimetallic Nanozymes by Alkylamine Ligand Self-Assembled Monolayers

Fangming Zhang,^a Jingxia Xu,^a Zhuyuan Peng,^a Guofeng Li,^a Lingyun Zhao,^b
Wensheng Xie^{a*} and Xing Wang^{a*}

^a State Key Laboratory of Organic-Inorganic Composites, Beijing Laboratory of Biomedical Materials, College of Life Science and Technology, Beijing University of Chemical Technology, Beijing 100029, P. R. China.

^b State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, P. R. China.

E-mail: xws@mail.buct.edu.cn; wangxing@mail.buct.edu.cn;

Table of contents

Figure S1	S3
Figure S2	S4
Figure S3	S5
Figure S4	S6




Figure S1. Elemental analysis of CuPd@HDA.




Figure S2. Zeta potential of various CuPd bimetallic nanozymes in aqueous solution.




Figure S3. Cell viability of L929 cells after treatment with 200 µg/mL of CuPd bimetallic nanozymes for 24 h and measured by CCK-8 assay.




Figure S4. The photographs of four CuPd bimetallic nanozymes in different solvents (water, PBS, and DMEM medium) for 0 and 48