

Graphene Layer–Controlled Bismuth Ferrite Nanocomposites with Enhanced Bandgap Engineering and Piezophotocatalytic Activity

Anjali Varshney^{1,2}, Sunil Chauhan^{1,2*}, Subhash Sharma³

¹Department of Physics & Environmental Sciences, Sharda School of Engineering & Science, Sharda University, Uttar Pradesh 201310, India

²Centre for Solar Cell and Renewable Energy, Department of Physics & Environmental Sciences, Sharda School of Engineering & Science, Sharda University, Uttar Pradesh 201310, India


³SECIHTI-Centro de Nanociencias y Nanotecnología, Universidad Nacional Autónoma de México, Km. 107 Carretera Tijuana-Ensenada, AP 14, Ensenada, 22860, B.C., Mexico

*Corresponding author email: sunil.chauhan@sharda.ac.in

Dr. Sunil Chauhan (Associate Professor)

Department of Physics, & Environmental Sciences, Sharda School of Engineering & Science, Sharda University,

Phone: +91-9582592923







Figure 1S. High-resolution mass spectrometry (HRMS) plot of RhB degradation over BFO–Gr3–5 nanocomposites collected at (a) 0 min, (b) 20 min, and (c) 40 min, illustrating the sequential formation and disappearance of degradation intermediates during the piezo-photocatalytic process.