

## Spin-Crossover-Mediated Potential-Dependent Selective NO Reduction

### Reaction on Iron-Polyphthalocyanine: A DFT Study

Ya Jin<sup>1</sup>, Mingyuan Yu<sup>1</sup>, Erjun Kan<sup>1</sup>, Cheng Zhan<sup>1\*</sup>

<sup>1</sup>MIIT Key Laboratory of Semiconductor Microstructure and Quantum Sensing,  
Nanjing University of Science and Technology, Nanjing, Jiangsu Province, China

210094



Email of corresponding author: [czhan@njust.edu.cn](mailto:czhan@njust.edu.cn)


#### Gibbs free energy calculation at constant potential.

The four-step proton-coupled electron transfer process in NORR is defined as follows:




The five-step proton-coupled electron transfer process in NORR is defined as follows:






**Figure S1.** FePPc\*NO (a) Free energy of intermediate spin (HS) and low spin (IS) at different potential, (b) The spin moment for various spin states at different potential. FePPc\*ON (c) Free energy of high spin(HS), intermediate spin (IS) and low spin (LS) at different potential, (d) The spin moment for various spin states at different potential.




**Figure S2.** FePPc\*NHO (a) Free energy of HS, IS and LS at different potential, (b) The


spin moment for various spin states at different potential. FePPc\*NOH (c) Free energy of HS, IS and LS at different potential, (d) The spin moment for various spin states at different potential.




**Figure S3.** FePPc\*NOH (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential.




**Figure S4.** FePPc\*NH<sub>2</sub>O (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential.




**Figure S5.** FePPc\*NH<sub>2</sub>O\* (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential.




**Figure S6.** Free energy of FePPc\*NH<sub>2</sub>O\*/\*NH<sub>2</sub>O\*/\*NHOH (a) HS, (b) IS, (c) LS.




**Figure S7.** PDOS of FePPc<sup>HS</sup>\*NH<sub>2</sub>O\*(a)-0.4V, (b)0.4V; FePPc<sup>IS</sup>\*NH<sub>2</sub>O\*(c)-0.4V, (d)0.4V.




**Figure S8.** PDOS of  $\text{FePPc}^{\text{LS}}*\text{NH}_2\text{O}^*$  (a)-0.8V, (b)-0.4V, (c)0.4V.




**Figure S9.** Spin density of  $\text{FePPc}^{\text{LS}}*\text{NH}_2\text{O}^*$  (a)-0.8V, (b)-0.4V, (c)0.4V.




**Figure S10.** PDOS of FePPc<sup>HS</sup>\*NH<sub>2</sub>O(a)-0.4V, (b)0.4V; FePPc<sup>IS</sup>\*NH<sub>2</sub>O(c)-0.4V, (d)0.4V, FePPc<sup>LS</sup>\*NH<sub>2</sub>O(e)-0.4V, (f)0.4V.




**Figure S11.** FePPc\*NH<sub>2</sub>OH (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential. NH<sub>2</sub>OH\*FePPc (c) Free energy of HS and IS at different potential, (d) The spin moment for various spin states at different potential.




**Figure S12.** FePPc\*NH<sub>2</sub>+\*OH (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for HS at different potential. FePPc\*NH<sub>3</sub>+\*O (c) Free energy of HS and IS at different potential, (d) The spin moment for various spin states at different potential.




**Figure S13.** FePPc\*NH (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential.




**Figure S14.** FePPc\*NH<sub>2</sub> (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential. HO\*FePPc\*NH<sub>3</sub> (a) Free energy of HS at different potential, (b) The spin moment for HS at different potential.




**Figure S15.** FePPc\*NH<sub>3</sub> (a) Free energy of HS, IS and LS at different potential, (b) The spin moment for various spin states at different potential.




**Figure S16.** Free energy diagram of the NORR (a) -1.2V, (b) -1.0V, (c) -0.8V, (d) -0.6V, (e) -0.4V, (f) -0.2V.



**Figure S17.** Free energy diagram of the NORR (a) 0V, (b) 0.2V, (c) 0.4V, (d) 0.6V.



**Figure S18.** Free energy diagram of the NORR (a) -1.2V, (b) -1.0V, (c) -0.8V, (d) -0.6V, (e) -0.4V, (f) -0.2V.



**Figure S19.** Free energy diagram of the NORR (a) 0V, (b) 0.2V, (c) 0.4V, (d) 0.6V.

Table S1. Free energy at different voltages of FePPc\*NO and FePPc\*NHO.

model	*NO <sup>HS</sup>	*NO <sup>IS</sup>	*NHO <sup>HS</sup>	*NHO <sup>IS</sup>	*NHO <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)	E(eV)	E(eV)
-1.2	-282.761509	-282.8184	-286.311482	-286.301046	-285.903634
-1	-282.595138	-282.625492	-286.114293	-286.101518	-285.769581
-0.8	-282.478908	-282.491694	-285.972912	-285.956537	-285.688453
-0.6	-282.409606	-282.416822	-285.888617	-285.861733	-285.670821
-0.4	-282.393701	-282.391357	-285.850916	-285.813892	-285.671665
-0.2	-282.393707	-282.389873	-285.849105	-285.803982	-285.671671
0	-282.393726	-282.389933	-285.849154	-285.803967	-285.689204
0.2	-282.396463	-282.391307	-285.85042	-285.806153	-285.713758
0.4	-282.438371	-282.425479	-285.884942	-285.859787	-285.782408
0.6	-282.527627	-282.508225	-285.970699	-285.987264	-285.881389

Table S2. Free energy at different voltages of FePPc\*NH<sub>2</sub>O.

model	*NH <sub>2</sub> O <sup>HS</sup>	*NH <sub>2</sub> O <sup>IS</sup>	*NH <sub>2</sub> O <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-290.550348	-290.188325	-290.252278
-1	-290.337297	-289.979598	-290.081915
-0.8	-290.276369	-289.83068	-289.986622
-0.6	-290.218625	-289.741366	-289.946383
-0.4	-290.20724	-289.717123	-289.926635
-0.2	-290.207377	-289.717393	-289.925427
0	290.207413	-289.717549	-289.925396
0.2	-290.212555	-289.745487	-289.942994
0.4	-290.258478	-289.836713	-290.002937
0.6	-290.350521	-289.993185	-290.10052

Table S3. Free energy at different voltages of FePPc\*NHOH.

model	*NHOH <sup>HS</sup>	*NHOH <sup>IS</sup>	*NHOH <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-290.088639	-289.539631	-289.980669
-1	-289.939777	-289.421323	-289.848368
-0.8	-289.838764	-289.356997	-289.767421
-0.6	-289.784462	-289.338185	-289.734019
-0.4	-289.772695	-289.338165	-289.725812

U(V vs SHE)	E(eV)	E(eV)	E(eV)
-0.2	-289.772652	-289.338175	-289.725664
0	-289.772718	-289.338078	-289.726058
0.2	-289.781347	-289.357708	-289.748035
0.4	-289.834233	-289.425397	-289.818171
0.6	-289.934973	-289.526256	-290.113667

Table S4. Free energy at different voltages of FePPc\*NH<sub>2</sub>O\*.

model	*NH <sub>2</sub> O* <sup>HS</sup>	*NH <sub>2</sub> O* <sup>LS</sup>	*NH <sub>2</sub> O* <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-289.710558	-290.433359	-290.258266
-1	-289.433694	-290.225231	-290.138031
-0.8	-289.190746	-290.07604	-290.071617
-0.6	-288.989081	-289.984234	-290.044181
-0.4	-288.789165	-289.935723	-290.036735
-0.2	-288.591259	-289.925692	-290.036914
0	-288.426179	-289.933264	-290.039135
0.2	-288.309078	-290.21729	-290.070764
0.4	-288.209428	-290.437249	-290.443378
0.6	-288.122433	-290.648549	-290.651921

Table S5. Free energy at different voltages of FePPc\*NH<sub>2</sub>OH.

model	*NH <sub>2</sub> OH <sup>HS</sup>	*NH <sub>2</sub> OH <sup>LS</sup>	*NH <sub>2</sub> OH <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-294.721241	-294.347189	-294.114206
-1	-294.603688	-294.243511	-294.045983
-0.8	-294.540813	-294.190288	-294.032044
-0.6	-294.520742	-294.179573	-294.032054
-0.4	-294.520525	-294.179523	-294.032259
-0.2	-294.520374	-294.179336	-294.032286
0	-294.524441	-294.180446	-294.048467
0.2	-294.561782	-294.212014	-294.113907
0.4	-294.668463	-294.290854	-294.212752
0.6	-294.974674	-294.412651	-294.316829

Table S6. Free energy at different voltages of FePPc\* $\text{NH}_3$ +\*O and FePPc\* $\text{NH}_3$ +\*OH.

model	* $\text{NH}_3$ +*O <sup>HS</sup>	* $\text{NH}_3$ +*O <sup>IS</sup>	* $\text{NH}_3$ +*OH
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-294.816231	-294.362066	-299.763153
-1	-294.611837	-294.426738	-299.616559
-0.8	-294.487398	-294.34664	-299.519777
-0.6	-294.597551	-294.199146	-299.471894
-0.4	-294.486835	-294.088028	-299.466662
-0.2	-294.33529	-294.037943	-299.466519
0	-294.161684	-294.04433	-299.466463
0.2	-294.026177	-294.044709	-299.477017
0.4	-293.946994	-294.052834	-299.53298
0.6	-293.918476	-294.101506	-299.628892

Table S7. Free energy at different voltages of FePPc\* $\text{NH}_3$ .

model	* $\text{NH}_3$ <sup>HS</sup>	* $\text{NH}_3$ <sup>IS</sup>	* $\text{NH}_3$ <sup>LS</sup>
U(V vs SHE)	E(eV)	E(eV)	E(eV)
-1.2	-289.720067	-289.267398	-289.047395
-1	-289.633877	-289.186169	-289.011791
-0.8	-289.592362	-289.149491	-289.009158
-0.6	-289.588187	-289.146799	-289.009306
-0.4	-289.588482	-289.14686	-289.009063
-0.2	-289.589654	-289.146727	-289.009684
0	-289.645196	-289.154321	-289.037149
0.2	-289.723846	-289.201928	-289.112468
0.4	-289.924063	-289.301672	-289.212103
0.6	-290.138807	-289.455083	-289.317428