

SUPPORTING INFORMATION

Powdered Carboxymethyl Chitosan–Engineered nZVI Nanocomposites for Rapid and Ultrahigh-Capacity Cr(VI) Removal

Ilma Amalina,^{a,b} Muhammad Aditya Bryan Rahadi,^b Tahta Amrillah,^{b,c} Philip Drake,^d Mochamad Lutfi Firmansyah^a and Nisar Ullah^{*a,e}

^aInterdisciplinary Research Centre for Refining and Advanced Chemicals, King Fahd University of Petroleum and Minerals, Dhahran 31261, Saudi Arabia

^bNanotechnology Engineering, Department of Engineering, Faculty of Advanced Technology and Multidiscipline, Universitas Airlangga, Surabaya 60115, Indonesia

^cAirlangga Functional Nanomaterial Research Group, Faculty of Advanced Technology and Multidiscipline, Universitas Airlangga, Surabaya 60115, Indonesia

^dDepartment of Chemistry and Biosciences, Faculty of Life Science, University of Bradford, Bradford BD7 1DP, United Kingdom

^eChemistry Department, King Fahd University of Petroleum and Minerals, Dhahran 31261, Saudi Arabia

Corresponding Author

**Nisar Ullah*

King Fahd University of Petroleum and Minerals, Dhahran, 31261, Saudi Arabia

Tel: +96613 860 7527

E-mail: nnullah@kfupm.edu.sa




Figure S1. The EDX images of (a) nZVI (V1), (b) ChMC-nZVI 7.5% (V2), (c) ChMC-nZVI 15% (V3) and (d) ChMC-nZVI 30% (V4).




Figure S2. The selected area electron diffraction (SAED) pattern of (a) nZVI (V1), (b) ChMC-nZVI 7.5% (V2), (c) ChMC-nZVI 15% (V3) and (d) ChMC-nZVI 30% (V4).