

Supporting Information

Role of Unsaturation in Governing Synergistic Micellization and Interaction Energetics in Ionic Liquid–Fatty Acid Systems

P. Rajput¹, J. Kashiyani¹, V. Prajapati², U. Dani³, J.K. Barot⁴, V. Patel^{5*}, M. Khimani⁶, J.K. Parikh⁷, K. Kuperkar², P. Parekh^{1*}

¹*Department of Chemistry, Veer Narmad South Gujarat University, Surat-395007, Gujarat, India*

²*Department of Chemistry, Sardar Vallabhbhai National Institute of Technology, Surat-395007, Gujarat, India*

³*Department of Zoology, B. P. Baria Science Institute, Navsari-396445, Gujarat, India*

⁴*Department of Bioscience, Veer Narmad South Gujarat University, Surat-395007, Gujarat, India*

⁵*Department of Chemistry, Navyug Science College, Surat-395009, Gujarat, India*

⁶*Green up Creation Private Limited, Parle Point, Surat, Gujarat, India*

⁷*Department of Chemical Engineering, Sardar Vallabhbhai National Institute of Technology, Surat-395007, Gujarat, India*

***Corresponding author:** Dr. Paresh Parekh

Email ID: paresh7884@gmail.com, pyparekh@vnsgu.ac.in

Vijay I. Patel: vijaypatel4686@gmail.com

Pratibha Rajput: pratibha.singh.73113528@gmail.com

Jainika Kashiyani: jainikashiyani.241@gmail.com

Virendra Prajapati: virenprajapati75@yahoo.com

Unnati Dani: daniunnati17@gmail.com

Jagruti Barot: jkbarot@vnsgu.ac.in

Vijay I. Patel: vijaypatel4686@gmail.com

Mehul Khimani: khimani_mehul@yahoo.com

Jigisha K. Parikh: jk_parikh@yahoo.co.in

Ketan Kuperkar: ketankuperkar@gmail.com

Paresh Y. Parekh: paresh7884@gmail.com




Figure S1. Frontier molecular orbitals (FMOs) and energy levels for the highest occupied molecular orbitals (HOMOs) (*bottom*) and the lowest unoccupied molecular orbitals (LUMOs) (*top*) of the examined isolate system templates.




Figure S3: RDG scatter plots and NCI of the examined systems.