

A Metal-Organic Framework Ce-BDA for Triple-Modal Cancer Therapy:  
Chemodynamic Therapy, Chemotherapy and Immunotherapy

Liyuan Sang,<sup>a</sup> Qianru Ye,<sup>a</sup> Yu Shi,<sup>a</sup> Heng Liu,<sup>a</sup> Bing Wang,<sup>b</sup> Wenxin Lin<sup>\*a</sup>  
and Quan Hu<sup>\*c</sup>


a: China-Uzbekistan Joint Laboratory on Advanced Porous Materials, State Key Laboratory of Bio-based Fiber Materials, School of Materials Science and Engineering, Zhejiang Sci-Tech University, Hangzhou, 310018, P. R. China.

b: School of Materials Science and Engineering, Zhejiang Sci-Tech University, Hangzhou, 310018, P. R. China.


c: School of Pharmacy, Hangzhou Normal University, Hangzhou, 311121, P. R. China.

\* Corresponding Author E-mail: [linwx@zstu.edu.cn](mailto:linwx@zstu.edu.cn) (Wenxin Lin) and [huq0203@163.com](mailto:huq0203@163.com) (Quan Hu).


---



**Fig. S1.** Scanning electron microscope (SEM) images of (a, b) Ce-BDA; (c, d) Mn&DOX@Ce-BDA.



**Fig. S2.** (a) Mn 2p spectrum of Mn&DOX@Ce-BDA; (b) Mn 3s spectrum of Mn&DOX@Ce-BDA.



**Fig. S3.** Standard curves of DOX in different solutions (a) DMF solution; (b) PBS solution ( pH 5.0 ); (c) PBS solution ( pH 7.4 ).