

Enhanced low temperature NH₃-SCR activity and SO₂ tolerance by Cu-SSZ-13/R(Sm, Pr, Y or La)MnO_x coupled catalysts

Wenting Lv^{a,*}, Xuliang Jiang^b, Guangmei Wei^c, Ruochen Wei^d, Fengmin Sun^e, Ruihua Zhang^a, Yanlu Guo^a, Xiaojuan Chai^a, Weiyong Jiao^{e,*}, Baoliang Lv^{a,*}

^a. School of Chemistry and Chemical Engineering, Shanxi Normal University, Taiyuan 030031, China.

^b. Shandong Elain Innovation and Development Co., Ltd, Zibo 255022, China.

^c. New Chenghua International Exhibition (Shandong) Group Co., Ltd. Jinan 250103, China.

^d. Shandong Kevin Technical School, Jinan 251600, China.

^e. State Key Laboratory of Coal Conversion, Institute of Coal Chemistry, Chinese Academy of Sciences, Taiyuan 030001, China.

Corresponding author E-mail address: 20210125@sxnu.edu.cn, jiaoweyong@sxicc.ac.cn




Fig. S1 SEM images of $\text{LaMnO}_{3.11}$ (a), PrMn_2O_5 (b), YMn_2O_5 (c) and SmMn_2O_5 (d).




Fig. S2 NO conversion of the hydrothermal treated samples.