

Composition-Based Machine Learning for Predicting and Designing Mn⁴⁺-doped Phosphors

Ngo T. Que,¹ Vu D. Huan,² Le T. Duy,² Vu N. Bao,² Vu L. Minh,³ Mai X. Trang,⁴ Anh D. Phan,^{2,1,*} and Pham T. Huy²

¹*Phenikaa Institute for Advanced Study, Phenikaa University, Hanoi 12116, Vietnam*

²*Faculty of Materials Science and Engineering, Phenikaa University, Hanoi 12116, Vietnam*

³*Applied Artificial Intelligence Institute (A2I2), Deakin University, Australia*

⁴*School of Computing, Phenikaa University, Hanoi 12116, Vietnam*

(Dated: February 5, 2026)

*Electronic address: anh.phanduc@phenikaa-uni.edu.vn




Figure S 1: (Color online) Predictive performance of six regression models on the testing dataset for emission wavelength prediction of phosphor Eu^{3+} including (a) Extra Trees Regressor, (b) K-Nearest Neighbors Regressor, (c) Random Forest Regressor, (d) Support Vector Regressor, (e) Decision Tree Regressor, (f) Gradient Boosting Regressor.




Figure S 2: (Color online) Predictive performance of six regression models on the testing dataset for excitation wavelength prediction of phosphor Eu^{3+} including (a) Extra Trees Regressor, (b) K-Nearest Neighbors Regressor, (c) Random Forest Regressor, (d) Support Vector Regressor, (e) Decision Tree Regressor, (f) Gradient Boosting Regressor.




Figure S 3: (Color online) Predictive performance of six regression models on the testing dataset for excitation 1st peak wavelength prediction of phosphor Eu^{3+} including (a) Extra Trees Regressor, (b) K-Nearest Neighbors Regressor, (c) Random Forest Regressor, (d) Support Vector Regressor, (e) Decision Tree Regressor, (f) Gradient Boosting Regressor.




Figure S 4: (Color online) The feature importance of the Extra Trees model