

Supporting Information

Excitation-Selective Coexistence of Upconversion and Persistent Luminescence in Pr³⁺-doped Eulytite-Type Phosphates Towards Advanced Anti-Counterfeiting

Guna Doke^{a,b}, Andris Antuzevics^b, Didzis Salnajs^b, Nadiia Rebrova^c, Alexander Grippa^d, Przemysław J. Dereń^c, Aldona Beganskiene^a, Aleksej Zarkov^a

Corresponding author: guna.doke@cfi.lu.lv

^a Institute of Chemistry, Vilnius University, Naugarduko 24, LT-03225 Vilnius, Lithuania

^b Institute of Solid State Physics, University of Latvia, Kengaraga 8, LV-1063 Riga, Latvia

^c Institute of Low Temperature and Structure Research, Polish Academy of Science, ul. Okólna 2, 50-422 Wrocław, Poland

^d Institute for Scintillation Materials, National Academy of Sciences of Ukraine, Nauky Avenue, 60, 61001, Kharkiv, Ukraine




Figure S1. Rietveld refinement patterns of XRD data for $\text{Ba}_3\text{Lu}(\text{PO}_4)_3:\text{Pr}^{3+}$.




Figure S2. Rietveld refinement patterns of XRD data for $\text{Sr}_3\text{Lu}(\text{PO}_4)_3:\text{Pr}^{3+}$.