

**Hydrothermal Synthesis and Structure of a Zinc Arsenate-Oxalate,
[NH₃(CH₂)₃NH₂(CH₂)₃NH₃][Zn₃(AsO₄)(HAsO₄)₂(C₂O₄)], and a Zinc Arsenate,
[{NH₃(CH₃)₂NH₂(CH₃)₃NH₃}₂][Zn₆(AsO₄)₄(HAsO₄)₃].H₂O,
with Three-dimensional Structures**


Sandip Chakrabarti and Srinivasan Natarajan *

Framework Solids Laboratory, Chemistry and Physics of Materials Unit, Jawaharlal Nehru Centre
for Advanced Scientific Research, Jakkur P.O., Bangalore 560 064, India. E-mail:
raj@jncasr.ac.in

Electronic Supplementary Information


Fig. 1. ORTEP diagram of I, [NH₃(CH₂)₃NH₂(CH₂)₃NH₃][Zn₃(AsO₄)(HAsO₄)₂(C₂O₄)], showing the asymmetric unit. Thermal ellipsoids are given at 50% probability.

Fig. 2. ORTEP diagram of II, [{NH₃(CH₃)₂NH₂(CH₃)₃NH₃}₂][Zn₆(AsO₄)₄(HAsO₄)₃].H₂O, showing the asymmetric unit. Thermal ellipsoids are given at 50% probability.



Chakrabarti and
Natarajan

Fig. 1 (ESI)



Chakrabarti and
Natarajan

Fig. 2 (ESI)