

Supplementary Material to *Dalton*

Organometallic Building Blocks with Amino-Substituted Cyclopentadienyl and Boratabenzene Ligands for the Synthesis of Heterometallic Complexes and Clusters

Nicolas Auvray,^a Tushar Basu Baul,^b Pierre Braunstein,^a Pierre Croizat,^a Ulli Englert,^b Gerhard E. Herberich,^b Richard Welter^c

^a Laboratoire de Chimie de Coordination, UMR 7177 CNRS, Université Louis Pasteur, 67070 Strasbourg Cédex, France. E-mail: braunst@chimie.u-strasbg.fr

^b Institut für Anorganische Chemie der Rheinisch-Westfälischen Technischen Hochschule Aachen, Landoltweg 1, 52074 Aachen, Germany

^c Laboratoire DECMET, UMR 7177 CNRS, Université Louis Pasteur, 67070 Strasbourg Cédex, France.

PRIVILEGED DOCUMENT FOR REVIEW PURPOSES ONLY




Figure S-2. View of the packing of molecules of $[(\eta^5\text{-}3,5\text{-Me}_2\text{C}_5\text{H}_3\text{BNi-Pr}_2)(\text{OC})_3\text{MoHgCl}]$ (*Hg-Mo*) (**11**) in the solid state. Colour code: mercury: black; molybdenum, blue; chlorine, cyan; oxygen, red.