Supplementary Information

Synthesis, oxidation chemistry and cytotoxicity studies on ferrocene derivatives of diethylstilbestrol

Yong Leng Kelvin Tan,^a Pascal Pigeon,^a Elizabeth A. Hillard,^{*a} Siden Top,^a Marie-Aude Plamont,^a Anne Vessières,^a Michael J. McGlinchey,^b Helge Müller-Bunz^b and Gérard Jaouen^{*a}

Figure S1. Proposed solution state structures and tentative ¹H NMR assignments for 4 and 5c.

Figure S2. ¹H NMR spectrum for 4.

Figure S3. COSY spectrum for 4.

Figure S4. NOESY spectrum for 4.

Figure S5. ¹H NMR spectrum for 5c.

Figure S6. COSY spectrum for 5c.

Figure S7. NOESY spectrum for 5c.

Figure S8. ¹H NMR spectrum for 5h.



Figure S1. Proposed solution state structures and tentative ¹H NMR assignments for 4 and 5c.



Figure S2. ¹H NMR spectrum for 4. Peaks marked with * are assignable to 5c.



Figure S3. COSY spectrum for 4. Peaks marked with * are assignable to 5c.



Figure S4. NOESY spectrum for 4. Peaks marked with * are assignable to 5c.



Figure S5. ¹H NMR spectrum for 5c.



Figure S6. COSY spectrum for 5c.



Figure S7. NOESY spectrum for 5c.



Figure S8. ¹H NMR spectrum for 5h. Peaks marked with * are assignable to 2h.