Supporting Information for

Hydrogen-bond Assisted Co-crystallization of a Bimetallic $Mn^{III}_2Ni^{II}_2$ Cluster and a Ni^{II}_2 Cluster unit: Synthesis, Structure, Spectroscopy and Magnetism

Sanjit Nayak,^[a] Guillem Aromí,^[b] Simon J. Teat,^[c] Jordi Ribas-Ariño,^[d] Patrick Gamez,^[a] and Jan Reedijk^{*[a]}

[d] Lehrstuhl für Theoretische Chemie, Ruhr-Universität-Bochum, D-44780 Bochum, Germany

List of Contents:

- 1. **Figure S1:** An X-ray crystallographic view of compound **1** with two structurally similar [Mn₂Ni₂] units and a [Ni₂] unit.
- 2. **Figure S2:** The IR spectra of compound **1**.
- 3. **Figure S3:** The ESI-MS spectroscopy showing the isotopic mass fragments for the tetranuclear unit of compound **1**.
- 4. **Figure S4:** Ligand-field spectrum of compound **1** with assigned transition bands.
- 5. **Figure S5:** Isothermal magnetization plot for compound **1**.

[[]a] Leiden Institute of Chemistry, Leiden University, P.O. Box 9502,2300 RA Leiden, The Netherlands. E-mail:

reedijk@chem.leidenuniv.nl; Fax: (+31) 71-5274671; Tel: (+31) 71-5274459

[[]b] Departament de Química, Universitat de Barcelona, Diagonal,647, 08028 Barcelona, Spain

[[]c] Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, California 94720, USA



Figure S1: An X-ray crystallographic view of compound **1** with two structurally similar $[Mn_2Ni_2]$ units and a $[Ni_2]$ unit. Hydrogen atoms are not shown for clarity. Colour codes for atoms: blue, N; grey, C; green, Cl; dark green, Ni: red, O.



Figure S2: The IR spectra of compound 1.



Figure S3: The ESI-MS spectroscopy showing the isotopic mass fragments for the tetranuclear unit of compound 1.



Figure S4: Ligand-field spectrum of compound 1 with assigned transition bands.



Figure S5: Isothermal magnetization plot for compound 1.