## Supporting Information for the manuscript:

Divalent Zinc and Cadmium Coordination Polymers of a New Flexible Tetracarboxylate Ligand: Syntheses, Crystal structures and Properties

Shuang-Quan Zang,<sup>a</sup> \* Ran Liang,<sup>a</sup> Ya-Juan Fan,<sup>a</sup> Hong-Wei Hou,<sup>a</sup> and Thomas C. W. Mak <sup>a,b</sup>.

<sup>a</sup>Department of Chemistry, Zhengzhou University, Zhengzhou 450001, P. R. China

<sup>b</sup>Department of Chemistry, The Chinese University of Hong Kong, Shatin, New

Territories, Shatin, New territories, Hong Kong SAR, P. R. China

Author for correspondence: Dr. S.-Q. Zang, E-mail: <u>zangsqzg@zzu.edu.cn</u>.

## This PDF file includes Fig. S1–S13.

- Fig. S1. 3D supramolecular structure of 1.
- Fig. S2. 3D supramolecular structure of 2.
- Fig. S3. 3D supramolecular structure of 3.
- Fig. S4. 3D supramolecular structure of 4.
- Fig. S5. 3D supramolecular structure of 5.
- Fig. S6. TG curves for compounds 1–7.
- Fig. S7. IR spectra for 1.
- Fig. S8. IR spectra for 2.
- Fig. S9. IR spectra for 3.
- Fig. S10. IR spectra for 4.
- Fig. S11. IR spectra for 5.
- Fig. S12. IR spectra for 6.
- Fig. S13. IR spectra for 7.



Fig. S1 3D supramolecular structure of 1. (Dotted lines represent  $\pi$ ··· $\pi$  interaction.)



**Fig. S2** 3D supramolecular structure of **2.** (Symmetry codes: #6 x, y, 1+z. O: red, H: green. Dotted lines represent H bonds.)



Fig. S3 3D supramolecular structure of 3. (O: red, H: green)



**Fig. S4** 3D supramolecular structure of **4.** (Dotted lines represent C–H··· $\pi$  interaction.)



Fig. S5 3D supramolecular structure of 5. (Dotted lines represent  $\pi$ ··· $\pi$  interaction.)



Fig. S6 TG curves for compounds 1–7.



Fig. S7 IR spectra for 1.



Fig. S8. IR spectra for 2.



Fig. S9 IR spectra for 3.



Fig. S10 IR spectra for 4.



Fig. S11 IR spectra for 5.



Fig. S12 IR spectra for 6.



Fig. S13 IR spectra for 7.