

Hydrothermal Synthesis and Structure Evolution of Hierarchical Cobalt Sulfide Nanostructures

Wenjun Dong,^{*a} Xuebin Wang,^a Bingjie Li,^a Lina Wang,^a Benyong Chen,^a Chaorong Li,^a Xiao Li,^a Tierui Zhang^{*b} and Zhan Shi^c

^a Center for Optoelectronics Materials and Devices, College of Science, Engineering Research Center for Eco-Dyeing & Finishing of Textiles, Ministry of Education of China, Zhejiang Sci-Tech University, Hangzhou 310018, P.R. China.

^b Key Laboratory of Photochemical Conversion and Optoelectronic Materials, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing 100190, P.R. China.

^c State Key Laboratory of Inorganic Synthesis and Preparative Chemistry, College of Chemistry, Jilin University, Changchun 130012, P.R. China.

^{*} Corresponding author. Fax: +86-571-86843587; Tel: +86-571-86843587; E-mail: wenjundong@zstu.edu.cn; tierui@mail.ipc.ac.cn




Fig. S1 FESEM images of the as-prepared products with different ligands: (a) PVP, (b) SDS, (c) CTAB




Fig. S2 the FT-IR spectra of the CoS nanostructures obtained from the co-existence of thiourea and PVP.




Fig. S3 The CV curves of the CoS electrodes in 6M KOH solution electrolyte with various scan rates: (a) 5mV, (b) 10mV, (c) 20mV, (d) 50mV.