

Electronic supplementary information (ESI) available:

Bis(imino)diphenylamido Rare-Earth Metal Dialkyl Complexes: Synthesis, Structure, and Catalytic Activity in Living Ring-Opening ϵ -Caprolactone Polymerization and Copolymerization with γ -Butyrolactone

Gaixia Du,^{a,b*} Yanling Wei,^{a*} Wei Zhang,^a Yuping Dong,^b Zhengguo Lin,^a Huan He,^a Shaowen Zhang,^{*a} and Xiaofang Li^{*a}

^aKey Laboratory of Cluster Science of Ministry of Education, School of Chemistry, Beijing Institute of Technology, 5 South Zhongguancun Street, Haidian District, Beijing 100081, China. ^bSchool of Materials Science & Engineering, Beijing Institute of Technology, 5 South Zhongguancun Street, Haidian District, Beijing 100081, China.

Contents:

SFigure 1. ¹H NMR spectrum of PCL obtained by complex **3** (Table 3, entry 14).


SFigure 2. ¹³C NMR spectrum of PCL obtained by complex **3** (Table 3, entry 14).

SFigure 3. GPC curve of PCL obtained by complex **3** (Table 3, entry 14).


SFigure 4. DSC curve of PCL obtained by complex **3** (Table 3, entry 14).

SFigure 5. GPC curve of poly(CL-*co*-BL) obtained by complex **3** (Table 4, entry 7).


SFigure 6. DSC curve of poly(CL-*co*-BL) obtained by complex **3** (Table 4, entry 7).



SFigure 1. ^1H NMR spectrum of PCL obtained by complex **3** (Table 3, entry 14).



SFigure 2. ^{13}C NMR spectrum of PCL obtained by complex **3** (Table 3, entry 14).



SFigure 3. GPC curve of PCL obtained by complex **3** (Table 3, entry 14).




Figure 4. DSC curve of PCL obtained by complex **3** (Table 3, entry 14).





Figure 5. GPC curve of poly(CL-co-BL) obtained by complex **3** (Table 4, entry 7).



SFigure 6. DSC curve of poly(CL-*co*-BL) obtained by complex **3** (Table 4, entry 7).