


## Electronic Supplementary Information (ESI)

### Photoelectrical properties of Ag<sub>2</sub>S quantum dot-modified TiO<sub>2</sub> nanorod arrays and their application for photovoltaic devices

Bingkun Liu,<sup>a</sup> Dejun Wang,<sup>a</sup> Yu Zhang,<sup>b</sup> Haimei Fan,<sup>a</sup> Yanhong Lin,<sup>a</sup> Tengfei Jiang<sup>a</sup> and Tengfeng Xie <sup>\*a</sup>

<sup>a</sup> College of Chemistry, Jilin University, Changchun 130012, People's Republic of China. E-mail: xietf@jlu.edu.cn. Tel.: +86 431 85168093

<sup>b</sup> Liaoning Province Key Laboratory for Green Synthesis and Preparative Chemistry of Advanced Materials, College of Chemistry, Liaoning University, Shenyang 110036, People's Republic of China.



**Fig. S1** UV-vis absorption spectra of pure Ag<sub>2</sub>S film on FTO electrode. Inset: Plots of  $(\alpha h\nu)^2$  versus photon energy ( $h\nu$ ) characteristics for bare Ag<sub>2</sub>S film on FTO electrode. Energy bandgap ( $E_g$ ) of the samples are obtained by extrapolation of the plot of  $(\alpha h\nu)^2$  versus  $h\nu$  to the  $x$  axis.