

Electronic Supplementary Information for:

Synthesis of $\text{MnFe}_2\text{O}_4@$ Mn-Co oxide core-shell nanoparticles and their excellent performance for heavy metal removal

Ma Zichuan,^a Dongyuan Zhao,^a Chang Yongfang,^b Xing Shengtao,^{*a} Wu Yinsu^a and Gao

Yuanzhe^a

^a College of Chemistry and Material Sciences, Hebei Normal University, Shijiazhuang

050024, China

^b College of Chemical Technology, Shijiazhuang University, Shijiazhuang 050035, China




Figure S1. HRTEM image of MnFe₂O₄@Mn-Co oxide.




Figure S2. FTIR spectra of (a) MnFe₂O₄ and (b) MnFe₂O₄@Mn-Co oxide.




Figure S3. Nitrogen adsorption–desorption isotherms of MnFe₂O₄ and MnFe₂O₄@Mn-Co oxide.




Figure S4. Room-temperature magnetization loops of of MnFe₂O₄ and MnFe₂O₄@Mn-Co oxide.




Figure S5. Adsorption kinetics curves of heavy metals on $\text{MnFe}_2\text{O}_4@\text{Mn-Co}$ oxide




Figure S6. Effects of adsorbent concentrations on heavy metals removal.




Figure S7. The removal efficiencies of mixed metal ions by $\text{MnFe}_2\text{O}_4@\text{Mn-Co}$ oxide. The concentration of each metal ion was 5 mg L^{-1} .