

Tunable white-light emission from a mixed lanthanide (Eu^{3+} , Gd^{3+} , Tb^{3+}) coordination polymers derived from 4-(dipyridin-2-yl)amino benzoate

A. R. Ramya, Sunil Varughese and M. L. P. Reddy*

CSIR - Network of Institutes for Solar Energy, National Institute for Interdisciplinary Science and Technology (NIIST), Council of Scientific and Industrial Research (CSIR), Thiruvananthapuram- 695 019, India




Fig. S1 EDS spectrum for complex 6




Fig. S2 Thermogravimetric plot for complex 6




Fig. S3 PXRD patterns for complexes **1**, **2**, **3** and **6**.

Table S1. Elemental Analyses for complexes **4–11**, $\text{Gd}_{1-x-y}\text{Tb}_x\text{Eu}_y(\text{L})_3(\text{H}_2\text{O})_3$

Compounds	Elemental Analyses : Calcd (Found)		
	C	H	N
4	56.27 (56.15)	3.88 (3.95)	11.58 (11.40)
5	56.68 (56.77)	3.92 (3.78)	11.66 (11.44)
6	56.67 (56.68)	3.92 (3.74)	11.66 (11.38)
7	56.67 (56.77)	3.92 (3.77)	11.66 (11.64)
8	56.62 (56.58)	3.91 (3.80)	11.65 (11.42)
9	56.79 (57.05)	3.92 (3.90)	11.68 (11.61)
10	56.62 (56.60)	3.91 (3.81)	11.65 (11.47)
11	56.62 (56.55)	3.91 (3.85)	11.65 (11.59)