

Supplementary Material (ESI) for Green Chemistry
This journal is © The Royal Society of Chemistry 2010


Supporting Information

A facile, three-component domino protocol for the microwave-assisted synthesis of functionalized naphtho[2,3-*b*]furan-4,9-diones in water


Pitchaimani Prasanna,^a Kamaraj Balamurugan,^a Subbu Perumal,^{*a} and J. Carlos Menéndez^{*b}

^a*Department of Organic Chemistry, School of Chemistry, Madurai Kamaraj University, Madurai 625021, India. Fax: 91-452-2459845. E-mail: subbu.perum@gmail.com.*


^b*Departamento de Química Orgánica y Farmacéutica, Facultad de Farmacia, Universidad Complutense, 28040 Madrid, Spain. Fax: 34-91-3941822. E-mail: josecm@farm.ucm.es.*





¹H NMR spectrum of 10a




¹³C NMR spectrum of 10a











C,H-COSY spectrum of 10b



```


TE          300.0 K
D1          2.00000000 sec



----- CHANNEL f1 -----
NUC1        1H
P1          1.95 usec
PL1         0.00 dB
SF01        300.1318534 MHz


F2 - Processing parameters
SI          32768
SF          300.1300077 MHz
WDW         EH
SSB         0
LB          0.30 Hz
GB          0
PC          1.00



```



¹H NMR spectrum of 10c


















¹³C NMR spectrum of 10g






HRMS measurement for 10g























¹³C NMR spectrum of 10m





¹H NMR spectrum of 10n



¹³C NMR spectrum of 10n

