

Silica-supported 5-(pyrrolidin-2-yl)tetrazole: development of organocatalytic processes from batch to continuous-flow conditions

Olga Bortolini,^a Lorenzo Caciolli,^a Alberto Cavazzini,^{b,*} Valentina Costa,^b Roberto Greco,^b
Alessandro Massi,^{a,*} and Luisa Pasti^b

^a*Dipartimento di Chimica, Laboratorio di Chimica Organica, Università di Ferrara, Via L. Borsari 46, I-44121 Ferrara (Italy): Fax: (+)39 0532 455183. Phone: (+)39 0532 455183. E-mail: alessandro.massi@unife.it*


^b*Dipartimento di Chimica, Laboratorio di Chimica Analitica, Università di Ferrara: Fax: (+)39 0532 455133. Phone: (+)39 0532 455133. E-mail: alberto.cavazzini@unife.it*


Electronic supplementary information


Table of content:



¹ H and ¹³ C NMR of new compounds 7-13	S2
FT-IR spectra of silica 2-4	S16
Chiral HPLC chromatograms	S19


























































17a racemic




17a (Table 2, entry 1)




18 racemic




18 (Table 2, entry 4)




19 racemic




19 (Table 2, entry 5)




20 racemic




20 (Table 2, entry 8)




17b racemic




17b (Table 3, entry 6)




17c racemic




17c (Table 3, entry 7)




17d racemic



17d (Table 3, entry 8)



17e racemic



17e (Table 3, entry 9)