



This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/

1/18/2012 1:42:06 PM

Formula C ₅₀ H ₉₉ NO ₂	FW 746.3266 (279.4381+466.8885)
--	--

Acquisition Time (sec)	1.9980	Comment	Std Proton parameters		Date	Jan 16 2012	Date Stamp	Jan 16 2012	
File Name	\\wetsus04\users\j.dpar\Project\NMR\DPAR031.fid\fid			Frequency (MHz)	400.16	Nucleus	1H	Number of Transients	16
Original Points Count	12791	Points Count	16384	Pulse Sequence	s2pul	Receiver Gain	14.00	Solvent	CHLOROFORM-d
Spectrum Offset (Hz)	2400.9688	Spectrum Type	STANDARD	Sweep Width (Hz)	6402.05	Temperature (degree C)	25.000		



This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/

No.	(ppm)	(Hz)	Height	No.	(ppm)	(Hz)	Height	No.	(ppm)	(Hz)	Height	No.	(ppm)	(Hz)	Height	No.	(ppm)	(Hz)	Height
1	0.82	329.3	0.0273	12	1.33	530.9	0.4146	23	2.15	861.5	0.0874	34	3.38	1354.3	0.2125	45	5.38	2153.4	0.0360
2	0.86	342.2	0.4301	13	1.34	534.4	0.4010	24	2.17	869.7	0.0954	35	5.28	2114.3	0.0306	46	5.40	2159.3	0.0203
3	0.86	345.3	0.2985	14	1.35	538.3	0.4401	25	2.19	877.5	0.0730	36	5.29	2117.9	0.0274	47	7.16	2864.2	0.0288
4	0.87	349.2	1.0000	15	1.62	647.0	0.1353	26	2.35	939.3	0.1553	37	5.30	2121.4	0.0336	48	7.18	2871.7	0.0448
5	0.88	351.9	0.4964	16	1.64	654.8	0.2068	27	2.43	973.7	0.0219	38	5.31	2125.3	0.0668	49	7.23	2892.8	0.0314
6	0.89	355.9	0.4136	17	1.65	661.8	0.2122	28	2.74	1096.8	0.0626	39	5.33	2132.3	0.0850	50	7.25	2900.2	0.0361
7	0.92	369.1	0.0251	18	1.99	798.2	0.0349	29	2.76	1103.0	0.1077	40	5.34	2137.8	0.0769	51	7.26	2904.9	0.0857
8	1.26	505.1	0.8406	19	2.01	805.6	0.1061	30	2.77	1109.7	0.0514	41	5.35	2142.9	0.0861				
9	1.28	511.8	0.7554	20	2.03	812.7	0.1540	31	3.00	1198.8	0.0543	42	5.37	2148.3	0.0466				
10	1.29	517.2	0.9855	21	2.05	819.7	0.1098	32	3.34	1337.5	0.2391	43	5.37	2149.9	0.0441				
11	1.31	524.3	0.5425	22	2.07	826.3	0.0354	33	3.36	1345.7	0.2216	44	5.38	2151.9	0.0399				

No.	Atom	Exp. Shift (ppm)	No.	Atom	Exp. Shift (ppm)	No.	Atom	Exp. Shift (ppm)	No.	Atom	Exp. Shift (ppm)	No.	Atom	Exp. Shift (ppm)
1	45	0.87	12	43	1.29	23	50	1.29	34	39	1.64	45	46	3.36
2	37	0.87	13	42	1.29	24	51	1.29	35	31	1.64	46	10	5.35
3	28	0.87	14	41	1.29	25	52	1.29	36	47	1.64	47	11	5.35
4	53	0.87	15	40	1.29	26	18	1.29	37	4	1.64	48	13	5.35
5	19	0.87	16	36	1.29	27	17	1.29	38	9	2.03	49	14	5.35
6	27	1.29	17	35	1.29	28	16	1.29	39	15	2.03			
7	26	1.29	18	34	1.29	29	8	1.29	40	3	2.17			
8	25	1.29	19	33	1.29	30	7	1.29	41	12	2.76			
9	24	1.29	20	32	1.29	31	6	1.29	42	38	3.36			
10	23	1.29	21	48	1.29	32	5	1.29	43	30	3.36			
11	44	1.29	22	49	1.29	33	22	1.64	44	21	3.36			