


# Fulleranes produced via efficient polyamine hydrogenations of [60]fullerene, [70]fullerene and giant fullerenes


Jeremy Kintigh, Jonathan B. Briggs,  
Kristine Letourneau and Glen P. Miller\*

Department of Chemistry  
and Materials Science Program  
University of New Hampshire  
Durham, NH 03824  
glen.miller@unh.edu


DET = diethylenetriamine






TEP = tetraethylenepentamine






PEH = pentaethylenehexamine










Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneau, and Glen P. Miller\*  
 Department of Chemistry and Materials Science Program-- University of New Hampshire





Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneua, and Glen P. Miller\*  
Department of Chemistry and Materials Science Program-- University of New Hampshire





Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneau, and Glen P. Miller\*  
 Department of Chemistry and Materials Science Program-- University of New Hampshire



Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneau, and Glen P. Miller\*  
 Department of Chemistry and Materials Science Program-- University of New Hampshire



Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneau, and Glen P. Miller\*  
Department of Chemistry and Materials Science Program-- University of New Hampshire



Jeremy Kintigh, Jonathan B. Briggs, Kristine Letourneau, and Glen P. Miller\*  
 Department of Chemistry and Materials Science Program-- University of New Hampshire