

Supplementary Data

Loading Nanoparticles into Thermo-responsive Microgels by Reversible Transfer from Organic Solvents to Water


Lei Shen,^{a,b} Andrij Pich,^{a,c} Daniele Fava,^a Mingfeng Wang,^a Sandeep Kumar,^a Chi Wu,^{b,d} Gregory
D. Scholes,^{*,a} and Mitchell A. Winnik^{*,a}

*a. Department of Chemistry, University of Toronto, 80 St. George Street, Toronto, M5S 3H6
Ontario Canada;*


*b. The Hefei National Laboratory for Physical Sciences at Microscale, Department of Chemical
Physics, University of Science and Technology of China, Hefei 230026, Anhui, China;*

*c. Department of Macromolecular Chemistry and Textile Chemistry, Technische Universität
Dresden, 01062 Dresden, Germany;*

d. Department of Chemistry, The Chinese University of Hong Kong, Shatin, N. T., Hong Kong.



Supporting 1. TEM image of the CdSe/TOPO QDs with a band-edge absorption at 588 nm and a mean core diameter of 4.5 ± 0.3 nm as determined by TEM.



Supporting 2. TEM image of the PbS/OA QDs with a band-edge absorption at 1108 nm and a mean core diameter of 3.5 ± 0.5 nm as determined by TEM.