

## Electronic Supplementary Information (ESI)

---

### Solution-Processible Highly Efficient Yellow- and Red-emitting Phosphorescent Organic Light Emitting Devices by a Combination of Small Molecule Bipolar Host and Iridium Complexes

---

Youtian Tao,<sup>a</sup> Qiang Wang,<sup>bc</sup> Chuluo Yang,<sup>\*a</sup> Kai Zhang,<sup>a</sup> Qi Wang,<sup>bc</sup> Taotao Zou,<sup>a</sup> Jingui Qin,<sup>a</sup> Dongge Ma<sup>\*b</sup>


<sup>a</sup>Department of Chemistry, Hubei Key Lab on Organic and Polymeric Optoelectronic Materials, Wuhan University, Wuhan 430072, People's Republic of China. Email: [clyang@whu.edu.cn](mailto:clyang@whu.edu.cn)

<sup>b</sup>State Key Laboratory of Polymer Physics and Chemistry, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun 130022, People's Republic of China. Email: [mdg1014@ciac.jl.cn](mailto:mdg1014@ciac.jl.cn)


<sup>c</sup>The Graduate School of Chinese Academy of Sciences, Beijing, (100039) P. R. China

**Figure S1:** Cyclic voltammograms of CzOXD.


**Figure S2:** AFM images of films by spin-coating process (a) CzOXD blended with 7 wt % of **1**; (b) CzOXD blended with 5wt % of **2**.



**Figure S1:** Cyclic voltammograms of CzOXD.



(a)



(b)

**Figure S2:** AFM images of films by spin-coating process (a) CzOXD blended with 7 wt % of **1**; (b) CzOXD blended with 5wt % of **2**.