

Supplementary Material (ESI) for Journal of Materials Chemistry

Diluted magnetic semiconductors: Mn/Co-doped ZnO nanorods as case study

Igor Djerdj,^a Georg Garnweitner,^b Denis Arçon,^{*c,d} Matej Pregelj,^c Zvonko Jagličić,^{e,f} and Markus Niederberger^g

^aDr. I. Djerdj, Prof. Dr. M. Niederberger

Department of Materials, ETH Zürich, Wolfgang-Pauli-Strasse 10, 8093 Zürich, Switzerland.

Fax:+41 (0) 44 632 1101;

Tel:+41 (0) 44 633 6707;

E-mail: igor.djerdj@mat.ethz.ch

^bProf. Dr. G. Garnweitner

Institute for Particle Technology, TU Braunschweig,

Volkmaroder Str. 5, 38104 Braunschweig, Germany.

^cProf. Dr. D. Arçon, M. Pregelj

Institute Jožef Stefan, Jamova 39, 1000 Ljubljana, Slovenia.

Fax + 386 (0) 1426 3269;

Tel + 386 (0) 1477 3492;

E-mail: denis.arcon@ijs.si

^dProf. Dr. D. Arçon

Faculty of Mathematics and Physics, University of Ljubljana,

Jadranska 19, 1000 Ljubljana, Slovenia.

^eProf. Dr. Z. Jagličić

Institute of Mathematics, Physics and Mechanics,

Jadranska 19, 1000 Ljubljana, Slovenia.

†Prof. Dr. Z. Jagličić

Faculty of Civil and Geodetic Engineering, University of Ljubljana,

Jamova 2, 1000 Ljubljana, Slovenia.




Fig. S1 (a) Overview TEM image of 3% Co:ZnO nanorods; (b) TEM image of 3% Co:ZnO nanorods at higher magnification; (c) Comparison of the SAED pattern of 3% Co:ZnO with the simulated pattern of *fcc* Co; (d) HRTEM image of a tip of 3% Co:ZnO nanorod with [001] crystal growth direction; (e) Corresponding power spectrum of (d) revealing [010] zone-axis of ZnO.