

Electronic Supplementary Information

**Synthesis and Characterisation of Ordered Arrays of Mesoporous Carbon
Nanofibres**

Kaixue Wang,^{abc} Pavels Birjukovs,^d Donats Erts,^{abd} Richard Phelan,^{ab} Michael A.
Morris,^{ab} Haoshen Zhou^c and Justin D. Holmes*,^{ab}

^a*Department of Chemistry and the Tyndall National Institute, University College Cork,
Cork, Ireland*


^b*Centre for Research on Adaptive Nanostructures and Nanodevices (CRANN), Trinity
College Dublin, Dublin 2, Ireland*

^c*Energy Technology Research Institute, AIST Tsukuba, Central 2, Ibaraki 305-8568,
Japan*

^d*Institute of Chemical Physics, University of Latvia*

* To whom correspondence should be addressed. Tel: 00353-21-4903608. Fax:
00353-21-4274097. Email: j.holmes@ucc.ie

S1 low-magnification TEM image of the carbon nanofibres bundle released from the AAO membrane show that only one side of the nanofibres has the bubble-like structure.



S2 Low magnification TEM image of mesoporous carbon nanofibres released by dissolving AAO membranes in a 6M HCl solution. The Y-shaped branches and saw-shaped edges in some nanofibres vividly reflect the inner surface morphology of pore channels of AAO membranes

