

**Facile Hydrothermal Preparation of Hierarchically Assembled, Porous
Single-Crystalline ZnO Nanoplates and Their Application in Dye-Sensitized Solar Cells**

Yongcai Qiu,^{†,‡} Wei Chen,[†] Shihe Yang^{*,†,‡}

[*] Mr. Yongcai Qiu, Nano Science and Technology Program, Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong (P. R. China)

Dr. Wei Chen, Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong (P. R. China)

Prof. Shihe Yang, Corresponding-Author, Nano Science and Technology Program, Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong (P. R. China); E-mail: (chsyang@ust.hk)

Supporting Information

Table of Contents

Figure S1. FT-IR spectrum of the as-prepared precursor.

Figure S2. TGA trace of the as-prepared precursor.

Figure S3. SEM images of the intermediate products *en route* to the precursor after reaction at 130°C for (a) 1 h, (b) 5 h, and (c) 10 h.

Figure S4. Schematic representation of a plausible mechanism for the assembly of the nanoplates into flower-like pseudospheres, and finally to porous ZnO nanoplate spheres after thermal decomposition. (i) Oriented attachment; (ii) Flower-like assembly; (iii) Radial growth; (iv) Thermal treatment.

Figure S5. Polyhedral view of the structural packing of hydrozincite $[\text{Zn}_5(\text{CO}_3)_2(\text{OH})_6]$ in

the [100] (left) and [001] (right) directions. As can be seen from the view in the [001] direction, each layer assembled by zinc octahedrons and tetrahedrons are interlinked via bridging CO_3^{2-} ions, leading to the formation of a 3D network.

Figure S6. Schematic illustration of the structural packing of wurtzite ZnO viewed in the [001] direction.

Figure S7. Cross sectional view of a porous ZnO nanoplates photoanode. Inset: Detailed view of the porous structure.

Figure S8. Cross sectional view of a ZnO nanoparticles photoanode. Inset: High magnification SEM image of the ZnO nanoparticles.




Figure S1. FT-IR spectrum of the as-prepared precursor.




Figure S2. TGA trace of the as-prepared precursor.




Figure S3. SEM images of the intermediate products *en route* to the precursor after reaction at 130 °C for (a) 1 h, (b) 5 h, and (c) 10 h.




Figure S4. Schematic representation of a plausible mechanism for the assembly of the nanoplates into flower-like pseudospheres, finally to porous ZnO nanoplate spheres after thermal decomposition. (i) Oriented attachment; (ii) Flower-like assembly; (iii) Radial growth; (iv) Thermal treatment.




Figure S5. Polyhedral view of the structural packing of hydrozincite $[\text{Zn}_5(\text{CO}_3)_2(\text{OH})_6]$ in the $[100]$ (left) and $[001]$ (right) directions. As can be seen from the view in the $[001]$ direction, each layer assembled by zinc octahedrons and tetrahedrons are interlinked via bridging CO_3^{2-} ions, leading to the formation of a 3D network.




Figure S6. Schematic illustration of the structural packing of wurtzite ZnO viewed in the [001] direction.




Figure S7. Cross sectional view of a porous ZnO nanoplates photoanode. Inset: Detailed view of the porous structure.



Figure S8. Cross sectional view of a ZnO nanoparticles photoanode. Inset: High magnification SEM image of the ZnO nanoparticles.