

A Morphology Controller for High-Efficiency Bulk-Heterojunction Polymer Solar Cells

Bogyu Lim,^{a,d} Jang Jo,^{a,d} Seok-In Na,^b Juhwan Kim,^a Seok-Soon Kim,^c and Dong-Yu Kim^{*,a}


^aHeeger Center for Advanced Materials (HCAM), Department of Materials Science and Engineering, Gwangju Institute of Science and Technology (GIST), 1 Oryong-Dong, Buk-Gu, Gwangju 500-712, Republic of Korea. E-mail: kimdy@gist.ac.kr; Fax: +82-62-970-2304; Tel: +82-62-970-2319

^bKorea Institute of Science and Technology, 864-9, Dunsan-ri, Bongdong-eup, Wanju-gun, Jeollabuk-do 565-902, Republic of Korea

^cSchool of Materials Science & Chemical Engineering, Kunsan National University, Kunsan, Chonbuk 753-701, Republic of Korea.

^dPresent address: Center for Polymers and Organic Solids, University of California Santa Barbara, Santa Barbara, California, 93106, USA

Supporting Information



Scheme S1. Synthetic scheme for the synthesis of **F-P3HT**.




Figure S1. AFM topographic images of (a) P3HT:PCBM (100:100), (b) P3HT:**F-P3HT**:PCBM (98:2:100), and (c) P3HT:**F-P3HT**:PCBM (70:30:100).