

**Supplementary data**

**Induction heating studies of  $\text{Fe}_3\text{O}_4$  magnetic nanoparticles capped with oleic acid  
and polyethylene glycol for hyperthermia**

Runa Ghosh<sup>a</sup>, Lina Pradhan<sup>b</sup>, Yensenbam Priyabala Devi<sup>a</sup>, S. S. Meena<sup>c</sup>, R. Tewari<sup>d</sup>,  
Amit Kumar<sup>b</sup>, Sachil Sharma<sup>e</sup>, N. S. Gajbhiye<sup>e</sup>, R. K. Vatsa<sup>a</sup>, Badri N. Pandey<sup>b,\*</sup>, and  
R. S. Ningthoujam<sup>a,\*</sup>

<sup>a</sup>Chemistry Division, <sup>b</sup>Radiation Biology & Health Sciences Division, <sup>c</sup>Solid State Physics Division, and <sup>d</sup>Material Science Division, Bhabha Atomic Research Centre, Mumbai-400085, India.

<sup>e</sup>Department of Chemistry, Indian Institute of Technology, Kanpur-208016, India.



Fig. S1. Induction coils with different diameters: (a) 6 cm and (b) 10 cm.




Fig. S2. Calculation of d-spacing analysis from HRTEM.




Fig. S3: Power vs. time for  $\text{Fe}_3\text{O}_4$ -PEG-MN.




Fig. S4: Power vs. time for  $\text{Fe}_3\text{O}_4$ -OA-MN.