

Facile Synthesis of Open Mesoporous Carbon Nanofibers with Tailored Nanostructure as a Highly Efficient Counter Electrode in CdSe Quantum-Dot-Sensitized Solar Cells†

Baizeng Fang,^{a,b,c} Minwoo Kim,^a Sheng-Qiang Fan,^{a,d} Jung Ho Kim,^a

David P. Wilkinson,^{*,b,c} Jaejung Ko,^{*,a} and Jong-Sung Yu^{*,a}

^a *Department of Advanced Materials Chemistry, BK21 Research Team, Korea University, 208 Seochang, Jochiwon, ChungNam 339-700, Republic of Korea,*

^b *Department of Chemical & Biological Engineering, University of British Columbia, 2360 East Mall, Vancouver, B.C., Canada V6T 1Z3, ^c Clean Energy Research Centre,*

2360 East Mall, Vancouver, B.C., Canada V6T 1Z3, and ^d Department of Applied Chemistry, School of Science, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, People's Republic of China

Supporting Information

*To whom correspondence should be addressed. E-mail: jsyu212@korea.ac.kr (J.-S. Yu); jko@korea.ac.kr (J. Ko); dwilkinson@chbe.ubc.ca (D. P. Wilkinson)




Fig. S1. Representative SEM images with various magnifications for the MCNFs.




Fig. S2. Representative SEM image for the activated carbon (Duksan Pharm. Co. Korea).




Fig. S3. Typical nitrogen adsorption-desorption isotherm at 77 K and the derived PSD for the activated carbon (Duksan Pharm. Co. Korea).