

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability

Marta Liras,^{*a,b} Mercedes Pintado-Sierra,^{b,c} Francisco Amat-Guerri^b and Roberto Sastre^a

^a Instituto de Ciencia y Tecnología de Polímeros, ICTP-CSIC, Juan de la Cierva 3, E-28006 Madrid, Spain Fax: (+34) 915644853

e-mail: martaliras@ictp.csic.es

^b Instituto de Química Orgánica General, IQOG-CSIC, Juan de la Cierva 3, E-28006, Madrid, Spain

^c Instituto de Química Física Rocasolano, IQFR-CSIC Serrano 119, CSIC, E-28006, Madrid, Spain

Index

Characterization of POSS1	S2
Characterization of POSS2	S4
Characterization of POSS3	S6
Characterization of POSS4	S8

(¹H-NMR, ¹³C-NMR and HRMS MALDI-TOF)

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability




Figure S1. ¹H-NMR and ¹³C-NMR spectra of hybrid compound POSS1

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability




Figure S2. POSS1 HRMS MALDI-TOF analysis: calculated for $C_{51}H_{95}BN_2O_{14}F_2Si_8$ 1232.4993, found 1232.355

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability




Figure S3. ¹H-NMR and ¹³C-NMR spectra of hybrid compound POSS2

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability





Figure S4. POSS2 HRMS MALDI-TOF analysis: calculated for $C_{53}H_{91}BN_2O_{12}F_2Si_8$ 1220.4782, found 1220.4824.

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability



Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability




Figure S6. POSS3 HRMS MALDI-TOF analysis: calculated for $C_{46}H_{85}BN_2O_{12}F_2Si_8$ 1130.4312, found 1130.4330.

Supplementary Information

New BODIPY chromophores bound to polyhedral oligomeric silsesquioxanes (POSS) with improved thermo- and photostability




Figure S7. $^1\text{H-NMR}$ spectra of hybrid compound POSS4




Figure S8. POSS4 HRMS MALDI-TOF analysis: calculated for $\text{C}_{74}\text{H}_{145}\text{BN}_2\text{O}_{24}\text{F}_2\text{Si}_{16}$ 1942.655, found 1942.653.