
## **Electronic Supplementary Information**


## Construction of Full-Color-Tunable and Strongly Emissive Materials by Functionalizing a Boron-Chelate Four-Ring-Fused $\pi$ -Conjugated Core

Di Li, Hongyu Zhang,\* Chenguang Wang, Shuo Huang, Jianhua Guo and Yue Wang\*

State Key Laboratory of Supramolecular Structure and Materials, College of Chemistry, Jilin University, Changchun 130012, P. R. China. E-mail: <a href="mailto:hongyuzhang@jlu.edu.cn">hongyuzhang@jlu.edu.cn</a> (H. Zhang); <a href="mailto:yuewang@jlu.edu.cn">yuewang@jlu.edu.cn</a> (Y. Wang)



**Figure S1.** Comparison of molecular orbitals and energy levels among complexes **2**, **5**, and **7**.



**Figure S2** Cyclic voltammograms of 3-6 in  $CH_2Cl_2$  (1 mM), measured with TBAP (0.1 M) as a supporting electrolyte at a scan rate of 100 mV s<sup>-1</sup>.






Figure S3. Solvatochromic behaviours of complexes 1, 3, 4, and 6.



**Figure S4.** TGA curves of **3–6** at a heating rate of 10 °C/min.



**Figure S5.** DSC curves of **3–6** at a heating rate of 10 °C/min.