

SUPPORTING INFORMATION

Soft Lithographic Patterning of Spin Crossover Complexes. Part 2: Stimuli-responsive diffraction grating properties

*Amal Akou,^a Il'ya A. Gural'skiy,^{ab} Lionel Salmon,^a Carlos Bartual-Murgui,^c Christophe
Thibault,^c Christophe Vieu,^c Gábor Molnár,^{*a} and Azzedine Bousseksou^{*a}*

^a LCC, CNRS & Université de Toulouse (UPS, INP), 205 route de Narbonne, 31077
Toulouse, France

^b Department of Chemistry, National Taras Shevchenko University, 62 Vladimirska str.,
01601 Kiev, Ukraine

^c LAAS, CNRS & Université de Toulouse (UPS, INSA, IAES), 7 avenue du colonel Roche,
31077 Toulouse, France

Optical microscopy and AFM images of $[\text{Fe}(\text{hptrz})_3](\text{OTs})_2$ surface-relief gratings with various grating geometries. **a:** $\Lambda_x = 30 \mu\text{m}$, $f = 0.45$, **b:** $\Lambda_x = 5 \mu\text{m}$, $f = 0.5$, **c:** $\Lambda_{xy} = 10 \mu\text{m}$, $f = 0.45$, **d:** $\Lambda_{xy} = 20 \mu\text{m}$, $f = 0.45$, **e:** $\Lambda_x = 0.8 \mu\text{m}$, $f = 0.2$.

